

**Hooajakampaania -
hinnad soodsamad!**

Kehtib kuni 15 / 02 / 2027

Your Veterinary Anaesthesia Solution

The EICKEMEYER® NarkoVet II is a state-of-the-art anaesthesia machine specifically designed for veterinary medicine. This compact and visually appealing device features a clear and organized structure of all components, ensuring ease of use. With the included mounting plate, an optional O₂ concentrator can be conveniently installed directly on the stable, mobile stand, optimising space and functionality in your practice.

O₂ Flowmeter (0.1 – 4.0 l/min)
Oxygen bypass (O₂ flush)
Isoflurane vaporiser, key filled
CO₂ absorber lime container with quick-change system
Infinitely adjustable pressure relief valve
Pressure gauge to display the system pressure
External fresh gas outlet for open system
Easy change of circuits using a toggle switch
Hanger for hygienic storage of patient tubes
Holder for anaesthetic gas filter
Incl. O₂ concentrator tray, ventilator tray (NarkoVet SAV II),
patient tubes (coaxial / open), rebreathing bags (0.5 l, 1 l & 2 l)
and anaesthetic gas filter with scavenging hose

213130

€ 1900,-

Wall mount for NarkoVet II

The wall mount allows the NarkoVet II to be mounted on the wall instead of on the mobile stand, saving space.

21313002

€ 101,-

Tray for NarkoVet II

For monitoring devices
Dimensions (cm): 29.5 × 19.5

21313003

€ 35,-

NarkoVetAnaesthetic Starter Kit

Complete Set, consisting of:

Safety fill neck for isoflurane
3 soda lime, 4,5 kg, with color change
Breathing bag, 3 l
6 plastic breathing masks (size 1 – 6)
Complete set of EickTube tracheal tubes, 23 pcs. (2,0–10,0 mm)
Laryngoscope ECONOMY

213131

€ 298,-



EICKEMEYER® NARKOVET SAV II SMALL ANIMAL VENTILATOR

The main cause of serious anaesthetic incidents in veterinary practices is the patient's unnoticed apnoea. Routinely controlled ventilation helps to drastically reduce the risk of anaesthesia and thus ensures the optimal safety of your patients. Ventilation is implemented via a high-performance electronic turbine, which means that no drive gas (e.g. from an external compressor) is required. The settings on the NarkoVet SAV are extremely user-friendly, just set the patient's body weight and the intelligent software automatically adjusts all other ventilation parameters.

Electronically driven by a high-performance turbine
Precise ventilation with a minimum tidal volume down to 4 ml
Once inputting animal weight, smart respiratory parameters can be called up
Ventilation modes: Volume-controlled ventilation (VCV), pressure-controlled ventilation (PCV) and Positive end-expiratory pressure (PEEP)
Multiple alarms and clear handling prompts ensure high patient safety
Clear "at a glance" ventilation parameters thanks to the large 7-inch colour display
Auto system leak test with graphical guidance for quick start
Ventilation rate: 2 – 60 bpm
Tidal volume: 4 – 1,500 ml
Maximum ventilation pressure: 5 – 50 cmH₂O
Release pressure -10.0 – -4.0 cmH₂O
Patient weight range: 0.4 – 150 kg
Dimensions (in cm): L 29.1 x W 33.6 x H 46.2
Weight: approx. 8.5 kg



213020

€ 2500,-

OXYVET IV OXYGEN CONCENTRATOR

Saving costs and effort: No oxygen bottle required, lower power consumption
Simple operation thanks to the clear arrangement of the setting functions and monitoring information
High patient safety through visual and acoustic alarms Noise level: ≤ 55 dbA
Flow rate continuously adjustable from 0.5 – 5 l/min
Output of up to 93 % oxygen (± 3 %)
Dimensions (in cm): L 34 x W 37 x H 67
Weight: 15.3 kg
Incl. Bubble humidifier and O₂ hose
1 year warranty

213180

€ 550,-



Maximum Safety for Your Patients

The main cause of serious anaesthesia incidents in veterinary practices is the patient's unnoticed apnoea. Routinely controlled ventilation helps to drastically minimise this risk, ensuring optimal safety for your patients. The EICKEMEYER® NarkoVet PRO features an integrated ventilator powered by an electronic turbine, eliminating the need for drive gas from an external compressor. To protect your patients and staff, the system performs an automatic leak test at start-up.

Anaesthesia Machine

- O₂ Flowmeter (0.1 – 4.0 l/min)
- Oxygen bypass (O₂ fl ush)
- Isoflurane vaporiser, key filled
- CO₂ absorber lime container with quick-change system
- Infinitely adjustable pressure relief valve
- Pressure gauge to display the system pressure
- External fresh gas outlet for open system
- Easy change of circuits using a toggle switch
- Weighing scale for anaesthetic gas filter

Ventilator

- Electronically controlled, no compressed air source required
- All ventilation parameters on a large, 8" touchscreen
- Patient safety through acoustic and visual alarms
- Automatic calculation of ventilation volume based on weight
- Patients from 0.5 – 150 kg can be ventilated
- Tidal volume from 5 ml, for precise ventilation of tiny patients
- Supported ventilation modes:
 - Volume-controlled ventilation (VCV)
 - Volume-supported (VS)
 - Pressure-controlled ventilation (PCV)
 - Synchronised intermittent mandatory ventilation – pressure-controlled (SIMV-PC)
 - Continuous positive airway pressure / pressure-supported ventilation (CPAP/PSV)
 - Pressure-regulated volume-controlled (PRVC)
 - Synchronised intermittent mandatory ventilation – Pressure-regulated volume-controlled (SIMV-PRVC)
 - Pressure-supported ventilation protection (PSVPro)
- Ventilation rate: 4 – 100 bpm
- Tidal volume: 5 – 1,500 ml
- Maximum ventilation pressure: 3 – 50 cmH₂O
- Trigger pressure -20.0 to -1 cmH₂O
- Mains and battery operation, battery life min. 2 hours

Further Specs

- Incl. O₂ concentrator tray and patient tube with rebreathing bag (1 l)
- Dimensions (in cm): L 64 x W 67 x H 140
- Weight: approx. 43 kg
- Sevoflurane option available upon request

213040

€ 4500,-

EICKEMEYER® NarkoVet PRO + AIR

With second flowmeter for medical air
213041

€ 5100,-

CO₂ Module for NarkoVet PRO

The Smart Safety Upgrade for Veterinary Anaesthesia

The new CO₂ Module for the NarkoVet PRO system enables automated adjustment of ventilation based on the patient's exhaled CO₂ levels. The system continuously analyses CO₂ levels and automatically regulates ventilation parameters accordingly. This not only enhances monitoring precision but also ensures that respiratory support is dynamically adapted to the patient's current physiological condition – improving safety and efficiency during anaesthesia.

213045

€ 1000,-

UUS



2130401

REBREATHING BAGS

Antistatic black rubber
Includes: Hanging hook

0.5 Litre € 12,-
215005

1 Litre € 12,-
215010

2 Litre € 12,-
215020

3 Litre € 12,-
215030

5 Litre € 12,-
215050

15 Litre € 101,-
Suitable for foals
215115

30 Litre € 144,-
For horses
Without hanging loop
215130



215005

GROOMING GLOVE

The grooming glove combines a gentle massage with effective grooming in a single step. Thanks to integrated flexible silicone nubs, it makes the coats of dogs and cats shine and easily removes loose hair, especially during shedding season.

Pleasant massage effect promotes blood circulation
Easy hair removal while petting
High-quality, durable textile and polyester material

908012

€ 4,-



EICKEMEYER® ULTRASOUND GEL

The EICKEMEYER® Ultrasound Gel is a proven contact agent for ultrasound diagnostics and therapy.

Free of bubbles and acoustically precise scans
Free of Formaldehyde, perfume additives, dyes and UV stabilizers therefore minimal allergenic potency
Not suitable for ophthalmological examinations

303936

€ 3,-



LIFEVET CP CAPNOGRAPH AND PULSE OXIMETER

The LifeVet CP handheld Capnograph and Pulse Oximeter measures and displays the expiratory CO₂ concentration as well as the respiratory rate, pulse rate and oxygen saturation in dogs, cats and horses. This compact and portable device is very easy to use with its touchscreen display and intuitive interface.

High resolution 4.3" touchscreen display
Side-stream capnography
EtCO₂ concentration: 0 – 150 mmHg
Respiratory rate displayed in rpm
S_pO₂ range: 1 – 100 %
Pulse rate: 25 – 250 bpm
Audible and visual alarms with adjustable volume
Long-life lithium battery: up to 18 h operating time
Dimensions (in cm): W 7.7 x H 14.1 x D 3.6
Weight: 420 g

Includes: CO₂ tube, CO₂ filter, net adapter, USB cable, clip sensor

321880

€ 1000,-



LIFEVET 10C MULTIPARAMETER MONITORS

The LifeVet 10C monitors are modern, powerful patient monitors that are characterised by their high level of user-friendliness, reliable technology and extensive data storage. Thanks to the large display, the vital functions can also be read easily from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions.

Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG, temperature and capnography (EtCO₂) in sidestream mode
High-resolution 10" LED touchscreen with up to 8 curves
Freely selectable alarm limits and 360° visible alarm display
Mains and battery operation up to 4 hours
Dimensions (in cm): W 27 x H 22 x D 17
Weight: ≤ 4.0 kg
Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips, temperature probe, CO₂ adapter, CO₂ cable and water trap

LifeVet 10C

321920

€ 1900,-

LifeVet 10C+

321921

€ 2500,-



321921

INFUSOVET IP II INFUSION PUMP

The advanced InfusoVet IP II Infusion Pump combines the latest technology with a user-friendly design to make the administration of fluids and medications more precise and efficient.

User-friendly thanks to simple programming
 Patient safety thanks to acoustic and visual alarms
 Suitable for blood transfusions
 Stand prevents the infusion line from being disconnected
 Incl. clamp for drip stand
 Side power connection does not protrude into the cage
 Compatible with most pump specific infusion lines. May require calibration.

Technical specifications

Flow rate: 0.1 – 2,000 ml/h
 Volume limit: 0.1 – 9,999 ml
 Bolus rate: 0.1 – 2,000 ml/h (auto + manual)
 Occlusion level: 5 levels selectable (150 – 1,125 mmHg)
 Mains and battery operation for up to 4.5 hours
 Splash protection in accordance with IP44
 Dimensions (in cm): W 13 x H 18 x D 12
 Weight: < 1.2 kg

402087

€ 499,-



LIFEVET PT PULSE OXIMETER WITH TEMPERATURE MEASUREMENT

The portable LifeVet PT can measure and display the functional oxygen saturation of arterial haemoglobin (S_pO_2), pulse rate and body temperature in real time in dogs, cats, and horses. All important parameter information can be easily read on the large LCD display.

Small, handy and sturdy
Immediately ready for use – no calibration necessary
Display of oxygen saturation from 35 to 100 %
Display of the pulse rate from 25 to 400 beats per minute (bpm)
Display of body temperature from 18 to 45 °C
Alarm limits (optical & acoustic) individually adjustable
2.8" TFT LCD colour display with battery level indicator
Can be connected to a computer via USB
Test results can be stored for up to 360 hours
Dimensions (in cm): H 14.2 x W 7.8 x D 2.8
Weight: 250 g (device only)
Incl. S_pO_2 sensor with two sensor clips (large & small), temperature probe, universal charger, USB cable, Li-Ion battery, protective silicone case and holder for tabletop use

321860

€ 250,-



RESPIVET NANO II RESPIRATORY MONITOR

The RespiVet NANO II Respiratory Monitor provides reliable respiratory monitoring during anesthesia and helps with the early detection of apnoea events.

This compact device is connected between the endotracheal tube and the patient breathing circuit and can be activated with a single touch. If no breathing is detected for more than 15 seconds, the monitor automatically emits both a visual and audible alarm. Once breathing resumes, the system automatically reactivates itself.

Detects apnoea events after 15 seconds without breathing
Visual and audible alarm with an acoustic signal and continuous flashing light
Automatic reactivation when breathing resumes
Easy connection between the endotracheal tube and the patient breathing circuit
Connection to patient breathing circuit: 22 mm OD / 15 mm ID
Connection to endotracheal tube: 15 mm OD
Integrated lithium battery for up to 20 h continuous use
Low battery indicator and convenient USB charging
Easy to clean/disinfect

217120

€ 101,-



UUS

EICKEMEYER® I.V. FLUID WARMER

vetpood.ee

For warming up all intravenously administered liquids
LED display with temperature display
Temperature control from 35 to 42 °C in 0.1 °C steps
Warm-up time: less than 2 min
Dimensions (in cm): L 18 x W 7 x D 3.5
Weight: 200 g (without mounting clamp)

402092

€ 220,–



EICKWARM AIR WARMING SYSTEM FOR SMALL ANIMALS

The EickWarm Air Warming System quietly delivers forced air through optionally available warming mats that are specifically designed to evenly deliver diffused warm air to the patient.

Safe and effective management of patient body temperature
Optimal performance through uniform heat distribution
Extremely powerful and quiet (≤ 55 dB)
Temperature set points: Ambient air, 32 °C, 35 °C, 38 °C and 43 °C
Three selectable fan levels (air flow)
Reliable measurement of the hose outlet temperature
Multiple alarm options ensure maximum patient safety
Pole clamp for secure fixation
Long heat hose (2 m) with flexible fastening clamp
Compact dimensions (in cm): L 30 x W 37 x H 34
Weight (including heat hose): 6.5 kg
Warming mats available separately

648000

€ 650,–

Trolley for EickWarm Air

With lockable smooth running castors and basket
Dimensions (in cm): L 41 x W 50 x H 65

648010

€ 150,–



EICKWARM H₂O HEATING SYSTEM FOR SMALL ANIMALS

Prevent Intraoperative Hypothermia with the EickWarm H₂O Patient Heating System

Intraoperative hypothermia is one of the most common anaesthesia complications in small animal medicine. Effective perioperative heat management is crucial for reducing this risk and ensuring patient safety.

The EickWarm H₂O Patient Heating System provides safe and effective heat therapy with precise temperature control for small animals. By circulating demineralized water through a leak-proof heating mat, the system delivers conductive temperature therapy to prevent heat loss and hypothermia during surgery and recovery. The compact device operates quietly, ensuring a calm environment for both patients and staff. The efficient heating element quickly brings the warming mat to the desired temperature, providing immediate warmth. Additionally, by adding pre-cooled water, the device can be used to cool patients, offering versatile temperature management.

Safe and effective control of the patient's body temperature

Continuous temperature adjustment from 10 °C to 45 °C

For use with demineralised water

Digital temperature and water level display

Three different timer modes

Locking valves prevent the device from leaking when changing mats

Includes two warming mats (L 55 x W 55 and L 55 x W 100 cm)

Compact dimensions (in cm): L 19 x W 19 x H 17

Weight: 1.2 kg

648020

€ 250,-

Small Replacement Mat for EickWarm H₂O

Dimensions (in cm) L 55 x W 55

E64802001

€ 25,-

Large Replacement Mat for EickWarm H₂O

Dimensions (in cm) L 55 x W 100

E64802002

€ 25,-



648020



E64802001



E64802002

The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

X-Base with 4 individually adjustable feet
Provides best possible legroom and stability
Good working posture whether sitting or standing
X-Aluminium slim lift column with hydraulic or mains operated pump
Available with stainless steel X-base or heavy square base
Self-contained, maintenance-free column
Height adjustable from 72 – 112 cm
Unidirectional 90° tilt mechanism, one hand control
Stainless steel top with rounded, anti-drip edges and drain hole
Two tabletop widths: 50 and 60 cm
Optional heated tabletop
Various colour options available

602012

Illustration	RAL No.	Colour
		Stainless Steel
	3000	Flame Red
	6018	Lime Green
	5022	Night Blue
	2001	Red Orange
	6005	Moss Green
	4010	Pink

€ 1900,-

Table Tie Down Cleats

Stainless steel construction
Mounted under the table

602005

€ 45,-

Table Mat

For tabletop: 50 x 130 cm

602150

€ 49,-

For tabletop: 60 x 130 cm

602160

€ 59,-

Standard Rail System

Enables quick, safe and variable fixing of the patient on the table.

Consisting of:

2x Standard rail lengthwise
2x Standard rail across
4x Terminal block with quick fix clamps
10x Fixing rope, L 1 m

605050

€ 399,-

Curved Dental Tray

With removable tray with grid
Tray size (in cm): W 50 x D 35

605102

€ 320,-



Heavy Square Base



X-Base with Dental Tray

EICKEMEYER® SCISSOR TABLE II

The EICKEMEYER® Scissor Table II is perfect for raising and transporting larger patients without unnecessary handling and movement. The table is available in 8 different colours and the optional add-ons make this table a real all-rounder for your practice.

Ideal for examination, prep, dental treatment and procedures
Minimum height of 28 cm allows large dogs to walk onto the table

Maximum height of 105 cm enables more comfortable examination of smaller patients

All parts made from high-quality German stainless steel

Smooth, polished tabletop (60 x 130 cm) with rounded corners, anti-drip edges and a drain hole

Silent electric operation via foot pedal

Includes Power Supply and Tie Down Cleats

604200 € 2200,–

Illustration	RAL No.	Colour
		Stainless
	3000	Steel Flame
	6018	Red Lime
	5022	Green Night
	2001	Blue Red
	6005	Orange Moss
	4010	Green Pink
	9010	Pure White

Additional Options

In addition to the stationary table, you can choose one or more of the following table options:

Battery Kit

Includes Battery and Charger

Mobile Kit

Includes Wheels, Battery and Charger

Integrated Scale Option

Weighing range 0 – 120 kg

Not compatible with Tilt Option

Electric Tilt Option

Up to 35°

Not compatible with Scale Option



X-BASE OPERATING TABLE

vetpood.ee

The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

X-Base with 4 individually adjustable feet
Provides best possible legroom and stability
Good working posture whether sitting or standing
Slim lift column made of aluminium, pump hydraulic or mains operated
Self-contained, maintenance-free lift column
Height adjustable from 72 – 112 cm
Unidirectional 90° tilt mechanism, one hand control
Stainless steel top with rounded, anti-drip edges and drain hole
Tabletop available in two different sizes
(50 x 130 cm or 60 x 130 cm)
Optional heated tabletop
Various colour options available

602012

Illustration	RAL No.	Colour
		Stainless Steel
	3000	Flame Red
	6018	Lime Green
	5022	Night Blue
	2001	Red Orange
	6005	Moss Green
	4010	Pink

€ 1900,-

Table Tie Down Cleats

Stainless steel construction
Mounted under the table

602005

€ 45,-

Standard Rail System

Enables quick, safe and variable fixing of the patients on the table.

Consisting of:
2x Standard Rails, side
2x Standard Rails, end
4x Tie Down Cleats, quick release
10x Tie Down Ropes, L 1 m

605050

€ 399,-

Curved Dental Tray

With removable tray with grid
Tray size (in cm): W 50 x D 35

605102

€ 320,-



OPERATING TABLE V-TOP

The EICKEMEYER® V-Top Table features two stainless steel table panels which can be positioned independently to create the angle that holds the animal just right for all kinds of procedures. It also features an easy to clean removable gutter with a drain.

Technical specifications

Adjustable top panels: 0 – 90°
Stainless steel construction
Unidirectional 75° tilt mechanism
Adjustable height: 72 to 112 cm
4 Individually adjustable feet
3 Year Warranty
Tabletop dimensions (in cm): L 140 x W 50

Electric-lift Mechanism

602060 € 2200,–

Hydraulic-lift Mechanism

602070 € 2200,–

Curved Dental Tray

With removable tray with grid
Tub size (in cm): W 50 x D 35

602065 € 320,–



ZWEEZI SADULTOOL / ZWOOZI ÜMARTOOL

Uute mudelite info avaldatakse
lähiajal!

Uudis

ANIMAL STRETCHER TROLLEY

vetpood.ee

We get a lot of positive feedback regarding this Animal Stretcher Trolley. It will quickly become essential for transporting patients within your practice, and you will wonder how you ever managed without it.

This mobile trolley has four lockable castors so patients can be transported and secured easily.

4 lockable castors
Aluminium frame with a washable nylon cover
Maximum load capacity: 60 kg
Dimensions (in cm): L 120 x W 52 x H 80
605998

€ 550,-



EICKEMEYER® OPERATING MICROSCOPE

Ergonomically positioned controls allow a comfortable posture when operating for long periods
5 magnification steps: 3.6x / 5.4x / 8.9x / 14.2x / 22.3x
Visual field 56 to 9 mm
Micro-focusing 40 mm, motorised pedal controlled
Light source delivers bright light, 150 W
Mobile floor stand with 4 lockable castors, providing excellent mobility
Tilt-resistant, heavy floor stand with locking castors
Optional: tube for connection of CCD cameras

328140

€ 4500,-



EICKTRON TOUCH ELECTROSURGERY UNIT

The EickTron Touch is a veterinary electrosurgical unit that can be used for both monopolar and bipolar.

It has a large 7" touch screen display so all settings can be easily read. The intuitive user interface also makes it easy to use and the power can be controlled via the handset.

Input: 115-230 V, 50-60 Hz

Frequency: 360 kHz

Power consumption: 500 VA

Dimensions (in mm): W 370 x H 145 x D 300

Weight: 5.8 kg

Includes: Handpiece with finger switch and connection cable,

Neutral electrode (including cable), Electrode set (10 pieces),

Knife electrode (3 pieces each), Needle electrode (3 pieces

each), Ball electrode (3 pieces each), Waterproof footswitch



323150

€ 3700,-

EICKTRON 4.0 RADIOSURGERY UNIT

The EickTron 4.0 is a high-frequency radiosurgery unit that can be used in many ways in veterinary medicine. The working frequency is 600 KHz – 4.0 MHz and the output can be easily regulated using the foot pedal or hand switch. The digital display of the power output and the microprocessor-controlled monitoring of the operating functions guarantee absolute reliability and simple operation. The connection of the neutral electrode is constantly monitored for safety.

Radiosurgery units represent the minimally invasive form of electrosurgery, as the radio frequency generators work with significantly higher frequencies – here up to 4.0 MHz! Thanks to the high frequency, fewer watts can be used, which means that there is far less thermal damage to the surrounding tissue.

Input: 220 – 240 V; 50 – 60 Hz

Power consumption: 350 VA

Frequency: 600 KHz - 4.0 MHz

Dimensions (in cm): H 14.4 x W 37 x D 31.9

Weight: 6 kg

Includes: Handpiece with finger switch and connection cable,

Set of electrodes (10 pieces), 2 needle electrodes, 2 knife

electrodes, 2 ball electrodes, Neutral electrode, Cable for

neutral electrode, Rectal electrode, Foot switch



323400

€ 3100,-

EICKTRON ELECTROSURGICAL UNIT

vetpood.ee

The EickTron is a versatile tool in veterinary medicine allowing it to be used for both monopolar and bipolar instruments. The unit's power adjustment via a foot or hand switch and its microprocessor control makes it very easy to use.

Includes

Handpiece with finger switch and connecting cable
Electrode set (10 pieces)
Neutral electrode incl. cable
Footswitch

Technical specifications

Input: 220 – 240 V, 50 – 60 Hz
Power consumption: 300 VA
Frequency: 600 kHz
Dimensions (in mm):
L 288 x W 254 x H 104

323135

€ 850,-

Autoclavable Accessories

Bipolar Forceps
Angled
Length: 150 mm

323105 € 75,-

Bipolar Forceps Cable

323106 € 70,-

Bipolar Adapter

323139 € 45,-



EICKTRON EVAC SMOKE EVACUATION SYSTEM

The EickTron EVAC effectively extracts and filters vapours and aerosols generated during electrosurgical procedures. It eliminates unpleasant odours, reduces bacterial and viral contamination, and ensures clear vision. The suction can be controlled automatically or manually with a footswitch. The suction power is individually adjustable.

Maximum suction power: 1000 L/min
Maximum suction power with filter: 300 L/min
Maximum suction force: 250 mbar
Filter efficiency: 99.999 %
Dimensions (cm): W 37 x H 14.4 x 31.9
Weight: 4 kg
Incl. EickTron EVAC, starter filter (5-hour runtime), suction hose set, handpiece holder, power cable

323160

€ 1200,-

EickTron EVAC Filter 20

The EVAC Filter 20 with ULPA and activated carbon technology offers reliable filtration of the finest particles and effective reduction of unpleasant odours and bacterial and viral contamination.

Runtime: 20 hours

Particle filtration: down to 0.12 micrometers

Filter technology: ULPA with activated carbon

32316001

€ 145,-



32316001



323160

EICKVIEW KOMPAKT ENDOSKOP

The specially developed EickView Compact Endoscope provides the perfect solution for rhinoscopy, tracheoscopy and vaginoscopy in small animals due to its small diameter (3.8 mm) and integrated working channel.

Outer diameter Ø 3.8 mm

Integrated working channel Ø 1.3 mm

Working length 14 cm

Viewing angle: 30°

Two integrated stopcocks

Set includes: EickView Compact Endoscope incl. fitted otoscopy protection aid, portable LED light source incl. charger, foreign body forceps, spare battery, 2 cleaning brushes, padded carrying case

306122

€ 1500,-



EICKVIEW ULTRA COMPACT ENDOSCOPE SET

The EickView Ultra Compact is the new generation of multifunctional rigid endoscopes. It is ideal for all ENT applications as well as tracheo- and vaginoscopies with its 3.0 mm diameter.

Features:

Homogeneous and minimally invasive distal end by fusion of workforce and endoscope

No dirt deposit due to homogeneous distal end

Slightly smooth access due to extremely low outer diameter

Integrated working channel allows for the removal of foreign body extractions and biopsies

Technical specifications:

Outside Ø: 3 mm

Working length: 11 cm

Working channel Ø: 1.3 mm

Viewing angle: 0°

Opening angle: 90° (wide-angle)

Endoscope can be inserted

Flushing taps: Two integrated flushing taps allow continuous insufflation and supply of flushing fluid

Set includes: Endoscope (30611201), LED Light Source incl. charger (302942), Spare battery (E30294201), Foreign Body Forceps (30611802), 2 Cleaning brushes (30611807, 30611808)

306112

€ 1600,-



EICKVIEW PORTABLE LED VIDEO ENDOSCOPES

vetpood.ee

Due to their extremely compact dimensions, the EickView LED Video Endoscopes are the perfect solution for broncho-, gastro-, rhino-, tracheo, uretero- and vaginoscopy in dogs and cats and for the examination of the upper respiratory tract in horses. The devices work independently, as the powerful LED light source and the high resolution camera of the stand-alone systems are integrated in the distal end of the endoscopes. In addition, the folding 3.5" monitor allows both direct video and image playback as well as storage via SD card. Furthermore the EickView LED Video Endoscopes can be connected to a separate monitor.

Folding 3.5" monitor for video and picture playback
Recording and archiving on integrated SD card
File formats: JPG, AVI
Integrated powerful LED light source
Rechargeable Battery with up to 3 hours of operation

USB port and video out
Depth of field: 5 – 60 mm
Direction of view: 0°
Field of view: 110°

EickView LED Video Endoscopes

Item No.	Description	Working length	Outer Ø	Working channel	Deflection
306009	EickView 60S	60 cm	3.3 mm	1.2 mm	up 180°, down 130°
306011	EickView 60	60 cm	4.2 mm	1.3 mm	up 180°, down 130°
306010	EickView 70	70 cm	6.0 mm	2.0 mm	up 180°, down 130°
	Kõik mudelid				

€ 4600,-



306009

EICKVIEW ACCESSORIES

Semi-disposable foreign body forceps

For working channels from Ø 2.8 mm
Flexible
Toothed
Length: 1800 mm
Gripping width: 8 mm
Suitable for: 100 E, 150 SD, 150-6 HD+, 150-8 HD+, 150 E

30701001

€ 25,-

Semi-disposable cleaning brush

For working channels with a diameter of 2.8 mm or more
Brush diameter: 6 mm
Length: 180 cm
Suitable for: 100 E, 150 SD, 150-6 HD+, 150-8 HD+, 150 E

30701002


€ 20,-

Semi-disposable cleaning brush

For working channels from Ø 1.2 mm
Length: 120 cm
Suitable for: 60 SD, 60 SD-XS, 65 SD-URS

30702002

€ 17,-



30701001

EICKVIEW SD ENDOSCOPY SYSTEM

Unlock the future of veterinary care with the EickView SD Endoscopy System!

This state-of-the-art system features a high-quality endoscopy monitor with a large, intuitive touchscreen, seamlessly connecting to three versatile "semi-disposable" endoscopes. This system allows the veterinary practitioner to experience the benefits of flexible endoscopy (Gastroscopy, Bronchoscopy, Rhinoscopy, Ureteroscopy etc.) without the hefty investment of traditional video endoscopes. Each endoscope is equipped with a high-resolution CMOS image sensor and an LED light source, ensuring crystal-clear visuals.

The new EickView 65SD-URS Ureteroscope sets new standards in urology: Thanks to its small outer diameter of just 2.1 mm, the ureter can be visualised even in male dogs – a decisive advantage for minimally invasive diagnostics and treatment. With the EickView SD endoscopy system, you can make precise diagnoses and ensure the best possible care for your veterinary patients.

EickView SD Endoscopy Monitor

15.6" touchscreen with 1,920 x 1,080 Full HD resolution
Functions: White Balance, Zoom, Freeze, photo (JPG) and video recording (MP4)
64 GB storage capacity
Mains and battery operation, battery life up to 5 hours
Outputs: HDMI, DVI, SDI and USB
Dimensions (in cm): W 39 x H 25 x D 4
Weight: 2.7 kg

307000

€ 1800,-

EickView SD Camera Kit with Zoom Adapter

The EickView SD Camera Kit enables the use of the EickView SD endoscopy system with rigid endoscopes.

Included: Full HD endoscope camera, C-mount zoom adapter, F14-F35

307001

€ 1200,-

EickView 150SD

Working length: 150 cm
Ø outside: 6.0 mm
Ø working channel: 2.9 mm
Direction of view: 0°
Viewing angle: 120°
Bending up / down: 180°
Bending right / left: 120°

307010

€ 250,-

EickView 60SD

Working length: 60 cm
Ø outside: 3.2 mm
Ø working channel: 1.2 mm
Direction of view: 0°
Viewing angle: 120°
Bending up / down: 210°

307020

€ 190,-

EickView 60SD-L

Working length: 60 cm
Ø outside: 5.0 mm
Ø working channel: 2.8 mm
Direction of view: 0°
Viewing angle: 120°
Bending up / down: 210°

307050

€ 200,-

EickView 60SD-XS

Working length: 60 cm
Ø outside: 2.7 mm
Ø working channel: 1.2 mm
Direction of view: 0°
Viewing angle: 120°
Bending up / down: 210°

307030

€ 420,-

EickView 65SD-URS

Working length: 65 cm
Ø outside: 2.1 mm
Ø working channel: 1.2 mm
Direction of view: 0°
Viewing angle: 120°
Bending up / down: 210°

307040

€ 520,-



EICKVIEW 5-IN-1 ENDOSCOPY SYSTEM

vetpood.ee

EickView 5-in-1 Endoscopy System

The EickView 5-in-1 endoscopy system is a true all-rounder for veterinary medicine. The easy-to-use, mobile device offers the option to work with both, flexible and rigid endoscopes. This means that all types of endoscopy can be covered with just one device – from diagnosis to surgical procedures.

The EickView 5-in-1 combines a large, 15.6" Full HD display, a powerful LED light source, a connection for flexible endoscopes from the EickView HD series with air and water pump as well as digital data storage via SD Card in one system.

306200

€ 5200,-

Outdoor case for EickView 5-in-1

With foam insert

Made of robust plastic

30620001

€ 475,-

EickView HD and HD+ Video Endoscopes

The EickView HD and HD+ Video Endoscopes deliver brilliant images for bronchoscopy, gastroscopy and various other applications. The new HD+ Endoscopes are characterised by their reduced outer diameters and enlarged working channels, making them even more variable. Due to the large number of available scope sizes, they are suitable for all applications in small animals and equine.

Technical specifications

Viewing direction: 0°

Distal end contains 1 CMOS Camera Chip,

2 Light Guides, Working Channel,

Lens Rinsing Nozzle

Scope of delivery: EickView Video Endoscope,

Pressure Tester, 2 Cleaning Brushes,

Cleaning Set, Carrying Case

EickView 5-in-1 Camera Kit

The EickView 5-in-1 camera with zoom adapter and light guide cable completes the comprehensive package. It allows all standard rigid endoscopes to be connected to the main system. **306201**

€ 1750,-



306201



EickView HD Video Endoscopes

Art. Nr.	Description	Working length	Outer Ø	Working channel	Depth of field	Field of view	Deflection
306177	EickView 60 HD	60 cm	3,5 mm	1,2 mm	3 – 50 mm	120°	above 160° / below 130°
306178	EickView 100 HD	100 cm	6,0 mm	2,0 mm	3 – 50 mm	120°	above 210° / below 90°, right / left 100°
306266	EickView 150-6 HD+	150 cm	6,0 mm	2,8 mm	2 – 100 mm	120°	above 210° / below 90°, right / left 100°
306268	EickView 150-8 HD+	150 cm	8,0 mm	2,8 mm	3 – 50 mm	120°	above 210° / below 90°, right / left 100°
306168	EickView 150 HD	150 cm	8,5 mm	2,0 mm	5 – 100 mm	140°	above 210° / below 90°, right / left 100°
306169	EickView 150 L HD	150 cm	9,2 mm	2,8 mm	5 – 100 mm	140°	above 210° / below 90°, right / left 100°
306271	EickView 300 HD+	300 cm	13,0 mm	3,7 mm	3 – 100 mm	140°	above / below 180°, right / left 160°
306270	EickView 350 HD+	350 cm	13,0 mm	3,7 mm	3 – 100 mm	140°	above / below 180°, right / left 160°

Tabelis toodud mudelite hinda küsi tartu@estdoma.ee!

EICKVIEW "FURTILITY" FERTILITY TCI SET

The EickView "Fertility" Fertility TCI Set is particularly suitable for veterinary practices and reproductive medicine specialists who rely on gentle insemination techniques for dogs. Direct visualization of the cervical canal enables precise catheter placement and ensures controlled and safe use.

Complete set, consisting of:

Endoscope, L 43 cm, Ø 2.7 x 3.3 mm / 3.8 mm (Art. No. 304349)

TCI catheter, L 70 cm, Ø 1.3 mm (Art. No. 304343)

304333

€ 4200,-



EICKEMEYER® LAPAROSCOPY POSITIONER FOR DOGS

Table top for easy positioning, securing, and untying during laparoscopy

Continuously tiltable on both sides along the longitudinal axis

Numerous securing options

Easy to assemble and disassemble

Easy to clean

Length: 136 cm

305100

€ 1200,-



EICKEMEYER® LAPAROSCOPY TRAINER

The EICKEMEYER® laparoscopy trainer is ideally suited to help beginners in the field of laparoscopy get started with this surgical technique. By using the trainer, routine orientation in three-dimensional space and working with various instruments can be achieved in a safe environment. In addition, knotting techniques and communication with the OR team can be practiced.

The EICKEMEYER® laparoscopy trainer was designed exclusively for the use of non-organic materials. When using fabric, the white training insert must be replaced with a suitable pad.

306000

€ 95,-



EICKFLOW TRIO SUCTION AND IRRIGATION PUMP

vetpood.ee

The EickFlow Trio is a compact suction and irrigation pump with air insufflation designed for veterinary medicine. Its adjustable irrigation, aspiration, and air supply capabilities support endoscopic examinations and surgical procedures by providing reliable irrigation and efficient suction to ensure a clear operating field. Its lightweight design, ease of use, and quiet operation allow for flexible use in veterinary practice.

Functions: Irrigation, air insufflation, fluid suction

Irrigation flow rate: ≥ 1.0 l/min

Suction flow rate: ≥ 1.5 l/min

Noise level: ≤ 70 dB

Dimensions (cm): W 21.7 x H 9.3 x D 24

Weight: ≤ 3 kg

Scope of Delivery: EickFlow Trio, Fresh water bottle (450 ml), Waste water bottle (450 ml), Foot pedal, Three-way tubing set with Luer connectors, Power cord

306052

€ 780,-



EICKEMEYER® STETHOSKOP

Perfect for everyday practice life

Length 40 cm

310044

€ 15,-



Eickemeyer®

TOURNIQUET FOR SMALL ANIMALS

Plastic locking device

Quick Release

441805

€ 2,-



PROFIDENT PLUS DENTAL UNIT

The Profi dent PLUS is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profi dent PLUS automatically supplies air and water to it.

High Speed Turbine (300,000 rpm)

Push button burr change for friction grip burrs (FG)
Variable burr water cooling facility
With LED Illumination

Low Speed Air Motor (20,000 rpm) with Straight Handpiece

For long straight shank burrs (HP), diamond discs and prophy heads
High torque, forward and reverse rotation
Optional water cooling facility (item no. 174022)

Built-in Dental Scaler

Handpiece with LED Illumination
Includes 5 scaling tips

3 in 1 Syringe

Precise finger tip control of water, mist or dry air
Water connection to connect external dental scaler
(e. g. item no. 176870)

Dental Unit Air Compressor

Powerful, quiet, low maintenance

Micro Oil Filter

Helps extend the life of handpieces

174001

€ 3300,-

Starter Kit

Complete set, consisting of:

- 1x Bur Kit for Contra Angle
- 1x Prophy Cups
- 1x Polishing Paste
- 1x Cleaning Brush

EXP174004

€ 280,-

Low Speed Dental Handpiece with integrated Cooling System (optional)


Low speed air motor – with internal water cooling (up to 20,000 rpm, for appropriately configured dental units)
Low Speed straight handpiece S-Max – 1:1, with internal water cooling (for appropriately configured dental unit)
Low Speed contra-angle 1:1 – for low speed motor with water cooling (for appropriately configured dental unit)

174022


€ 1500,-



174001



Dental Handpiece
High Speed (FG)



Scaler with LED lighting



174022

MOBILE DENTAL CART

Turns every table into a dental treatment table!

With the Mobile Dental Cart from EICKEMEYER®, every operating or treatment table becomes an ergonomic dental treatment table.

For attachment to operating and treatment tables
Ergonomic, curved dental tray with grate
Easily removable tray for cleaning
Made of stainless steel
With 4 lockable smooth running castors
Height adjustable from 75 – 100 cm
Tray size (in cm): W 50 x D 35

605105

€ 390,-



PROFIDENT HMS HANDPIECE MAINTENANCE SYSTEM

vetpood.ee

Automated Precision for Handpiece Care

The PROFIDENT HMS is a fully automated maintenance system designed for efficient cleaning and servicing of handpieces, contra-angles, and turbines. It actively helps preserve the value of your handpieces, extends their lifespan, and ensures consistently high performance.

With its intelligent connection system, the unit accommodates up to three handpieces simultaneously. The user-friendly three-program cycle (1, 1.5, or 2 minutes) allows for customised maintenance routines tailored to your workflow.

Technical specifications

Maintenance capacity: up to 3 handpieces at once

One E-type connector for low-speed handpieces and contra-angles

Two mid west connectors for high-speed turbine handpieces

Operates via the compressed air supply of your dental unit

Compact dimensions (cm): W 28 × H 38 × D 27

Weight: 7.5 kg

Supplied with 1,000 ml maintenance oil

174050

€ 300,-



EICKEMEYER® TUB TABLE STAINLESS STEEL

This multifunctional tub table is made entirely of high-quality stainless steel and is characterised by its ergonomic design and generous storage space.

Stylish washbasin with drawers and storage space

Stainless steel tub with a pool depth of 15 cm

Rounded corners for easy cleaning

Removable, two-part grid

Knee room for seated activities

Faucet with extractable shower head to 70 cm

Two water outlet options - shower and normal tap

3 drawers and a door

Includes sink drainer

Dimensions (in cm): L 140 x W 60 x H 88

639060

€ 1200,-



EICKEMEYER® DENTAL POLISHER / DRILL UNIT II

Compact dental micro motor for straight and angled dental handpieces

Powerful and durable, quiet operation

Infinitely variable speed up to 35,000 rpm

Forward and reverse movement

Choice of hand or foot switch control

Handpieces not included

174028

€ 250,-

Dental Starter Kit for EICKEMEYER® dental unit II

Consisting of:

Low-speed contra-angle handpiece (174026)

Low-speed straight handpiece (174027)

Contra-angle bur set (174105)

Plastic polishing attachments with rubber polishing cup (174066)

EICKEMEYER® polishing paste (176782)

Universal maintenance spray for rotary instruments (174010)

Screw adapter (17401150)

E-type spray nozzle (17401155)

174002

€ 320,-



174028



174002

Winner of the Cat Friendly Award!

With the EICKEMEYER® mouth gag set dental procedures and dental corrections in cats and dogs can now be carried out even more secure.

These mouth gags consist of two cylinders that can be adjusted via a thread in their length. With this feature the mouth gags can be easily adapted to the mouth of the patient.

By the defined adjustment an excessive tension is no longer possible, therefore irreparable damages and injuries can be avoided.

Material: Hard plastic

Easy to clean and disinfect

Radiolucent

Set of 5 sizes

Set includes: Size XS: 3-4 cm (20012005), Size S: 4-6 cm (20012004), Size M: 6-8 cm (20012003), Size L: 8-11.5 cm (20012002), Size XL: 12-15 cm (20012001)

200120

€ 32,-



DENTAL MODELS

Transparent hinged jaw helps visualise the roots of all teeth (incisors, canine, premolars, molars)

Can be separated for closer examination

Ideal for client education

Rodent

174091

€ 36,-

Cat

174095

€ 35,-

Dog

174096

€ 35,-



174091



174095



174096

X-RAY PROTECTIVE

GOGGLES

The lens of the eye is particularly sensitive to radiation. Therefore, it is essential for operators of X-Ray equipment to wear protective glasses to shield their eyes from harmful scatter radiation and prevent long-term eye damage. A well-fitting pair of protective glasses provides not only frontal but also lateral protection.

High-quality plastic frame
Pb front protection glass: 0.75 mm
Pb side protection: 0.5 mm
Goggle strap with width adjustment
Incl. case

701010

€ 110,-



FLOATING X-RAY TABLE FOR MOBILE X-RAY UNITS

This Floating Table is ideal for mobile X-Ray generators. It has a generous travel path, which simplifies patient positioning considerably.

4-way worktop with 60 cm longitudinal and 20 cm lateral displacement, mechanically braked, L 150 x W 72 cm, 78 cm high, with 4 Fixing Clamps
Self-Adjusting Bucky Tray, 45 x 45 cm
Dimensions (in cm): L 150 x W 95 x H 200

701480

€ 3500,-



EICKEMEYER® DOPPLER

Reliable and accurate non-invasive blood pressure monitor for small animals.

EICKEMEYER® Doppler

Compact, hand-held design
High sensibility for a clear signal
Adjustable sound volume and headphone connection
Focused 8 MHz Probe with wide beam for better flow detection in the artery
Probe adapted for positioning on the animals tail or paw
Rechargeable battery powered, operating time: ± 6 hours
Dimensions (in mm): L 175 x W 80 x H 25 mm
Lightweight (300 g)

217210

€ 899,-

Sphygmomanometer

Includes two cuffs: 5.0 and 7.5 cm

217309

€ 39,-

Doppler Blood Pressure Cuff,

1.9 cm

Ideal for small cats

217307

€ 49,-

Doppler Blood Pressure Cuff, **3.3 cm**

Ideal for cats & small dogs

217308

€ 54,-



217210

EICKEMEYER® MOBILE CART

This practical trolley is ideal for safely storing medical equipment. Thanks to its lockable casters, it's flexible and easy to manoeuvre – and stays securely in place when needed.

With 3 powder-coated sheet steel compartments
With 4 lockable smooth-running casters
Shelf dimensions (in cm): Width 43.5 x Depth 37
Trolley dimensions (in cm): Height 96 x Width 54 x Depth 40
Easy assembly, delivered disassembled
Weight: 13 kg
Easy self-assembly

625060

€ 130,-



EICKEMEYER® MAYO TROLLEY

Practical Instrument Table – for easy access to your instruments

Durable and hygienic: Made entirely from stainless steel
Effortless cleaning: Smooth surfaces for quick disinfection
Mobile and secure: Four easy-glide castors, all lockable
Adjustable height: From 90 to 132 cm
Generous work surface: 40 x 60 cm for convenient use

625160

€ 410,-



The second-generation EICKEMEYER® PhacoVet is even more user-friendly and powerful, and was specifically designed and developed for the requirements of veterinary medicine. The device can be used for phacoemulsification and vitrectomy in small animals and horses. The system and associated instruments have been extensively tested and optimized in collaboration with renowned specialists. The simplicity and robustness, as well as the reduction to essential components, make the PhacoVet unique. The compact device can be operated stationary in the practice or transported to the patient. Thanks to its quick and easy setup, you can be ready to use immediately, anywhere. With service centers in Germany and Switzerland, professional and fast service is available – whether it concerns spare parts deliveries, repairs, maintenance work, or technical inquiries.

Developed and optimised for veterinary medicine
Reduced to essential functions
Easy handling and comfortable operation
Robust and compact system
Transportability and easy setup
Safe and fast use thanks to sterile disposable tubing system
Professional service, repair, and maintenance service
Scope of delivery: PhacoVet 2.0 device, footswitch, carrying case

329003

€ 31 000,-



329003

EICKEMEYER® PHACOVET 2.0

SMALL ANIMAL STARTER KIT

Even in experienced hands, capsule rupture is a known potential complication during phacoemulsification. For maximum safety and preparedness, we recommend adding Vitrectomy Cutting Blades Unit (329013) and the Vitrectomy Handpiece (329012) for small animals to your starter set – enabling you to perform an emergency vitrectomy immediately if necessary.

Complete Set, consisting of:

- 1x EICKEMEYER® PhacoVet device system including foot pedal and transportation case (329003)
- 1x Tubing system for PhacoVet 2.0, disposable product, 10 pieces (329008)
- 1x Phaco handpiece, 28 kHz (329020)
- 2x Phaco needles, 20G, 30° (329023)
- 1x Phaco key, metal (329027)
- 2x Silicone sleeves, 20G (329034)
- 1x Test chamber (329030)
- 1x I/A handpiece, monomanual (coaxial), reusable (329040)
- 1x I/A tip, straight, silicone sleeve, 20G (329043)

329102

€ 33 000,-

EICKEMEYER® PHACOVET 2.0

EQUINE STARTER SET

Equine recurrent uveitis is a common eye infection in horses and one of the leading causes of blindness. Vitrectomy can be successfully treated surgically and can halt progressive eye damage. The Equine Vitrectomy Starter Set includes the PhacoVet 2.0 device system and the standard accessories required for vitrectomy in horses. A special phaco needle for horses (329031) as well as the matching silicone sleeve (329036) and phaco key (329032) are available as optional accessories in the online shop.

Complete Set, consisting of:

- 1x EICKEMEYER® PhacoVet device system including footswitch and carrying case (329003)
- 1x Tubing system for PhacoVet 2.0, disposable product (329008)
- 1x Vitrectome drive for horses (329010)
- 1x Vitrectome cutting head for horses, 15G (329011)
- 1x Irrigation trocar for equine vitrectomy (329014)
- 1x Eyelid speculum for horses, stainless steel, L 155 mm, W 70 mm (329090)

329202

€ 33 000,-

DISPENSER FOR DISINFECTANT

Wall dispenser for hand-free application of hand hygiene products.

Wall mounted
Arm lever made of stainless steel
Easy assembly (incl. fastening material and assembly/operating instructions)
Including 1,000 ml bottle
Dimensions (in cm): W 9.4 x H 27.2
Arm Lever Length: Approx. 130 mm

624005

€ 13,-



EICKEMEYER® MICROSCOPE

A basic microscope with good optical quality at an affordable price
Binocular head Siedentopf type, 30°
Widefield eyepieces WF10x/18 mm
Achromatic objectives 4x/0.1, 10x/0.25, 40x/0.65, 100x/1.25 oil
Köhlersche illumination system, 12V /20 W halogen lamp
Blue filter
Abbe condenser 1.25 N.A.
Mechanical stage 190 x 140 mm

710061

€ 450,-



X-RAY REFERENCE BALL HOLDER

The X-ray reference sphere on a flexible holder enables a scaled reference for X-ray images, especially when assessing X-ray images provided externally.

Ø 25 mm
Made of stainless steel
Flexible holder
Suitable for digital and analog systems

191990

€ 130,-



Precision tool for support in osteosynthesis

As part of an osteosynthesis procedure, bone and bone fragments are fixed for mutual stabilisation. This is usually done with plates, screws, tension bands and / or rods. For some applications, such as tension band wiring, it is recommended that K-Wires are positioned parallel to each other. This is challenging to accurately do by hand. For this reason EICKEMEYER® has developed the PinCube!

Advantages:

Enables K-Wires to be positioned exactly parallel
Unique spiral-shaped hole pattern allows pins to be set both different distances and with different diameters
Usage of pins, drills and thread cutters in diameters of 0.6–2.0 mm
Extremely compact dimensions: 35 mm
Very practical tool for small animal surgery

191348**€ 250,-****PINPOSITIONER SMALL SET****Precise Pin Positioning**

As part of an osteosynthesis procedure, bone and bone fragments are fixed for mutual stabilisation. This is frequently done with K-Wires. The PinPositioner is a targeting aid to position K-Wires. It allows the user to accurately guide the K-Wires through drill sleeves in the desired direction and inclination.

Advantages

Three drill sleeves for drill wires with inner diameters of 1.1 mm, 2.3 mm and 3.0 mm
Self-retaining fixation is possible at angles between 45° and 135°. Due to the small, handy format of the PinPositioner (80 mm x 44 mm), the drill wire can be placed freehand at even more acute angles.
Controlled compression is possible by rotating the drill sleeve with a fixed PinPositioner. One rotation corresponds to 1.0 mm feed.
The direction and planned inclination of the K-Wire position can be checked by aiming over the straight arm before the K-Wire is screwed in.
PinPositioner is suitable for small animals weighing up to 20 kg.

Set includes:

PinPositioner Fast Lock (191371)
PinPositioner S L-Arm (191372)
Drill Sleeves (Inner Ø): 1 x 1.1 mm (191375), 1 x 2.3 mm (191374) & 1 x 3.0 mm (191373)

191370**€ 520,-**

EICKSONIC ULTRASONIC CLEANERS

Universal ultrasonic cleaners with stainless steel tubs and stainless steel housing – for easy and safe instrument cleaning and excellent cleaning results.

Timer: 0 – 30 min

Heating: 20 – 80 °C

Stainless steel basket protects cleaning

material and vibrating tub

Stainless steel lid reduces noise

Operating frequency: approx. 40 kHz

Mains voltage: 50 / 60 Hz

Mains connection: 220 – 240 V

Incl. stainless steel lid and screen basket

EickSonic 3.2

Tub capacity: 3.2 liters

Working capacity: 2.8 liters

Ultrasonic power: 120 watts

Heating capacity: 150 watts

Without drain tap

Dimensions:

Device – outside (in cm):

L 26.5 x W 16.5 x H 22.5

Tub – inside (in cm):

L 24 x W 13.5 x H 10

561032

€ 120,-

EickSonic 6.5

Tub capacity: 6.5 liters

Working capacity: 5.8 liters

Ultrasonic power: 180 watts

Heating capacity: 300 watts

With drain tap

Dimensions:

Device – outside (in cm):

L 32.5 x W 17.5 x H 27

Tub – inside (in cm):

L 30 x W 15 x H 15

561065

€ 220,-



561065

EICKWARM HEATING PAD

Ideally used post operatively to maintain body temperature.

Temperature range 35-45 °C

Timer: 1 to 9 hours

Water-resistant

Easily used in continuous

operation

Low voltage: 12 V

EickWarm

30 x 40 cm

648048

€ 99,-



648048

EICKEMEYER® POCKET DIAGNOSTIC SET

vetpood.ee

The EICKEMEYER® POCKET veterinary otoscope and ophthalmoscope are perfect for home visits due to their small size.

EICKEMEYER® POCKET Veterinary Otoscope

Dimmable LED ring with 6 LEDs (concentric)
Illumination intensity: approx. 10,000 lux
Color temperature: 4,200 K
Lifespan of LEDs: approx. 100,000 hours
Swiveling 1.7x magnifying glass
Maintenance-free, no lamp replacement necessary
Automatic switch-off after 3 minutes
Power supply: 2x AAA alkaline batteries, included
Incl. three veterinary specula (57 x 4 mm, 65 x 6 mm and 90 x 7 mm)

300100

€ 140,-

EICKEMEYER® POCKET Veterinary Ophthalmoscope

5 apertures:
crosshair, large circle, small circle, semicircle, green filter
Correction range: + 20 to - 20 D
Dimmable LED lighting
Illumination intensity: approx. 10,000 lux
Color temperature: 4,200 K
Lifespan of LEDs: approx. 50,000 hours
Maintenance-free, no lamp replacement necessary
Automatic switch-off after 3 minutes
Power supply: 2x AAA alkaline batteries, included

300110

€ 140,-

EICKEMEYER® POCKET Diagnostic Set

Includes: EICKEMEYER® POCKET Veterinary Otoscope and
EICKEMEYER® POCKET Veterinary Ophthalmoscope

300120

€ 230,-



300100



300110

LED DIAGNOSTIC LIGHT WITH SPATULA HOLDER

This high quality diagnostic light brings light into the dark for a wide range of applications – whether used with or without the spatula.

Ideal for intubating small animals
Convenient for examining eyes, ears, nose and throat
Helpful for dental treatments, especially on rodents
White LED with a lifespan of more than 100,000 hours
Incl. 1 angled spatula and 2 AAA batteries

214200

€ 25,-



EICKVIEW OTO DIGITAL VIDEO OTOSCOPE

The EickView OTO is a compact, high-performance video otoscope designed for everyday use in veterinary clinics. With its HD camera, smart WiFi connectivity, and user-friendly interface, it allows for quick and precise examinations of the ear and other small body areas – wired or wireless. The EickView OTO is designed for routine ear examinations, pre- and post-operative evaluations, as well as dermatological applications.

Technical specifications

HD camera: 3.9 mm lens, 6 LEDs, and 78° wide-angle view
Magnification: 1–1.5x
Focal Range: 10–50 mm
Display: 1.85" IPS LCD
Resolution: 720 x 720 px
Built-in Storage: 8 GB
Light adjustment: 3 levels (bright / medium / dim)
Connection: USB-C
Connectivity: Wireless (Android / iOS) or wired via USB-C
Included in the Set: EickView OTO, Portable carry case, USB data & charging cable, Tongue depressor, Skin observation sleeve, Silicone ear protection sheath, Silicone sheath with 2.0 mm working channel, Biopsy forceps (1.8 mm x 280 mm)

300130

€ 220,-



Flexible optics for EickView OTO

The fl exible endoscopy attachment expands the capabilities of the EickView OTO by providing a gentle and versatile option for examining curved anatomical structures. Thanks to its soft, fl exible shaft, the attachment can be guided safely and is particularly suitable for examinations of the oral cavity and other small body cavities. Unlike conventional fl exible endoscopes, its fl exibility relies on the pliable shaft rather than an active deflection mechanism.

Length: 200 mm

Ø: 4 mm

300131

€ 75,-



Application



300130



300131

EICKEMEYER® LABORATORY CENTRIFUGE

Safe and easy to operate
Excellent value for money
Holds 6 x 15 ml tubes
Variable speed: 0 to 4500 RPM
Built in timer, running time up to 60 min
Safety latch stops the motor when the lid is open
Dimensions: 270 x 270 x 250 mm
Weight: 8 kg

718200

€ 350,-



EICKEMEYER® REFRACTOMETER

For the safe and rapid determination of serum protein content and urine specific gravity. Specific gravity is a measure of the kidney's ability to concentrate urine and is an important method for assessing kidney function.

Small sample sizes (1 drop is sufficient)
Results can be read directly from the measuring scale
Lens with diopter adjustment

726000

€ 40,-



EICKEMEYER ICU – Precision Meets Efficiency

The new EICKEMEYER® ICU is a compact, high-end solution for advanced intensive care in veterinary practices, clinics, and ECC clinics. Two independently controlled levels enable simultaneous treatment of up to four patients – maximising capacity without increasing footprint.

Each level operates autonomously, offering precise regulation of Oxygen, CO₂, Temperature, and Humidity. A digital monitoring system with smart alerts ensures maximum safety. The stainless-steel housing and integrated Ion-Based Sterilisation guarantee top-level hygiene and whisper-quiet operation – ideal for sensitive patients.

Key Benefits

- 3D Climate Control Uniform temperature distribution creates a stable microclimate throughout the chamber.
- Real-Time O₂/CO₂ Sensor Technology Automated gas regulation for safe, targeted therapy - compatible with central gas supply or optional oxygen concentrator.
- Negative Ion Air Purification Removes up to 98% of airborne particles, reduces pathogens and odours, promotes calm and supports immune function.
- UV Quartz Sterilisation 254 nm UV technology for effective disinfection – minimises cross-contamination.
- Therapeutic Lighting System Warm light for calming, white light for vital sign monitoring, and blue light to support cognitive function and reduce inflammation.

Whether for post-operative care, continuous oxygen therapy, or thermal management for neonates, the EICKEMEYER® ICU combines precision, hygiene, and comfort in one intelligent system. A smart investment that strengthens any modern veterinary practice.

Technical specifications

- Touchscreen interface with real-time data
- Temperature control range: 15–38 °C
- Oxygen concentration: 21–60%
- CO₂ monitoring with integrated filtration
- Automatic humidity regulation
- Dimensions (cm): W 125 × D 66 × H 182
- Weight: approx. 236 kg
- Available from January 2026

219050

€ 9999,–

UUS



I.V. GIVING SET

20 drops/ml
Length: 1.50 m
Y-connector and Filter Includes
Luer-Lock connector Individually
packaged – sterile Pack of 50
pieces

050165

€ 16,-



vetpood.ee

EICKSKIN ADHESIVE SPRAY

Quick drying adhesive, which is easy and convenient to apply
Suitable to adhere drape(s) to skin
Content: 200 ml

952600

€ 6,-



EICKMEYER® CLIPPER SPRAY

Clipper blades require cleaning in-between each patient to
provide the longest possible working life
Dual action of disinfection and lubrication
Content: 400 ml

902513

€ 6,-



EICKSKIN SKIN STAPLER

vetpood.ee

The EickSkin Disposable Skin Stapler is a simple and affordable stapler that provides consistent and reliable performance. Designed to fit comfortably in your hand, it enhances control of skin closure reducing surgery time as well as minimising infections and scarring. In addition the EickSkin Staples can be easily removed causing no pain to the patient.

Complete with 35 staples (7 mm)
Individually packaged – sterile
Pack of 10 pieces

157312

€ 45,-



EICKEMEYER® PROPHY PASTE

For polishing teeth after removing tartar
Medium grain
Peppermint flavour
Content: 200 g

176782

€ 13,-



DISPOSABLE SKIN PUNCHES

Suitable for skin and tissue biopsy
Disposable
Individually packaged – sterile
Pack of 10 pieces

Ø 2 mm

179320

Ø 6 mm

179360

€ 12,-

Ø 4 mm

179340

Ø 8 mm

179380



179340

NAIL CLIPPER

For Cats

Guillotine

908008

€ 3,-

Large

Spring action

908010

€ 8,-

For Cats and small Dogs

L 11 cm

908011

€ 5,-



908008



908010

Autoklaav B23Vet

Tutvumishind kuni 31.12.2026



€ 2999,-

Tootekood 500100

Steriliseerimisklass: B-klass (vastavalt standardile EN 13060)
Kambri maht: 23 l
Kambri mõõtmed: Ø 250 × 470 mm
Kambri materjal: Roostevaba teras
Steriliseerimistemperatuurid: 121 °C / 134 °C
Vaakumsüsteem: Kolmekordne eelvaakum
Kuivatussüsteem: Vaakumkuivatus koos sundöhuringlusega (HAFC)
Uks: Täisautomaatne elektriajamiga uks
Ekraan: Värviline puuteekraan

Vaata lisa: <https://vetpood.ee/toode/autoklaav-b23vet/>