

veterinary technology for life

# Eickemeyer®

[www.vetpood.ee](http://www.vetpood.ee)

telefon 7362 716

## ***Aastalõpu pakzumised 2022***



Kehtib 01/10/2022 – 31/01/2023

## LIFEVET PT PULSE OXIMETER WITH TEMPERATURE MEASUREMENT

The portable LifeVet PT can measure and display the functional oxygen saturation of arterial haemoglobin ( $S_pO_2$ ), pulse rate and body temperature in real time in dogs, cats, and horses. All important parameter information can be easily read on the large LCD display.

- ▶ Small, handy and sturdy
- ▶ Immediately ready for use – no calibration necessary
- ▶ Display of oxygen saturation from 35 to 100 %
- ▶ Display of the pulse rate from 25 to 400 beats per minute (bpm)
- ▶ Display of body temperature from 18 to 45 °C
- ▶ Alarm limits (optical & acoustic) individually adjustable
- ▶ 2.8" TFT LCD colour display with battery level indicator
- ▶ Can be connected to a computer via USB
- ▶ Test results can be stored for up to 360 hours
- ▶ Dimensions (in cm): H 14.2 x W 7.8 x D 2.8
- ▶ Weight: 250 g (device only)
- ▶ Incl.  $S_pO_2$  sensor with two sensor clips (large & small), temperature probe, universal charger, USB cable, Li-Ion battery, protective silicone case and holder for tabletop use

321860



€ 299,-

## LIFEVET CP CAPNOGRAPH AND PULSE OXIMETER

The LifeVet CP handheld Capnograph and Pulse Oximeter measures and displays the expiratory  $CO_2$  concentration as well as the respiratory rate, pulse rate and oxygen saturation in dogs, cats and horses. This compact and portable device is very easy to use with its touchscreen display and intuitive interface.

- ▶ High resolution 4.3" touchscreen display
- ▶ Side-stream capnography
- ▶  $EtCO_2$  concentration: 0 – 150 mmHg
- ▶ Respiratory rate displayed in rpm
- ▶  $S_pO_2$  range: 1 – 100 %
- ▶ Pulse rate: 25 – 250 bpm
- ▶ Audible and visual alarms with adjustable volume
- ▶ Long-life lithium battery: up to 18 h operating time
- ▶ Dimensions (in cm): W 7.7 x H 14.1 x D 3.6
- ▶ Weight: 420 g
- ▶ Includes:  $CO_2$  tube,  $CO_2$  filter, net adapter, USB cable, holder, clip sensor

321880



€ 1200,-

## LIFEVET 10M MULTIPARAMETER MONITOR

**Tellige  
e-poest**  
www.vetpood.ee

The LifeVet 10M is a fast, accurate and comfortable patient monitor that is characterised by its high ease of use and reliable technology. Its innovative technology is the ideal basis for obtaining detailed data and enabling first-class visualisations. Thanks to the large display, the vital functions can also be easily read from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions. The low power consumption and powerful battery make this monitor an extremely efficient solution.



- ▶ Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG and temperature
- ▶ High-resolution 10.4" LED touchscreen with up to 7 curves
- ▶ Freely selectable alarm limits
- ▶ Mains and battery operation up to 4 hours
- ▶ Dimensions (in cm): W 32 x H 22 x D 16
- ▶ Weight: approx 3.5 kg
- ▶ Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO<sub>2</sub> sensor with clips and temperature probe

**321915**

**€ 1150,-**



## LIFEVET 10C MULTIPARAMETER MONITORS

The LifeVet 10C monitors are modern, powerful patient monitors that are characterised by their high level of user-friendliness, reliable technology and extensive data storage. Thanks to the large display, the vital functions can also be read easily from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions.

- ▶ Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG, temperature and capnography (EtCO<sub>2</sub>) in sidestream mode
- ▶ High-resolution 10" LED touchscreen with up to 8 curves
- ▶ Freely selectable alarm limits and 360° visible alarm display
- ▶ Mains and battery operation up to 4 hours
- ▶ Dimensions (in cm): W 27 x H 22 x D 17
- ▶ Weight: ≤ 4.0 kg
- ▶ Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO<sub>2</sub> sensor with clips, temperature probe, CO<sub>2</sub> adapter, CO<sub>2</sub> cable and water trap

**LifeVet 10C**  
**321920**

**€ 2200,-**

**LifeVet 10C+**  
**321921**

**€ 2950,-**



321921

## EICKEMEYER® NARKOVET LIGHT ANAESTHETIC UNIT

The EICKEMEYER® NarkoVet LIGHT is a cost-effective mobile anaesthetic machine, using quality parts like the MSS Vaporiser. It includes breathing circuits and an anaesthetic gas filter.

- ▶ High accuracy Rotameter (0.1 – 5.0 l/min)
- ▶ EICKEMEYER® Isoflurane Vaporiser TEC 3
- ▶ Oxygen bypass (O<sub>2</sub> flush)
- ▶ Patient exit: Ø outside: 22 mm / Ø inside: 15 mm
- ▶ Ayre's T-Piece breathing circuit for patients under 7 kg
- ▶ Semi disposable Circle Circuit for patients over 7 kg including patient hose with Y-piece, 2.0 l rebreathing bag and APL pressure relief valve
- ▶ EickSorber anesthetic gas filter with holder and exhaust pipe
- ▶ Storage tray and hook for additional rebreathing bags
- ▶ Stable base with 5 castors (Ø 54 cm)
- ▶ Dimensions (in cm): H 142 x W 67 x D 54
- ▶ Weight: 14.5 kg

213071

€ 1500,—

### O<sub>2</sub> Upgrade for NarkoVet LIGHT

The O<sub>2</sub> upgrade consists of the reliable OxyVet IV Oxygen Concentrator and a stable bracket onto which the NarkoVet LIGHT is mounted. O<sub>2</sub> concentrators save money and energy, with very low power consumption and no need for an oxygen bottle.

213072

€ 650,—

### OxyVet IV Oxygen Concentrator

- ▶ Saving costs and effort: No oxygen bottle required, lower power consumption
- ▶ Simple operation thanks to the clear arrangement of the setting functions and monitoring information
- ▶ High patient safety through visual and acoustic alarms
- ▶ Noise level: ≤ 55 dbA
- ▶ Flow rate continuously adjustable from 0.5 – 5 l/min
- ▶ Output of up to 93 % oxygen (± 3 %)
- ▶ Dimensions (in cm): L 34 x W 37 x H 67
- ▶ Weight: 15.3 kg
- ▶ Incl. Bubble humidifier and O<sub>2</sub> hose
- ▶ 1 year warranty

213180

€ 599,—

### Starter Kit for NarkoVet LIGHT

This set provides the necessary accessories to perform anaesthesia on dogs and cats.

Complete Set, consisting of:

- ▶ Isoflurane Safety Key Filler
- ▶ Soda Lime Anaesthesia, 5 l, with colour indicator
- ▶ 3 Rebreathing Bags (1, 3 and 5 l)
- ▶ 6 Anaesthesia Masks (size 1 – 6)
- ▶ 9 PVC Endotracheal Tubes (2.5 – 10.0 mm)
- ▶ Laryngoscope – Basic

213077

€ 330,—



213071

213072



## EICKEMEYER® NARKOVET ANAESTHETIC UNIT

The EICKEMEYER® NarkoVet Anaesthetic Unit is now even more flexible: Can be set up as a desk, wall or stand model.

### Table mounted Model

- ▶ High accuracy Rotameter (0.1 – 5.0 l/min)
- ▶ EICKEMEYER® Isoflurane Vaporiser TEC 3
- ▶ Oxygen bypass (O<sub>2</sub> flush)
- ▶ System pressure gauge
- ▶ Infinitely adjustable pressure relief valve
- ▶ Soda Lime canister and accessories
- ▶ Safety valve for manual ventilation included (213083)
- ▶ Suitable for small animals up to 80 kg
- ▶ Dimensions (in cm): L 32 x W 25 x H 51

213062

€ 2900,–

### OxyVet III Oxygen Concentrator (5 l)

An oxygen concentrator draws in room air, separates the oxygen from other gases in the environment and delivers the oxygen at high concentrations.

- ▶ Flowrate: 0.5 to 5 l/min
- ▶ Oxygen concentration: 93 % ± 3 %
- ▶ Sound level: 40 dbA (50 Hz)
- ▶ Electrical requirements: 230 V / 50 Hz
- ▶ Power consumption: approx 290 watt @ 2 l/min and approx. 312 watt at 5 l/min
- ▶ Dimensions (in cm): L 34 x W 30.4 x H 62
- ▶ Weight: 16.3 kg
- ▶ 3 Year Warranty

213175

€ 699,–

### Trolley

21309535

€ 450,–

### Wall Bracket

21309403

€ 30,–

### Oxygen Concentrator Shelf

213098

€ 85,–

### Anaesthetic Unit Top Shelf

- ▶ For monitoring devices

21309902

€ 85,–


### NarkoVet Anaesthetic Starter Kit

Complete Set, consisting of:

- ▶ Isoflurane Safety Key Filler
- ▶ EickSorber Anaesthetic Gas Absorber
- ▶ Scavenging System Hose, 2 m, transparent
- ▶ 3 Soda Lime Anaesthesia, 5 l, with colour indicator
- ▶ 3 Rebreathing Bags (1, 3 and 5 l)
- ▶ 6 Anaesthesia Masks (sizes 1–6)
- ▶ 9 PVC Endotracheal Tubes (2.5 – 10.0 mm)
- ▶ Laryngoscope – Basic

213060

€ 350,–



# NARKOVET SAV RESPIRATOR FOR SMALL ANIMALS

The main cause of serious anaesthetic incidents in veterinary practices is the patient's unnoticed apnoea. Routinely controlled ventilation helps to drastically reduce such risks during anaesthesia and thus ensures the optimal safety of your patients.

- ▶ The setting of the NarkoVet SAV is extremely user-friendly, just set the patient's body weight and the intelligent software automatically adjusts all other ventilation parameters
- ▶ Simple control – the ventilator controls all breathing parameters independently
- ▶ Three different ventilation modes: volume-controlled ventilation (VCV), pressure-controlled ventilation (PIP-CV), apnoea mode (controlled spontaneous breathing with apnoea detection)
- ▶ Clear “at a glance” parameters thanks to the large colour display
- ▶ Inclined control panel for easier reading and operation by touch
- ▶ Acoustic and optical alarms ensure high patient safety
- ▶ Long battery life of up to 4 hours

## Technical specifications

- ▶ Ventilation rate: 2 – 60 bpm
- ▶ Tidal volume: 20 – 1,500 ml
- ▶ Maximum ventilation pressure: 5 – 35 cmH<sub>2</sub>O
- ▶ Release pressure -9.0 – -1.0 cmH<sub>2</sub>O
- ▶ Patient weight range: 2 – 100 kg
- ▶ Touchscreen: 5 inch LCD colour display, 800 x 480 px
- ▶ Mains and battery operation, battery life up to 4 hours
- ▶ Power supply: 100 – 240 V
- ▶ Mains voltage: 50/60 Hz
- ▶ Dimensions (in mm): L 253 x W 224 x H 112
- ▶ Weight: approx. 3.2 kg

Ventilators are pneumatically driven.

A compressed air source is required to operate the NarkoVet SAV (e. g. compressor item no. 17430002).

**213015**

**€ 3060,-**



## INTENSIVE CARE UNIT FOR SMALL ANIMALS

**Tellige  
e-poest!**  
www.vetpood.ee

The Vetario T30 unit is an advanced, compact Intensive Care Unit capable of delivering small animal patient warming and recovery. It features full digital temperature control and early warning alarms. The Vetario T30 is ideal for young, sick, injured or weak animals in emergency situations or animal rescue. Its small profile makes it usable in a variety of veterinary settings, from pre-examination warming in consulting rooms, to use in patient homes or mobile ambulances.

### Car Adapter for Vetario T30

- For the safe transportation of patients
- Can be connected to the cigarette lighter

**21903601**

**€ 19,-**

- Digital temperature control, programmable to 0.1 °C
- Digital temperature reading – choose °C or °F
- High and low, internal and external temperature alarms
- Clear, high visibility locking door
- Adjustable ventilation
- Easy to dismantle for thorough cleaning
- Made of antimicrobial plastic
- Built-in carrying handle
- 12 V power supply for optional in-car adapter
- Stackable with no assembly required
- Base area: 240 x 240 mm
- Total volume: 9.5 liters
- Dimensions (in mm): W 270 x H 297 x D 275

**219036**

**€ 232,-**



219036

## INTENSIVE CARE UNIT FOR SMALL ANIMALS

Ideal for the postoperative placement of the patients to reduce the risk of hypothermia, shock, etc. The cages offer a comfortable, warm and hygienic environment. The temperature is automatically kept constant by a controller and displayed on the display.

- The chamber size is suitable for small animals, such as rodents, birds, kittens and small puppies
- Lifetime calibrated digital temperature control
- Fan ventilation
- Nebuliser connection
- Filter for removal of harmful bacteria and fungi
- A water reservoir for humidity levels reduces the risk of dehydration
- Easy to clean and disinfect

### Intensive Care Unit Vetario T40M

- Small
- Dimensions (in cm):  
L 48.5 x W 38.5 x H 48

**219031**

**€ 1399,-**

### Intensive Care Unit Vetario T50M

- Large
- Dimensions (in cm):  
L 69 x W 49 x H 56

**219033**

**€ 1499,-**



219031

## INFUSOVET SP SYRINGE DRIVER / PUMP

The EICKEMEYER® InfusoVet SP is a highly accurate and reliable syringe pump. The clearly arranged, colour coded buttons make it particularly easy to use.

- ▶ 2.5" backlit LCD display
- ▶ Compatible with standard 5, 10, 20, 30, 50 and 60 ml syringes
- ▶ Safety when injecting: precise control of flow rate and injection volume
- ▶ High patient safety through acoustic alarms
- ▶ Quick start function
- ▶ With clamp for IV pole

### Technical specifications

- ▶ Mains and battery operation, battery life up to 6 hours
- ▶ Splash proof (IP34)
- ▶ Dimensions (in cm): L 33 x D 12.6 x H 11
- ▶ Weight: approx 1.8 kg

402095

€ 620,-



## EICKEMEYER® I.V. FLUID WARMER

- ▶ For warming up all intravenously administered liquids
- ▶ LED display with temperature display
- ▶ Temperature control from 35 to 42 °C in 0.1 °C steps
- ▶ Warm-up time: less than 2 min
- ▶ Dimensions (in cm): L 18 x W 7 x D 3.5
- ▶ Weight: 200 g (without mounting clamp)

402092

€ 225,-



## I.V. GIVING SET

- ▶ Pressure / gravity infusion
- ▶ Individually packaged sterile sets
- ▶ DEHP & Latex free
- ▶ Compatible with infusion pump InfusoVet, InfusoVet Easy II, InfusoVet Connect and InfusoVet IP
- ▶ **Please note:** If you use a pump that is not from EICKEMEYER®, your pump for this infusion set must be calibrated accordingly.
- ▶ Pack of 100 pieces
- ▶ Extension 050166 is compatible with this giving set.

402071

€ 99,-





## INFUSOVET CONNECT INFUSION PUMP

**Tellige  
e-poest!**  
www.vetpood.ee

- ▶ 4.3" color touchscreen for easy operation
- ▶ Adjustable audible and visual alarms
- ▶ Suitable for bloods
- ▶ Flow rate: 0.1 – 2,000 ml/h
- ▶ Bolus rate: 0.1 – 2,000 ml/h (automatic and manual)
- ▶ Occlusion level: 5 levels selectable (50 – 900 mmHg)
- ▶ Mains and battery powered (up to 10 h)
- ▶ With clamp for IV pole and cage holder
- ▶ For EICKEMEYER® infusion sets (item no. 402071)
- ▶ Dimensions (in cm): W 13.8 x H 13.2 x D 9
- ▶ Weight: 1.5 kg

**402090**

**€ 850,–**



## INFUSOVET IP INFUSION PUMP

The EICKEMEYER® InfusoVet IP is a programmable infusion pump that combines safety, performance and reliability. The pump is easy to use and the infusion sets are easy to insert.

- ▶ 2.5" backlit LCD display
- ▶ User-friendly through simple programming
- ▶ High level of patient safety thanks to acoustic and visual alarms (in the event of air bubbles, constipation, empty battery, end of infusion)
- ▶ Also suitable for blood transfusions
- ▶ With clamp for IV pole
- ▶ For EICKEMEYER® infusion lines (item no. 402071)

### Technical specifications

- ▶ Flow rate: 0.1 – 1,500 ml/h
- ▶ Volume limit: 1 – 9,999 ml
- ▶ Bolus rate: 0.2 – 600 ml/h (manual)
- ▶ Occlusion level: 3 levels selectable (150 – 900 mmHg)
- ▶ Mains and battery operation, battery life up to 4 hours
- ▶ Splash water protection according to IP34
- ▶ Dimensions (in cm): W 15 x H 25 x D 9
- ▶ Weight: < 1.45 kg

**402085**

**€ 699,–**



**UUS**

## EICKWARM HEATING PAD

- ▶ Ideally used post operatively to help maintain body temperature
- ▶ Suitable for small animals
- ▶ Water resistant
- ▶ Max. temperature equals the skin temperature of the animal
- ▶ Dimensions (in cm): L 43 x B 38

648040

€ 75,-



## EICKWARM HEATING PADS

Ideally used post-operatively to maintain body temperature.

- ▶ Temperature range 35 – 45 °C
- ▶ Timer: 1 to 9 hours
- ▶ Water-resistant
- ▶ Easily used in continuous operation
- ▶ Low voltage: 12 V

30 x 40 cm

648048

€ 99,-

50 x 65 cm

648050

€ 149,-



648048

## VETERINARY REFRACTOMETER

- ▶ The refractometer is a valuable practice tool providing fast results
- ▶ Graduated scale
- ▶ Small sample sizes (1 drop)
- ▶ Lens with diopter adjustment

726000

€ 60,-



## LOW LIFT SCISSOR TABLE II



The EICKEMEYER® Low Lift Scissor Table II is perfect for lifting and transporting larger patients without unnecessary handling and movement. The basic stationary table is available in eight different colours and the additional options available make this table a real all-rounder for your practice.

- ▶ Ideal for examination, prep, dental treatment and procedures
- ▶ Minimum height of 28 cm allows large dogs to walk onto the table
- ▶ Maximum height of 105 cm allows you to examine smaller patients without having to hunch and lean forward
- ▶ All parts made from high quality German stainless steel
- ▶ Smooth, polished tabletop (60 x 130 cm) with rounded corners, anti-drip edges and a drain hole
- ▶ Silent electric operation via foot pedal
- ▶ Includes power supply and tie down cleats

Variations			
Illustration	RAL No.	Colour	Item No.
		Stainless Steel	604200
	3000	Flame Red	604201
	6018	Lime Green	604202
	5022	Night Blue	604203
	2001	Red Orange	604204
	6005	Moss Green	604205
	4010	Pink	604206
	9010	Pure White	604207

Stainless Steel

Colour

€ 1999,—

€ 2150,—

### Additional Options

In addition to the stationary table, you can choose one or more of the following table options:

#### Battery Kit

- ▶ Includes Battery and Charger

604307

€ 299,—

#### Mobile Kit

- ▶ Includes Wheels, Battery and Charger

604306

€ 399,—

#### Electric Tilt Option

- ▶ For tabletops

604301

€ 502,—

#### Integrated Scale Option

- ▶ Weighing range 0–120 kg

604305

€ 750,—

#### Curved Dental Tray

- ▶ With removable tray with grid
- ▶ Tray size (in cm): W 50 x D 35

604303

€ 260,—



604301



604305

## OPERATING TABLE V-TOP

The EICKEMEYER® V-Top Table features two stainless steel table panels which can be positioned independently to create the angle that holds the animal just right for all kinds of procedures. It also features an easy to clean removable gutter with a drain.

### Technical specifications

- ▶ Adjustable top panels: 0–90°
- ▶ Stainless steel construction
- ▶ Unidirectional 75° tilt mechanism
- ▶ Adjustable height: 72 to 112 cm
- ▶ 4 Individually adjustable feet
- ▶ 3 Year Warranty
- ▶ Tabletop dimensions (in cm): L 140 x W 50

### Electric-lift Mechanism

602060

€ 2366,—

### Hydraulic-lift Mechanism

602070

### Curved Dental Tray

- ▶ With removable tray with grid
- ▶ Tub size (in cm): W 50 x D 35

602065

€ 299,—



## MOBILE OPERATING TABLE X-BASE

The best selling EICKEMEYER® X-base operating and treatment tables are now available in a mobile version. Equipped with either maintenance-free, smooth-running pump hydraulics or a quiet, battery-operated electric motor with manual transmission, the table sets new standards in mobility and stability.

- ▶ Slim, attractive lifting column made of anodized aluminium, hydraulic or battery operated
- ▶ Height adjustable from 72–112 cm allows comfortable treatment or surgery, sitting or standing
- ▶ X-shaped substructure made of high-quality stainless steel and four smooth-running, braked double castors
- ▶ Tabletop tiltable up to 90°, easily adjustable with one hand
- ▶ With rounded corners, anti-drip edges and a drain hole
- ▶ Easy to clean and disinfect

### Battery powered

- ▶ Including Li-Ion battery and charger

### Hydraulic

- ▶ With smooth foot pump

Colour	Battery powered		Hydraulic	
	50 x 130	60 x 130	50 x 130	60 x 130
Stainless Steel	601520	601530	601420	601430

€ 1988,—





## X-BASE OPERATING TABLE

The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

- ▶ X-Base with 4 individually adjustable feet
- ▶ Provides best possible legroom and stability
- ▶ Good working posture whether sitting or standing
- ▶ Slim lift column made of aluminium, pump hydraulic or mains operated
- ▶ Self-contained, maintenance-free lift column
- ▶ Height adjustable from 72 – 112 cm
- ▶ Unidirectional 90° tilt mechanism, one hand control
- ▶ Stainless steel top with rounded, anti-drip edges and drain hole
- ▶ Two tabletop widths: 50 cm and 60 cm
- ▶ Optional heated tabletop
- ▶ Various colour options available

Illustration	RAL No.	Colour	Electric		Hydraulic	
			50 x 130	60 x 130	50 x 130	60 x 130
		Stainless Steel	602012	602010	602022	602020
	3000	Flame Red	601500	601507	601470	601477
	6018	Lime Green	601501	601508	601471	601478
	5022	Night Blue	601502	601509	601472	601479
	2001	Red Orange	601503	601510	601473	601480
	6005	Moss Green	601504	601511	601474	601481
	4010	Pink	601505	601512	601475	601482

€ 2230,–

### Table Tie Down Cleats

- ▶ Stainless steel construction
- ▶ Mounted under the table

602005

€ 40,–

### Standard Rail System

Enables quick, safe and variable fixing of the patients on the table.

Consisting of:

- ▶ 2x Standard Rails, side
- ▶ 2x Standard Rails, end
- ▶ 4x Tie Down Cleats, quick release
- ▶ 10x Tie Down Ropes, L 1 m

605050

€ 380,–

### Curved Dental Tray

- ▶ With removable tray with grid
- ▶ Tray size (in cm): W 50 x D 35

605102

€ 299,–



## SCORE® STOOLS

The ever so popular SCORE® treatment stools now come in fresh colours – real eye-catchers for your practice!

- Comfortable, cushioned seat
- Easily washable synthetic leather
- Smooth running double castors
- Aluminium base diameter: 54 cm

### SCORE® JUMPER

- Cushioned saddle seat
- Adjustable height: 59–77 cm

€ 320,–

### SCORE® AMAZONE

- Narrower saddle seat
- Adjustable height: 59–77 cm

€ 320,–

### SCORE® MEDICAL

- Traditional round seat
- Adjustable height: 55–74 cm

€ 320,–

### SCORE® JUMPER Balance

- Best support for dynamic seating

€ 320,–

### SCORE® AMAZONE Balance

- Best support for dynamic seating

€ 320,–



61011201



610214

	JUMPER	JUMPER Balance	AMAZONE	AMAZONE Balance	MEDICAL
Colour	Item No.	Item No.	Item No.	Item No.	Item No.
Black	61010001	610200	61011001	610210	610120
Anthracite	610101	610201	610111	610211	610121
Capri Blue	61010201	610202	61011201	610212	61012201
Forest Green	61010301	610203	61011301	610213	61012301
Burgundy	61010401	610204	61011401	610214	61012401
Orange	61010501	610205	61011501	610215	61012501
Pink	610106	610206	610116	610216	610126
Ochre Yellow	610107	610207	610117	610217	610127



JUMPER



AMAZONE



MEDICAL



610127

## ZWEEZI SADDLE STOOL

- ▶ Padded synthetic leather seat
- ▶ Adjustable height: 58–85 cm
- ▶ Seat width: 40 cm
- ▶ Gas lift mechanism
- ▶ Base diameter: 54 cm
- ▶ 5 star base with swivable castors
- ▶ Colour: evergreen

610176

€ 60,–



## ZWOOZI ROUND STOOL

- ▶ Padded synthetic leather seat
- ▶ Adjustable height: 64–85 cm
- ▶ Seat width: 35 cm
- ▶ Gas lift mechanism
- ▶ Base diameter: 54 cm
- ▶ 5 star base with swivel castors
- ▶ Colour: evergreen

610177

€ 60,–



Tellige  
e-poest!

[www.vetpood.ee](http://www.vetpood.ee)

## SCORE® MEDICAL OPERATING CHAIR

Operating chair with round seat and functional lumbar support that can be easily adjusted in height and angle.

- ▶ Foot operation allows easy adjustment of the seat height during procedures, 56–76 cm
- ▶ Comfortable, cushioned seat with Ø 40 cm
- ▶ Easily washable synthetic leather
- ▶ Smooth running double castors
- ▶ Aluminium base diameter: 54 cm

610195

€ 620,–



## SCORE® ERGO SUPPORT CHAIR

On the SCORE® Ergo Support you sit healthy and work comfortably and it offers good support during long static work.

- ▶ Foot operation allows easy adjustment of the seat height during procedures, 52–71 cm
- ▶ Rounded “Ergo Shape” seat with Ø 40 cm
- ▶ Adjustable, curved armrests
- ▶ Compact functional lumbar support
- ▶ Easily washable synthetic leather cover
- ▶ Large aluminium base diameter: 68 cm
- ▶ Smooth running double castors

610060

€ 999,–



## DR. MACH LED 130 EXAMINATION AND THEATRE LIGHTS

The DR. MACH LED 130 has been our best selling LED light over the past years with hundreds of installations across the UK and Europe. Whether in prep, dental or in the operating theatre, the LED 130 supports veterinary professionals with superior technology, invariable reliability and great design.

- ▶ Colour rendering index:  $R_a \geq 95$
- ▶ Electric dimmer, 50–100 %
- ▶ Colour temperature: 4,300 kelvin
- ▶ Light head diameter: 33 cm
- ▶ Number of LEDs: 19
- ▶ Power consumption: only 28 W
- ▶ Optional sterilisable Handle (611266)

### DR. MACH LED 130 PLUS

- ▶ 100,000 lux at 1 m working distance
- ▶ Fixed light field: 12 cm at 1 m

DR. MACH LED 130 PLUS		
Item No.	Model	€
611736	Stand Model, mobile	2222,—
611737	Wall Model with 171 cm reach	2100,—
611738	Ceiling Model*, up to 3 m	2472,—

### DR. MACH LED 130 F

- ▶ 70,000 lux at 1 m working distance
- ▶ Focusable light field: 14–25 cm at 1 m

DR. MACH LED 130 F		
Item No.	Model	€
611733	Stand Model, mobile	2472,—
611734	Wall Model with 171 cm reach	2372,—
611735	Ceiling Model*, up to 3 m	2712,—

\* For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 75



## DR. MACH LED 150 THEATRE LIGHTS

Based on the continuing success of the LED 130, the LED 150 offers a larger light head diameter and more light intensity. The Sterilisable Handle can be removed for sterilisation and additional handles can be purchased separately.

- ▶ Colour rendering index:  $R_a \geq 96$
- ▶ Electric dimmer: 50–100 %
- ▶ Light head diameter: 38 cm
- ▶ Number of LEDs: 26
- ▶ Power consumption: only 35 W

### DR. MACH LED 150 (SWING)

- ▶ 110,000 lux at 1 m working distance
- ▶ Colour temperature: 4,000 kelvin
- ▶ Fixed light field: 19 cm at 1 m

DR. MACH LED 150		
Item No.	Model	€
612930	Stand Model, mobile	3300,—
612931	Wall Model with 171 cm reach	3018,—
612932	Ceiling Model*, for ceiling heights of 2.60–3 m	3690,—

### DR. MACH LED 150 FP (SWING)

- ▶ 130,000 lux at 1 m working distance
- ▶ Colour temperature: 4,300 kelvin
- ▶ Focusable light field: 17–24 cm at 1 m

DR. MACH LED 150 FP		
Item No.	Model	€
612936	Stand Model, mobile	3873,—
612937	Wall Model with 171 cm reach	3567,—
612938	Ceiling Model*, for ceiling heights of 2.60–3 m	4265,—

\* For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 75





## DR. MACH LED 300DF THEATRE LIGHTS

The latest addition to the range of the quality manufacturer DR. MACH impresses with the highest light intensity at an extremely attractive price. The light beams of the three LED clusters can be bundled using the sterilisable handle and, depending on the size of the wound area, also focused.

- ▶ 160,000 lux at 1 m working distance
- ▶ Focusable light field: 17–27 cm
- ▶ Colour rendering index:  $R_a \geq 95$
- ▶ Height adjustment: 118 cm
- ▶ Working area: 70–140 cm
- ▶ Number of LEDs: 36
- ▶ Lifespan of the LEDs: 60,000 hours
- ▶ Electronic brightness control on the luminaire body
- ▶ Including power supply

### Wall Model

- ▶ With a total reach of 175 cm

612924

€ 5510,–

### Ceiling Model\*

- ▶ For ceiling heights of 2.60–3 m

612925

€ 6216,–



612925

\* For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 64,08

## DR. MACH LED 3SC OPERATING THEATRE LIGHT

DR. MACH from Germany has been setting the standards in medical illumination technology for decades. The new generation of lights with LED technology continues this tradition, and supports veterinary professionals with superior technology and design.

The ability to increase the light intensity of the central segment enables optimal illumination of deep and narrow wound channels. This enables an optimal illumination of the wound field according to its texture and the shadowing effects. The function of the Multi-Colour Chips integrated in the MC models allows the surgeon to change the colour temperature of light depending on the preference for a colder-white light or for a warmer-white light.

Ceiling Model: Ceiling heights between 2.6 to 3.0 m (other ceiling heights upon request)

- ▶ 140,000 lux at 1 metre distance
- ▶ Colour rendering index:  $R_a \geq 95$
- ▶ Colour temperature: 4,500 kelvin
- ▶ Electric dimmer: 5–100 %
- ▶ Focusable light field: 17–28 cm at 1 metre distance
- ▶ Light head Ø: 57 cm
- ▶ Number of LEDs: 28
- ▶ Power Consumption: 45 W

612901

€ 7700,–



## MAGIC 3000 PLUS PORTABLE ULTRASOUND UNIT

### Unbeatable value for money!

The MAGIC 3000 PLUS impresses with many new functions and features. Advanced technologies including Power Doppler (PDI) help evaluate blood flow in different clinical conditions.

- ▶ High-resolution 12.1" LCD Screen, tiltable
- ▶ Cine mode with memory function (5 sec.)
- ▶ Various measurements including pregnancy calculation
- ▶ iStation™, iClear™, iZoom™, iBeam™ and iTouch™
- ▶ Second probe connection for quick probe swap
- ▶ Internal SSD storage and two USB ports
- ▶ Dimensions (in cm): W 29 x H 35 x D 17
- ▶ Lightweight: only 5.6 kg

**304045**



**Komplekt**

MAGIC 3000 PLUS + 1 Probe

**€ 2940,—**

## PROBES FOR MAGIC 3000 PLUS / 6000 PLUS

### Micro-convex

- ▶ 5.0–8.5 MHz

**303710**

### Linear T-shaped

- ▶ 5.0–10.0 MHz

**303711**

### Linear Rectal

- ▶ 4.0–7.5 MHz

**304021**

Each

**€ 1800,—**



303710



303711



304021

## MAGIC 6000 PLUS PORTABLE ULTRASOUND UNIT

### A new dimension in image quality

The MAGIC 6000 PLUS not only opens a new dimension of image quality in small animal abdominal sonography, the device can also be used in equine gynaecology and orthopaedics. With a powerful cine mode, you can always keep an overview even with restless patients under difficult conditions.

- ▶ High-resolution 15" display, tiltable
- ▶ Cine mode with memory function (5 sec.)
- ▶ PW and Power Doppler (PDI) with "Auto Trace"
- ▶ Optional Colour Doppler Upgrade (30374001)
- ▶ iStation™, iClear™, iZoom™, iBeam™, iTouch™ & iScape™
- ▶ Various application-specific measurements for abdomen and gynaecology including pregnancy calculation
- ▶ Second probe connection for quick probe swap
- ▶ Large internal SSD storage and two USB ports
- ▶ Dimensions (in cm): W 36 x H 36 x D 15
- ▶ Weight: 8.1 kg

**303740**



**Komplekt**

MAGIC 6000 PLUS + 1 Probe

**€ 3600,—**

## CT, MRI AND ULTRASOUND POSITIONER

**Tellige  
e-poest!**  
www.vetpood.ee

- ▶ Facilitates positioning of patients to allow abdominal ultrasonography
- ▶ Perfect positioning helps keep the patient calm and comfortable
- ▶ Robust, easy to clean and disinfect

### Size 1

- ▶ Suitable for cats/small dogs
- ▶ Dimensions (in cm):  
W 25 x H 10 x L 80

**303991**

**€ 105,-**

### Size 3

- ▶ Suitable for large-sized dogs
- ▶ Dimensions (in cm):  
W 50 x H 20 x L 130

**303993**

**€ 165,-**

### Size 2

- ▶ Suitable for medium-sized dogs
- ▶ Dimensions (in cm):  
W 35 x H 14 x L 100

**303992**

**€ 125,-**



303992

## ULTRASOUND TABLE ATTACHMENT WITH CUTOUT

The redesigned EICKEMEYER® Ultrasound Table is the perfect solution for cardiac ultrasound examinations.

- ▶ Redesigned ergonomic cut out for cardiac ultrasound examinations
- ▶ 5 foldable feet for easy storage
- ▶ Ergonomically designed recess
- ▶ Provides ample elbow room for the examiner
- ▶ Compatible with Examination Tables (Width: 45 cm / Length: 100 cm)
- ▶ Dimensions (in cm): W 60 x H 19 x L 14

**303976**


**€ 290,-**

### Ultrasound Table Mat with Cutout

- ▶ For Ultrasound Table (item no. 303976)
- ▶ Velcro straps for a secure fit

**30397602**

**€ 120,-**



30397602

303976

## PROFIDENT PLUS DENTAL UNIT

The Profident PLUS is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profident PLUS automatically supplies air and water to it.

### High Speed Turbine (300,000 rpm)

- ▶ Push button burr change for friction grip burs (FG)
- ▶ Variable burr water cooling facility
- ▶ With LED Illumination

### Low Speed Air Motor (20,000 rpm) with Straight Handpiece

- ▶ For long straight shank burs (HP), diamond discs and prophy heads
- ▶ High torque, forward and reverse rotation
- ▶ Optional water cooling facility (item no. 174022)

### Built-in Dental Scaler

- ▶ Handpiece with LED Illumination
- ▶ Includes 5 scaling tips

### 3 in 1 Syringe

- ▶ Precise finger tip control of water, mist or dry air
- ▶ Water connection to connect external dental scaler (e.g. item no. 176870)

174024

€ 3100,—

### Dental Unit Air Compressor

- ▶ Powerful (340 watt)
- ▶ Quiet, 40 dB (A) (as a fan)
- ▶ Low maintenance

17430002

€ 690,—



Scaler with LED lighting



Dental Handpiece  
High Speed (FG)

### Micro Oil Filter

- ▶ Reduces the oil content in the compressed air down to 0.01 %
- ▶ Helps extend the life of handpieces

17404301

€ 85,—

### Starter Kit

Complete set, consisting of:

- ▶ 1x Bur Kit for Contra Angle
- ▶ 1x Prophy Cups
- ▶ 1x Polishing Paste
- ▶ 1x Cleaning Brush

EXP174004

€ 210,—



## MOBILE DENTAL CART

### Turns every table into a dental treatment table!

With the Mobile Dental Cart from EICKEMEYER®, every operating or treatment table becomes an ergonomic dental treatment table.

- ▶ For attachment to operating and treatment tables
- ▶ Ergonomic, curved dental tray with grate
- ▶ Easily removable tray for cleaning
- ▶ Made of stainless steel
- ▶ With 4 lockable smooth running castors
- ▶ Height adjustable from 75 – 100 cm
- ▶ Tray size (in cm): W 50 x D 35

605105

€ 320,—





## DENTANOMIC DENTAL INSTRUMENTS

### Easier, safer & faster dental surgery

DENTANOMIC instruments are premium surgical tools with superb tempered and hardened modular blades making dental extraction in dogs and cats easier, safer and faster.

- ▶ Blades are made from top quality, hardened stainless steel and cut much better than conventional instruments
- ▶ Unique modular design allows easy blade replacement when blades are blunt or damaged
- ▶ Ergonomic handle design promotes safe palm grip, only minimal finger force is required to stabilise the cutting edge
- ▶ Standard handles are perfectly balanced and sized for surgeons with hands up to 7.5 glove size

DENTANOMIC Dental Instruments			
Item no.	Description		€
175000	Ergonomic Handle, blue	<del>92,-</del>	75,-
175001	Ergonomic Handle, green	<del>92,-</del>	75,-
175002	Ergonomic Handle, pink	<del>92,-</del>	75,-
175008	Ergonomic Handle, orange	<del>92,-</del>	75,-
175009	Ergonomic Handle, purple	<del>92,-</del>	75,-
175005	Ergonomic Handle, blue, longer shaft	<del>92,-</del>	75,-
175006	Ergonomic Handle, green, longer shaft	<del>92,-</del>	75,-
175007	Ergonomic Handle, pink, longer shaft	<del>92,-</del>	75,-
175003	Ergonomic Handle, orange, longer shaft	<del>92,-</del>	75,-
175004	Ergonomic Handle, purple, longer shaft	<del>92,-</del>	75,-
175100	Elevator Tip, 2 mm	<del>40,-</del>	35,-
175101	Elevator Tip, 3 mm	<del>40,-</del>	35,-
175102	Elevator Tip, 4 mm	<del>40,-</del>	35,-
175103	Elevator Tip, 5 mm	<del>40,-</del>	35,-
175104	Luxation Tip, 1.5 mm	<del>40,-</del>	35,-
175105	Luxation Tip, 2 mm	<del>40,-</del>	35,-
175106	Luxation Tip, 3 mm	<del>40,-</del>	35,-
175107	Luxation Tip, 4 mm	<del>40,-</del>	35,-
175108	Luxation Tip, 5 mm	<del>40,-</del>	35,-
175200	Storage and Sterilisation Rack for 9 blades	<del>100,-</del>	95,-
175202	Sterilisation Container for 5 handles	<del>150,-</del>	130,-
175201	Honing Pack, extra-fine	<del>80,-</del>	75,-



## DENTANOMIC DENTAL INSTRUMENTS

Tellige  
e-poest!

[www.vetpood.ee](http://www.vetpood.ee)

### DENTANOMIC Set – Bronze

Complete Set, consisting of 2 handles of your choice + elevator blade set (all sizes) + luxator blade set (all sizes) + storage rack

175000BR

€ 520,–

### DENTANOMIC Set – Silver

Complete Set, consisting of 3 handles of your choice + elevator blade set (all sizes) + luxator blade set (all sizes) + storage rack + honing set

175000SI

€ 670,–

### DENTANOMIC Set – Gold

Complete Set, consisting of 5 handles of your choice + elevator blade set (all sizes) + luxator blade set (all sizes) + storage rack + honing set + sterilisation container

175000GO

€ 919,–




175000GO

## MOTORISED RODENT DENTAL KIT

Complete set, consisting of:

- ▶ Rodent Cheek Dilator for medium to large rabbits, L 8.5 cm (177305)
- ▶ Rodent Cheek Dilator for dwarf rabbits, L 5.8 cm (177306)
- ▶ Rodent Cheek Dilator, long reach, L 5.8 cm (177310)
- ▶ Mouth Gag for Rodent, robust, L 11 cm (177304)
- ▶ Molar Extraction Forceps for rabbits, L 16 cm (17734001)
- ▶ Incisor Luxator Crossley for rabbits, L 19 cm (17734003)
- ▶ Molar Luxator Crossley for rabbits, L 17 cm (17734004)
- ▶ Peridontal Probe, graduated tip, L 15.5 cm (17734012)
- ▶ Dental Rasp LEWIS – Premium, L 18 cm (177319)
- ▶ Tongue Spatula, straight, flat, L 17.5 cm (177307)
- ▶ HOLLMANN Tongue Spatula, small, concave, L 17 cm (177308)
- ▶ HOLLMANN Tongue Spatula, large, concave, L 19 cm (177309)
- ▶ SUPERFLEX Diamond Disc Cutter (HP), L 4.5 cm (174450)
- ▶ Diamond Disc Safety Shield (177284)
- ▶ Dental Cutters Rodent (HP), size 45, L 5 cm (17734007)
- ▶ Dental Cutters Rodent (HP), size 60, L 5 cm (17734008)
- ▶ Dental Burr Set Rodent (HP), L 6.5 cm (177280)
- ▶ Dental Burr Guard Rodent (HP) (177282)
- ▶ Premium Instrument Box (517050, not illustrated)



**177341**

**€ 420,-**



## DENTISTRY KIT FOR DOGS AND CATS

Starter kit for dental diagnostic and periodontal surgery in dogs and cats.

Complete set, consisting of:

- ▶ Dental Periosteal Elevator, L 17 cm (17647206)
- ▶ Glickmann Combined Instrument, L 17.5 cm (17647207)
- ▶ Subgingival Curette Gracey, size 9/10", L 17 cm (17647204)
- ▶ Subgingival Curette Gracey, size 3/4", L 17 cm (17647203)
- ▶ Peridontal Probe, graduated tip, L 16 cm (17647202)
- ▶ Peridontal Probe, dual-ended, graduated tip, L 17 cm (17734011)
- ▶ Tissue Forceps ADSON-BROWN, delicate, 9 x 9 teeth, L 12 cm (132912)
- ▶ Dressing Forceps – Basic, ECONOMY, L 16 cm (972016)
- ▶ GRÄFE Iris Forceps, curved, L 10 cm (170710)
- ▶ MATHIEU-OLSEN Needle Holder (TC), L 14 cm (152414)
- ▶ MAYO Scissors, straight, L 14.5 cm (17647205)
- ▶ Surgical Scalpel Handle No. 3, blade sizes 10 to 15, L 12.5 cm (100503)
- ▶ EICKEMEYER® Scalpel, blade size 11 (98100711)



**176472**

**€ 350,-**

The OrthoVet PRO is a modular, battery driven drill system designed for small animal osteosynthesis. The modular system consists of a handpiece and four attachments, which can be changed intraoperatively in just a few seconds with a keyless quick coupling.

- ▶ 4 attachments: Jacobs Drill Chuck, Quick Release AO Chuck, Quick Release Chuck for KIRSCHNER wires, Oscillating Saw with Saw Blades
- ▶ Fully Cannulated Handpiece
- ▶ Autoclavable
- ▶ Includes 2 Li-Ion Batteries with Charger and Transport Case

- ▶ Infinitely variable speed: 0–1,200 rpm
- ▶ Oscillation mode: 0–16,000 ocs/min
- ▶ Battery type: Li-Ion
- ▶ Battery charging time: 180 min
- ▶ Weight (includes Battery): 933 g

**€ 3300,-**





## TONO-PEN AVIA® VET™ TONOMETER

With over 40 breeds of dogs and cats possessing a predisposition to glaucoma, the Reichert Tono-Pen Tonometer provides simple solution to monitor this condition. The Tono-Pen AVIA® VET™ will not require any calibration and is ready for use. The battery lasts four times longer, and boasts a larger LCD screen.

- ▶ Patient can be positioned in any way
- ▶ Fast and accurate IOP measurement with minimal training
- ▶ Less corneal irritation due to smaller sensor
- ▶ Disposable covers to eliminate cross contamination
- ▶ Easy to read, digital display
- ▶ Measuring range: 5 – 55 mmHg
- ▶ Long battery life
- ▶ Maintenance-free
- ▶ Small size, weight 71 g
- ▶ Includes 150 protective tip covers (Ocu-Film® +)

173600

€ 2513,-

### Ocu-Film® + Tip Covers

- ▶ Minimises the risk of cross-contamination
- ▶ Pack of 150 pieces

173565

€ 110,-



173600

## TONO-PEN VET™ TONOMETER

Over the past 20 years, the Tono-Pen VET™ has become the veterinary professions gold standard for measuring intraocular pressure. The Tono-Pen has a lightweight and ergonomic design with advanced electronic measurement technology that enables operators to take fast and accurate IOP measurements with minimal training required.

With over 40 breeds of cats and dogs possessing the predisposition to glaucoma, the REICHERT Tono-Pen VET™ provides simplicity for monitoring this condition.

Sterile Ocu-Film® + Tip Covers are used to minimise the risk of cross-contamination between uses.

- ▶ Easy to read, digital display
- ▶ Measuring range: 5 – 80 mmHg
- ▶ Long battery life
- ▶ Maintenance-free
- ▶ Dimensions (in cm): L 18.4 x W 2.5 x D 2.2
- ▶ Lightweight: 64 g
- ▶ Includes 150 protective tip covers (Ocu-Film® +)

173560

€ 1850,-

### Ocu-Film® + Tip Covers

- ▶ Minimises the risk of cross-contamination
- ▶ Pack of 150 pieces

173565

€ 110,-



Application



173560

## ICARE® TONOVET PLUS TONOMETER

The Icare® TONOVET Plus is easy to use. It features an advanced user interface with a clear, large display. Red/green positioning lights help to find the correct angle and aim at the middle of the cornea. The automatic measuring sequence lets you choose between taking single readings or taking all 6 measurements with one press of the button.

- ▶ Quick, painless and accurate procedure
- ▶ Easy to use and requires no calibration
- ▶ Assisting positioning lights
- ▶ Large and easy to read colour display
- ▶ Dimensions (in mm): L 215 x W 24–29 x D 35–95
- ▶ Weight: 230 g (incl. batteries)
- ▶ Includes: Transport Case, 100 Probes, 4x AA batteries

**1736007**

**€ 2600,—**

QR code for the application video of the TONOVET Plus

### Stand for TONOVET and TONOVET Plus

- ▶ Table and wall mountable

**1736008**

**€ 96,—**



Application



## ICARE® TONOVET TONOMETER

The TONOVET is based on a rebound measuring principle, in which a light probe is used to make momentary, gentle contact with the cornea. The device is easy to use and the measurement is barely noticed by the animal and often does not even cause corneal reflex.

Eye pressure should be measured from:

- ▶ Young patients to establish baseline readings
- ▶ Patients older than 6 to 7 years
- ▶ Patients predisposed to glaucoma (42 canine breeds)
- ▶ Ocular examination patients
- ▶ Head or eye trauma patients
- ▶ The treatment of the patient is well tolerated with the absence of local anesthesia
- ▶ Quick, painless and accurate procedure
- ▶ Self-calibrating
- ▶ Portable as it is powered by batteries

### Technical specifications

- ▶ Display range: 0–99 mmHg
- ▶ Power: 4x AA batteries included
- ▶ Dimensions (in cm): L 3.2 x W 24 x H 8
- ▶ Weight: 250 g (including batteries)
- ▶ Includes 100 TONOVET probes

**1736005**

**€ 2155,—**

### Stand for TONOVET and TONOVET Plus

- ▶ Table and wall mountable

**1736008**

**€ 96,—**



Application



## KOWA SL-17 PORTABLE SLIT LAMP

The KOWA SL-17 Slit Lamp provides optimum stereoscopic observation with selectable magnifications and slit widths within a compact, lightweight, portable unit. With its non-slip ergonomic grip, the SL-17 provides maximum operator comfort during lengthy examinations.

### Features

- ▶ Ergonomic and lightweight – only 790 g
- ▶ Continuously variable LED illumination from 10 K to 20 K lux
- ▶ Choice of 10x and 16x magnifications
- ▶ 4 slit widths: 0.1 mm, 0.2 mm, 0.8 mm and Ø 12 mm
- ▶ Spot illumination: Ø 1 mm, Ø 5 mm, Ø 12 mm
- ▶ 1 mm slit length for observing the anterior chamber flare
- ▶ Built-in cobalt blue filter
- ▶ Standard AAA batteries for up to 280 minutes operation

### Technical specifications

- ▶ Interior angle: 13°
- ▶ Working distance: approx. 80 mm (at 16x magnification), approx. 100 mm (at 10x magnification)
- ▶ Field of view: Ø 10 mm (at 16x magnification), Ø 15 mm (at 10x magnification)
- ▶ Viewing distance: 50 to 72 mm
- ▶ Eyepiece dioptic adjustment: -8 to +5D
- ▶ Slit projection angle: horizontal: ±60°
- ▶ Power input: DC 4.8–6.4 V (4x AAA batteries)
- ▶ Dimensions (in cm): W 22 x D 9.5 x H 22.5
- ▶ Weight: 790 g (incl. batteries)

173660

€ 3199,—

### KOWA SL-17 Portable Slit Lamp Case

- ▶ Aluminium construction
- ▶ Foam padding
- ▶ Dimensions (in cm): L 41 x W 34 x H 12

173661

€ 194,—



173660



173661

## EICKEMEYER® OPHTHALMIC KITS

Our Ophthalmic kits have been reviewed and approved by an experienced diplomate of the European College of Veterinary Ophthalmology. Both kits include a high quality sterilisation container with a green or red lid and a silicone insert to protect the high quality instruments. Detailed information on the contents of the kits can be found on [www.eickemeyer.com/Ophthalmology](http://www.eickemeyer.com/Ophthalmology).

### Starter Ophthalmic Kit

This instrument kit provides fundamental equipment for veterinary ophthalmic procedures including eyelid, third eyelid and eyelash surgery, conjunctival and corneal cytology/biopsy and enucleation.

171220


€ 499,—

### Advanced Ophthalmic Kit

This instrument kit provides the necessary instrumentation for the veterinary surgeon to perform corneal, conjunctival and intraocular procedures.

171230

€ 499,—



171230

## HEINE OMEGA 600 INDIRECT OPHTHALMOSCOPE

### Discover more. With less weight.

Lighter. Brighter. Better. HEINE kept the best and perfected the rest. Highly comfortable, the HEINE OMEGA 600 delivers a new class of technological innovation, along with the new and unique visionBOOST for significantly better diagnostic even in dense cataracts.

- ▶ Most precise diagnostic, up to the far retinal periphery
- ▶ Up to 20 % better view in media opacities with visionBOOST
- ▶ Lightest High-End Indirect Ophthalmoscope worldwide
- ▶ Long-lasting investment due to its robust design
- ▶ Easy disinfection thanks to smoothSURFACE

### Most precise diagnostic, up to the far retinal periphery

- ▶ Significantly better diagnostic due to unique visionBOOST
- ▶ Sharpest fundus image due to superior glass optics
- ▶ Brightest fundus image with true colour rendering thanks to our unique LEDHQ – now in even more natural colours
- ▶ Best 3D imaging due to our unique Stereoscopic Adjustment
- ▶ Technology in dilated and undilated pupils

### Includes

OMEGA 600 Indirect Ophthalmoscope (with battery and +2 D eyepiece), E4-USBC power supply with cable, eyepiece 0 D

**173497**

### CB1 Charging Battery

**17349702**



173497

**Tellige  
e-poest!**

[www.vetpood.ee](http://www.vetpood.ee)

## KOMPLEKT

HEINE OMEGA 600  
+ Charging battery

**€ 2744,-**

## HEINE DIAGNOSTIC SET

Absolute precision is the basic requirement to ensure the creation of a high-quality product. At HEINE this principle applies to the entire production process.

Complete set, consisting of:

### NT 300 Double Charger (302550)

- ▶ Automatic charging process and overcharge protection
- ▶ Includes two NT 3.5 V Battery Handles including batteries (2x 302535)
- ▶ With short-circuit protection and a continuous ceramic brightness control

### BETA 200 Direct Ophthalmoscope (301135)

- ▶ A spherical optics eliminate reflexes and guarantee a full view is even with small pupils
- ▶ Handle not included

### Slit Illumination Otoscope Head (300035)

- ▶ Homogeneous light and a swivel lens with 1.6x magnification
- ▶ Scratch-resistant swivel lens with 1.6x magnification
- ▶ Light 3.5 V halogen light, Fibre Optic illumination for bright and homogeneous light
- ▶ Wide Slot for ease of use when working with catheters, foreign body forceps etc.
- ▶ For mounting on HEINE BETA handles
- ▶ Replacement lamp can be ordered through item no. 300038

### Otoscope Specula

- ▶ High quality chrome plated metal construction, which is easy to clean, disinfect and sterilise
- ▶ Metal Speculum, 4x 57 mm (300357)
- ▶ Metal Speculum, 6x 65 mm (300365)
- ▶ Metal Speculum, 7x 90 mm (300390)

**EXP302550**

**€ 980,-**



## CLEARVIEW® 2 RETINAL CAMERA

The Optibrand® ClearView® 2 Retinal Camera is an ophthalmic camera device developed for veterinary professionals to acquire wide-angle digital colour images of the retina using an Apple iPod touch®.

- ▶ Autofocus
- ▶ Automatic- and manual-capture image modes
- ▶ Automatically saves images
- ▶ Retina images can be immediately viewed and uploaded to e-mail or text message
- ▶ Data transfer to a PC/MAC via iTunes®

### Technical specifications

- ▶ Pupil size 5 mm diameter or greater
- ▶ Field of view: 50° static, up to 80° dynamic view of peripheral retina
- ▶ Working distance: 50 mm
- ▶ Illumination white light LED provided by iPod touch®
- ▶ Diopter power: -20 D to +20 D autofocus accommodation
- ▶ Image size: 1,920 x 1,920 or roughly 3.5 megapixels
- ▶ Image format: JPEG
- ▶ Battery life: up to 50 sessions (2 min) on a full charge
- ▶ Software ClearView® 2 from the App Store®

173553

€ 2300,—

incl.  
iPod touch®



## RETEVET™ PORTABLE ERG

The RETevet™ portable ERG offers an intuitive interface that allows veterinary ophthalmologists and researchers to perform electroretinograms (ERGs) to measure the retinal function of animals.

- ▶ Small, portable and battery powered
- ▶ Intuitive user interface
- ▶ Real-time results
- ▶ All flashes electronically controlled
- ▶ Easy USB connection to any PC
- ▶ Comprehensive reports in PDF formats
- ▶ Anaesthesia is optional (based on the patient)

### Technical specifications

- ▶ RGB LED technology
- ▶ 15 million colour combinations
- ▶ Dimensions (in cm): W 10.5 x H 15.5
- ▶ Weight: 240 g
- ▶ Includes: RETevet™ Device, Docking Station, 6 Jet Electrodes, 10 Needle Electrodes, Dust Cover, 3-Plug Electrode Lead, USB Cable, Power Adapter.

173610

€ 7800,—





The EICKEMEYER® PhacoVet has been specially designed and developed for the requirements of veterinary medicine. The device can be used for phacoemulsification and vitrectomy in small animals and horses. The system and the associated instruments have been extensively tested and optimised in cooperation with renowned specialists.

Its simplicity and robustness, as well as the focus on core features, make the PhacoVet unique. The compact device can be operated as stationary in the practice or brought to the patient as a mobile unit. Due to the quick and easy commissioning, you are ready to go anywhere immediately.

With service centres in Germany and Switzerland, a professional and fast service is available for spare parts, deliveries, repairs, maintenance work and technical queries.

- ▶ Developed and optimised for veterinary medicine
- ▶ Focus on core features required for veterinary use
- ▶ Simple handling and ease of use
- ▶ Robust, compact and mobile
- ▶ Transportability and easy commissioning
- ▶ Reusable components, reduces waste and cost
- ▶ Professional service, repair and maintenance

### 329000

#### Starter Set Small Animal (Phaco)

- ▶ EICKEMEYER® PhacoVet (329000)
- ▶ Foot Switch for PhacoVet (329001)
- ▶ 2 I/A Hose Systems for PhacoVet (329005)
- ▶ 2 Pump Hose Systems for PhacoVet (329006)
- ▶ Phaco Handpiece, 28 kHz (329020)
- ▶ 2 Phaco Needle, 20G, 30° (329023)
- ▶ 2 Phaco Key, plastic (329028)
- ▶ 2 Silicone Sleeves, 20G (329034)
- ▶ 2 Test Chambers (329030)
- ▶ Aspiration Handle, roughened cannula, 21G (329051)
- ▶ Irrigation Handle, polished cannula, 21G (329054)

### 329100

€ 32 500,–

#### Starter Set Equine (Vitrectomy)

- ▶ EICKEMEYER® PhacoVet (329000)
- ▶ Foot Switch for PhacoVet (329001)
- ▶ Transportation Case for PhacoVet (329002)
- ▶ 2 I/A Hose Systems for PhacoVet (329005)
- ▶ 2 Pump Hose Systems for PhacoVet (329006)
- ▶ Vitrectomy Drive, for horses (329010)
- ▶ Vitrectomy Cutting Head, for horses, 15G (329011)
- ▶ Vitrectomy Irrigation Trocar, for horses (329014)

### 329200

€ 34 500,–

UUS




329000

## SCHIRMER TEAR TEST STRIPS

- ▶ SCHIRMER's Tear Test is indicated to quantitatively measure the rate of tear production
- ▶ Useful in the evaluation of conjunctivitis to help diagnose tear deficiency as a contributing factor to ocular surface diseases
- ▶ Physiological range: 10 to 20 mm
- ▶ Individually packaged – sterile
- ▶ Pack of 100 pieces
- ▶ With Blue Mark

### 173592

€ 15,–



## ALGERBRUSH II

The AlgerBrush II is a battery powered, handheld, low torque motorised burr. It has been designed to remove foreign bodies from the cornea or sclera of patients.

The burr in this rotary instrument is used as a “brush” rather than a drill and the foreign bodies are thus “brushed” from the eye leaving a smooth surface, which in turn heals much faster than with other instruments that could be used for this purpose.

According to the paper “Veterinary Ophthalmology” ([2013] 16, 2, [83–88]), it has been successfully used to treat spontaneous corneal epithelial defects (SCCEDs) in dogs in combination with a bandage contact lens.

### Includes

- ▶ 3.5 mm round, medium grit diamond burr
- ▶ Chuck

170010

€ 105,–

### AlgerBrush II Corneal Burr

- ▶ Ø 3.5 mm
- ▶ Chuck attachment included

170011

€ 55,–

### AlgerBrush II Corneal Burr

- ▶ Ø 2.5 mm

170013

€ 55,–

### AlgerBrush II Corneal Burr

- ▶ Ø 1 mm
- ▶ Pack of 5 pieces

170012


€ 30,–

### AlgerBrush II Diamond Grinding Wheel (4 mm)

- ▶ Fine

170014

€ 55,–



170010

## EICKVIEW COMPACT ENDOSCOPE SET

The specially developed EickView Compact Endoscope provides the perfect solution for rhinoscopy, tracheoscopy and vaginoscopy in small animals due to its small diameter (3.8 mm) and integrated working channel.

- ▶ Highly mobile
- ▶ Homogeneous and minimally invasive distal end
- ▶ Integrated working channel Ø 1.3 mm
- ▶ Outer diameter Ø 3.8 mm
- ▶ Working length 14 cm
- ▶ Viewing angle: 30°
- ▶ Opening angle 90° (wide-angle)
- ▶ Foreign body forceps Ø 1 mm, L 25 cm
- ▶ Attachable LED Light source
- ▶ Long battery life and spare battery with an operating time of 4 hours each
- ▶ 3 Adjustable light levels
- ▶ Stopcocks: two integrated stopcocks allow steady insufflation and irrigation
- ▶ Connection: STORZ, WOLF or ACMI connectors
- ▶ Eyepiece: DIN ocular allows the connection of all standard C-mount cameras
- ▶ Set includes: EickView Compact Endoscope incl. fitted otoscopy protection aid, portable LED light source incl. charger, foreign body forceps, spare battery, 2 cleaning brushes, padded carrying case

306122

€ 1 950,–

### Endoscopy Biopsy Forceps

- ▶ For taking biopsies
- ▶ Length: 250 mm
- ▶ Ø 1.0 mm

30611804

€ 375,–



306122

incl.  
Otoscopy  
Kit

## EICKTRON ELECTROSURGICAL UNIT

The EickTron is a versatile tool in veterinary medicine allowing it to be used for both monopolar and bipolar instruments. The unit's power adjustment via a foot or hand switch and its microprocessor control makes it very easy to use.

### Includes

- ▶ Handpiece with finger switch and connecting cable
- ▶ Electrode set (10 pieces)
- ▶ Neutral electrode incl. cable
- ▶ Footswitch

### Technical specifications

- ▶ Input: 220 – 240 V, 50 – 60 Hz
- ▶ Power consumption: 300 VA
- ▶ Frequency: 600 kHz
- ▶ Dimensions (in mm):  
L 288 x W 254 x H 104

**323135**



323135

### Autoclavable Accessories

Bipolar Forceps

- ▶ Angled
- ▶ Length: 150 mm

**323105**

Bipolar Adapter

**323139**

Bipolar Forceps Cable

**323106**

**Tellige  
e-poest!**  
www.vetpood.ee

### KOMPLEKT

EickTron

- + Bipolar Forceps
- + Bipolar Forceps Cable
- + Bipolar Adapter

**€ 1100,—**

## EICKTRON 4.0 RADIOSURGERY UNIT

The EickTron 4.0 is a high-frequency radiosurgery unit that can be used in many ways in veterinary medicine. The working frequency is 600 KHz – 4.0 MHz and the output can be easily regulated using the foot pedal or hand switch. The digital display of the power output and the microprocessor-controlled monitoring of the operating functions guarantee absolute reliability and simple operation. The connection of the neutral electrode is constantly monitored for safety.

Radiosurgery units represent the minimally invasive form of electrosurgery, as the radio frequency generators work with significantly higher frequencies – here up to 4.0 MHz! Thanks to the high frequency, fewer watts can be used, which means that there is far less thermal damage to the surrounding tissue.

### Complete with

- ▶ Handpiece with finger switch and connection cable
- ▶ Set of electrodes (10 pieces)
- ▶ Each 2 needle, knife and ball electrodes
- ▶ Neutral and rectal electrode
- ▶ Cable for neutral electrode
- ▶ Foot switch



323400



323105

### Power

- ▶ Max. Output 150 W (cutting)
- ▶ Max. Output 100 W (blend)
- ▶ Max. Output 100 W (enhanced)
- ▶ Max. Output 100 W (coagulate)
- ▶ Max. Output 100 W (gently coagulate)
- ▶ Max. Output 60 W (bipolar coagulation)

### Technical specifications

- ▶ Power consumption: 350 VA
- ▶ Frequency: 600 KHz – 4.0 MHz
- ▶ Dimensions (in cm): H 14.4 x W 37 x D 31.9

**323400**

### Bipolar Forceps

- ▶ Angled
- ▶ Length: 150 mm

**323105**

### Bipolar Forceps Cable

**323106**



323106

### KOMPLEKT

EickTron 4.0

- + Bipolar Forceps
- + Bipolar Forceps Cable

**€ 3300,—**

## ENBIO S B-CLASS AUTOCLAVE

### Simple – reliable – fast

The Enbio S is the fastest B-class autoclave on the market. Thanks to its compact size, it fits into every practice and the sterilisation chamber offers enough space for a standard surgical kit. The Enbio S is set up in no time and it is simple and intuitive to use – switch it on, select the mode, sterilise – done!

- ▶ Extremely short program times of only 7 to 15 minutes
- ▶ Revolutionary low operating costs thanks to Magic Filter
- ▶ Very quiet operating noise of only 32 dBA
- ▶ Automatic documentation on USB stick
- ▶ Highest quality at a low price
- ▶ External dimensions (in mm): W 252 x H 162 x D 561
- ▶ Weight: 15 kg

500000

€ 1350,–




## DISPOSABLE RING RETRACTOR WITH ELASTIC HOOKS

A ring retractor facilitates access to the surgical field during various soft tissue surgery procedures.

- ▶ Four hinges allow adaptation to the body shape
- ▶ Makes an area of 14.4 x 14.4 cm
- ▶ Incl. 8 elastic hooks (sharp)
- ▶ Packaged sterile

162150

€ 60,–



## AESCULAP ISIS / EXACTA CAT CLIPPER

The AESCULAP Isis cordless clipper is ideal for preparation for small areas (forelimb, head and neck) when taking bloods, biopsy or for hard-to-reach areas.

- ▶ Cutting width: 24 mm
- ▶ Cutting length: 0.5 mm
- ▶ Li-ion battery: runtime up to 120 min with approx. 90 min charging time
- ▶ Charge indicator via charging station
- ▶ Weight: 120 g (incl. battery & blade)
- ▶ Includes: clipper, blade (carbon blade – cannot be sharpened), charging station, attachment comb (adjustable to 4 different cutting lengths, 3–6 mm), brush, AESCULAP oil, instructions

902605

€ 130,–

### AESCULAP Isis / Exacta Clipper Blade

- ▶ Carbon blades (can not be sharpened)

902601

€ 28,–



902605

## AESCULAP VEGA CORDLESS CLIPPER

This medium-sized clipper is ideal for clipping abdominal, forelimb and neck regions.

- ▶ Superior cordless clipping
- ▶ Reduced noise and vibration
- ▶ Blade cutting width: 40 mm
- ▶ Adjustable blade cutting length: 0.5/1.5/2.5 mm
- ▶ Battery life up to 50 minutes/2 hours to recharge
- ▶ Charging indicator
- ▶ Weight: 250 g
- ▶ Including one Clipper Blade

902602

€ 259,–

### Vega Clipper Blade

902603

€ 33,–



902602

## AESCULAP DURATI VET CLIPPER

The Durati Vet impresses with its light, balanced weight, strong performance and long battery life.

- ▶ Li-Ion battery, running time up to 4 hours
- ▶ High shear rate for an optimal cutting pattern
- ▶ Including SnapOn shaving head (#40 / 0.25 mm) and charging station for Machine and optional second battery (item no. 904001)
- ▶ Weight: 380 g with shaving head and battery

90400001

€ 240,–



UUS