

veterinary technology for life

Eickemeyer®

vetpood.ee, tel 7362 716; tartu@estdoma.ee

Kevadkampaania

2023



Kehtiv 29. märts - 30. juuni 2023

Kataloogis on hinnad ilma käibemaksuta.

X-BASE OPERATING TABLE

The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

X-Base with 4 individually adjustable feet
 Provides best possible legroom and stability
 Good working posture whether sitting or standing
 Slim lift column made of aluminium, pump hydraulic or mains operated
 Self-contained, maintenance-free lift column
 Height adjustable from 72 – 112 cm
 Unidirectional 90° tilt mechanism, one hand control
 Stainless steel top with rounded, anti-drip edges and drain hole
 Two tabletop widths: 50 cm and 60 cm
 Optional heated tabletop
 Various colour options available

Illustration	RAL No.	Colour	Electric Hydraulic			
			50 x 130	60 x 130	50 x 130	60 x 130
		Stainless Steel	602012	602010	602022	602020
	3000	Flame Red	601500	601507	601470	601477
	6018	Lime Green	601501	601508	601471	601478
	5022	Night Blue	601502	601509	601472	601479
	2001	Red Orange	601503	601510	601473	601480
	6005	Moss Green	601504	601511	601474	601481
	4010	Pink	601505	601512	601475	601482

Each

2230.-

Table Tie Down Cleats

Stainless steel construction
 Mounted under the table

602005

49.-

Standard Rail System

Enables quick, safe and variable fixing of the patients on the table.

Consisting of:

2x Standard Rails, side
 2x Standard Rails, end
 4x Tie Down Cleats, quick release
 10x Tie Down Ropes, L 1 m

605050

295.-

Curved Dental Tray

With removable tray with grid
 Tray size (in cm): W 50 x D 35

605102

299.-











LOW LIFT SCISSOR TABLE II

The EICKEMEYER® Low Lift Scissor Table II is perfect for lifting and transporting larger patients without unnecessary handling and movement. The basic stationary table is available in eight different colours and the additional options available make this table a real all-rounder for your practice.

Ideal for examination, prep, dental treatment and procedures
Minimum height of 28 cm allows large dogs to walk onto the table

Maximum height of 105 cm allows you to examine smaller patients without having to hunch and lean forward
All parts made from high quality German stainless steel
Smooth, polished tabletop (60 x 130 cm) with rounded corners, anti-drip edges and a drain hole
Silent electric operation via foot pedal
Includes power supply and tie down cleats

Variations			
Illustration	RAL No.	Colour	Item No.
		Stainless Steel	604200
	3000	Flame Red	604201
	6018	Lime Green	604202
	5022	Night Blue	604203
	2001	Red Orange	604204
	6005	Moss Green	604205
	4010	Pink	604206
	9010	Pure White	604207

Stainless Steel

2100.-

Colour

2200.-

Additional Options

In addition to the stationary table, you can choose one or more of the following table options:

Battery Kit

Includes Battery and Charger

604307

299.-

Mobile Kit

Includes Wheels, Battery and Charger

604306

399.-

Electric Tilt Option

For tabletops

604301

502.-

Integrated Scale Option

Weighing range 0 – 120 kg

604305

750.-

Curved Dental Tray

With removable tray with grid

Tray size (in cm):
W 50 x D 35

604303

290.-



604301



604305

SCORE® JUMPER / AMAZONE SADDLE STOOLS

The ever so popular SCORE® treatment stools now come in fresh colours – real eye-catchers for your practice and extremely comfortable too! JUMPER and AMAZONE differ in the width of the saddle seat.

Comfortable, padded seat

Easily washable synthetic leather cover

Gas spring column, height-adjustable from approx. 56 – 75 cm

Smooth-running double castors

Optimum freedom of movement

Aluminium base diameter: 54 cm

Each

320.-



61011201

SCORE® JUMPER / AMAZONE Balance

The essence of healthy sitting is dynamic sitting. The uniquely adjustable Balance mechanism from SCORE® ensures that the saddle moves subtly along with your movements. These 'micro' movements of your pelvis ensure that muscle groups and intervertebral discs are not constantly under severe static strain. This prevents pain, helps you maintain your working posture longer, and exercises your core muscles. The degree of movement of the Balance mechanism can be set to your own preference, and can be adjusted by rotating the ring.



Each

320.-




610117



JUMPER (wide)



AMAZONE (narrow)



Balance (fl exible)

	JUMPER	JUMPER Balance	AMAZONE	AMAZONE Balance
Colour	Item No.	Item No.	Item No.	Item No.
Black	61010001	610200	61011001	610210
Anthracite	610101	610201	610111	610211
Capri Blue	61010201	610202	61011201	610212
Forest Green	61010301	610203	61011301	610213
Burgundy	61010401	610204	610 11401	610214
Orange	61010501	610205	61011501	610215
Pink	610106	610206	610116	610216
Ochre Yellow	610107	610207	610117	610217



610216

DR. MACH LED 130 PLUS / 130 F EXAMINATION AND THEATRE LIGHTS

vetpood.ee

The DR. MACH LED 130 has been our best selling LED light over the past years with hundreds of installations across the UK and Europe. Whether in prep, dental or in the operating theatre, the LED 130 supports veterinary professionals with superior technology, invariable reliability and great design.

Colour rendering index: Ra \geq 95
 Electric dimmer, 50 – 100 %
 Colour temperature: 4,300 kelvin
 Light head diameter: 33 cm
 Number of LEDs: 19
 Power consumption: only 28 W
 Optional sterilisable Handle (611266)



611737

DR. MACH LED 130 PLUS DR. MACH LED 130 F

100,000 lux at 1 m working distance 70,000 lux at 1 m working distance
 Fixed light field: 12 cm at 1 m Focusable light field: 14 – 25 cm at 1 m

DR. MACH LED 130 PLUS		
Item No.	Model	€
611736	Stand Model, mobile	1.900,-
611737	Wall Model with 171 cm reach	1.800,-
611738	Ceiling Model*, up to 3 m	1.999,-

DR. MACH LED 130 F		
Item No.	Model	€
611733	Stand Model, mobile	1.999,-
611734	Wall Model with 171 cm reach	1.999,-
611735	Ceiling Model*, up to 3 m	2.200,-

* For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 125,-

DR. MACH LED 150 / 150 FP THEATRE LIGHTS

Based on the continuing success of the LED 130, the LED 150 offers a larger light head diameter and more light intensity. The Sterilisable Handle can be removed for sterilisation and additional handles can be purchased separately.

Color rendering index: Ra \geq 96
 Electric dimmer: 50 – 100 %
 Light head diameter: 38 cm
 Number of LEDs: 26
 Power consumption: only 35 W

DR. MACH LED 150 (SWING) DR. MACH LED 150 FP (SWING)

110,000 lux at 1 m working distance 130,000 lux at 1 m working distance
 Colour temperature: 4,000 kelvin Colour temperature: 4,300 kelvin
 Fixed light field: 19 cm at 1 m Focusable light field: 17 – 24 cm at 1 m



612942

DR. MACH LED 150		
Item No.	Model	€
612940	Stand Model, mobile	2.600,-
612941	Wall Model with 171 cm reach	2.400,-
612942	Ceiling Model*, for ceiling heights of 2.60 – 3 m	2.600,-

DR. MACH LED 150 FP		
Item No.	Model	€
612946	Stand Model, mobile	2.800,-
612947	Wall Model with 171 cm reach	2.800,-
612948	Ceiling Model*, for ceiling heights of 2.60 – 3 m	2.900,-

* For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 125,-

EICKEMEYER® NARKOVET LIGHT ANAESTHETIC UNIT

The EICKEMEYER® NarkoVet LIGHT is a cost-effective mobile Anaesthetic Unit. It includes quality parts like the MSS Vaporiser, Breathing Circuits and an Anaesthetic Gas Filter.

High Accuracy Rotameter, 0.1 – 5 l/min.

Quality MSS TEC 3 ISO Vaporiser (keyed fill).
Also available with sevoflurane vaporizer (213071SEVO).

Oxygen Bypass (O₂ flush).

22 mm outside Ø / 15 mm inside Ø patient outlet.

Ayre's T-Piece Breathing Circuit for patients under 7 kg.

Semi-disposable Circle Circuit for patients over 7 kg,

incl. 2 l Rebreathing Bag.

EickSorber Anaesthetic Gas Filter with Holder and Exhaust

Pipe.

Storage Tray and Hooks for additional Rebreathing Bags.

Stable 5-Star Caster Base, Ø: 54 cm.

Dimensions (in cm): H 142 x W 67 x D 54.

Weight: 14.5 kg.

213071

1500.-

Starter Kit for NarkoVet LIGHT

This set provides the necessary accessories to perform anaesthesia on dogs and cats.

Set consists of:

Safety fill neck for isoflurane.

Soda lime, 4,5 kg, with color change.

2 breathing bags (1, 3 l).

6 plastic breathing masks (size 1 – 6).

Complete set of tracheal tubes, 23 pcs.

Laryngoscope ECONOMY.

213079

330.-

OxyVet IV Oxygen Concentrator

An oxygen concentrator draws in room air, separates the oxygen from other gases and delivers the oxygen at high concentrations.

Saving costs and effort – no oxygen bottle required.

Simple operation and high patient safety.

Oxygen output: 93 % oxygen (± 3 %).

Flow rate from 0.5 – 5 l/min.

Noise level: ≤ 55 dbA.

Incl. Bubble humidifier.

Dimensions (in cm): L 34 x W 37 x H 67.

Weight: 15.3 kg.

213180

650.-



213180



213071

The EICKEMEYER® NarkoVet Anaesthetic Unit is now even more flexible: Can be set up as a desk, wall or stand model.

Table mounted model

- High accuracy Rotameter (0.1 – 5.0 l/min)
- System pressure gauge
- Infinately adjustable pressure relief valve
- Oxygen bypass
- TEC 3 Isoflurane Vaporiser
- Soda Lime canister and accessories
- Safety valve for manual ventilation included (213083)
- Dimensions (in cm): L 32 x W 25 x H 51
- Suitable for small animals up to 80 kg
- OxyVet IV Oxygen Concentrator (213180) sold

separately

213062

OxyVet IV Oxygen Concentrator

An oxygen concentrator draws in room air, separates the oxygen from other gases and delivers the oxygen at high concentrations.

Saving costs and effort – no oxygen bottle required

- Simple operation and high patient safety
- Oxygen output: 93 % oxygen (± 3 %)
- Flow rate from 0.5 – 5 l/min
- Noise level: ≤ 55 dbA
- Incl. Bubble humidifier
- Dimensions (in cm): L 34 x W 37 x H 67
- Weight: 15.3 kg

213180

Trolley

21309535

Oxygen Concentrator Shelf 213098

Anaesthetic Unit Top Shelf

21309902

Starter Kit for NarkoVet

Set consists of:

- Safety fill neck for isoflurane
- EickSorber anaesthetic gas filter
- Exhaust hose, 2 m, transparent
- 3 soda lime, 4,5 kg, with color change
- 2 breathing bags (1, 3 l)
- 6 plastic breathing masks (size 1 – 6)
- Complete set of tracheal tubes, 23 pcs.
- Laryngoscope ECONOMY

213061



Komplekt:

- NarkoVet
- + OxyVet IV
- + Trolley
- + Oxygen Concentrator Shelf
- + Anaesthetic Unit Top Shelf
- + Starter Kit NarkoVet

€ 3.900,-

LIFEVET 10M MULTIPARAMETER MONITOR

The LifeVet 10M is a fast, accurate and comfortable patient monitor that is characterised by its high ease of use and reliable technology. Its innovative technology is the ideal basis for obtaining detailed data and enabling first-class visualisations. Thanks to the large display, the vital functions can also be easily read from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions. The low power consumption and powerful battery make this monitor an extremely efficient solution.

Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG and temperature
High-resolution 10.4" LED touchscreen with up to 7 curves
Freely selectable alarm limits
Mains and battery operation up to 4 hours
Dimensions (in cm): W 32 x H 22 x D 16
Weight: approx 3.5 kg
Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips and temperature probe

321915



1150.-

LIFEVET 10C MULTIPARAMETER MONITORS

The LifeVet 10C monitors are modern, powerful patient monitors that are characterised by their high level of user-friendliness, reliable technology and extensive data storage. Thanks to the large display, the vital functions can also be read easily from a distance.

It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions.

Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG, temperature and capnography (EtCO₂) in sidestream mode
High-resolution 10" LED touchscreen with up to 8 curves
Freely selectable alarm limits and 360° visible alarm display
Mains and battery operation up to 4 hours
Dimensions (in cm): W 27 x H 22 x D 17
Weight: ≤ 4.0 kg
Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips, temperature probe, CO₂ adapter, CO₂ cable and water trap

LifeVet 10C

321920

2200.-

LifeVet 10C+

321921

2950.-



321921

EPM 12M VET SURVEILLANCE AND ANESTHESIA MONITOR

vetpood.ee

The ePM 12M Vet is an intelligent surveillance monitor for the professional veterinary OR. Thanks to the large touch display, the vital functions can also be read easily from a distance. The fanless design ensures a quiet treatment environment.

Mobile Stand

With basket and holding plate
Secures the monitor with quick release

321902

350.-

The following parameters can be monitored with the ePM 12M Vet

Respiratory rate (display between 0 and 200 rpm)
Pulse rate (display between 20 and 350 bpm)
Oxygen saturation (SpO₂) (display between 0 and 100%)
Blood pressure (NIBP) (display between 10 and 290 mmHg)
Temperature (display between 0 and 50 °C)
3-lead ECG

Please note: we strongly recommend using the LifeVet Scavenging Kit (321881) for the discharge of used measuring gas when using this monitor with anaesthetic gas.

The module included in the scope of delivery allows the following additional parameters to be monitored

Capnography (EtCO₂) in the sidestream measurement method (display between 0 and 150 mmHg)
Invasive blood pressure (IBP) measurement (display between -50 and 360 mmHg)
Multigas (display of the anesthetic gases N₂O, DES, ISO, ENF, HAL, SEV)
Oxygen (O₂) (display between 0 and 100%) (only 321940)

Technical specifications

321930

High-resolution 12.1" LED backlit touchscreen (resolution: 1,280 x 800 pixels)
Monitor with gesture control and 720° wide viewing angle
Display of up to 10 curves possible
Freely selectable alarm limits
360° visible alarm display
Data storage for up to 48 hours of trend curves, 120 hours of table and graphic trends, 1,000 NIBP measurements and 100 alarm events
Data export via USB stick possible
Battery and mains operation possible
Li-Ion battery (operating time up to 4 hours with fully charged battery)

321902

Outputs: USB 2.0, VGA output and RJ45 (for software update)
Scope of delivery: Monitor, Li-Ion battery, power supply, NIBP cable and 5 cuffs, ECG cable with clamps, SpO₂ sensor with 2 clips, temperature probe, IBP sensor kit, capnography & multigas accessory set, user manual
Dimensions (in cm): W 31 x H 29 x D 17
Weight: approx. 4.8 kg (without module)
Please note: Please also order the exhaust air connection set (321881).

ePM 12M Vet

Incl. IBP + CO₂ + AG module

321930

ePM 12M Vet

Incl. IBP + CO₂ + AG module with O₂

321940



5500.-

6500.-

EICKEMEYER® PAWSITIONER

vetpood.ee

The Pawsitioner is designed to secure patients for surgery and hands-free diagnostic imaging. It eliminates the need for tie-downs and makes it easy to clip and scrub patients in the prep room then transport them to surgery without having to re-position. The Pawsitioner is also ideal for hands-free radiographic positioning, including V-D, left or right lateral, V-D pelvis for OFA evaluation, rostral-caudal skull views and much more without re-positioning the patient for each radiograph. The cradle may also be used to hold patients for laparoscopy, CT, MRI, myelography and ultrasonography.

Complete Set

Consisting of 5 sizes and wall mount for space-saving storage.

605920



850.-



QR code for the application video of the Pawsitioner

EICKEMEYER® MOUTH GAG SET

Winner of the Cat Friendly Award!

With the EICKEMEYER® mouth gag set dental procedures and dental corrections in cats and dogs can now be carried out even more secure. These novel mouth gags consist of two cylinders that can be adjusted via a thread in their length. With this feature the mouth gags can be easily adapted to the mouth of the patient.

By the defined adjustment an excessive tension is no longer possible, therefore irreparable damages and injuries can be avoided.

Material: Hard plastic

Easy to clean and disinfect

Radiolucent

Set of 5 sizes: XS 3 – 4 cm; S 4 – 6 cm;

M 6 – 8 cm; L 9 – 11.5 cm; XL 12 – 15 cm

200120

36.-



PROFIDENT PLUS DENTAL UNIT

The Profident PLUS is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profident PLUS automatically supplies air and water to it.

High Speed Turbine (300,000 rpm)

Push button burr change for friction grip burrs (FG)
Variable burr water cooling facility
With LED Illumination

Low Speed Air Motor (20,000 rpm) with Straight Handpiece

For long straight shank burrs (HP), diamond discs and prophy heads
High torque, forward and reverse rotation
Optional water cooling facility (item no. 174022)

Built-in Dental Scaler

Handpiece with LED Illumination
Includes 5 scaling tips

3 in 1 Syringe

Precise finger tip control of water, mist or dry air
Water connection to connect external dental scaler
(e. g. item no. 176870)

Micro Oil Filter

Reduces the oil content in the compressed air down to 0.01 %
Helps extend the life of handpieces

Dental Unit Air Compressor

Powerful (340 watt)
Quiet, 40 dB (A) (as a fan)
Low maintenance

174001

3900.-

Incl.
compressor
and oil
filter

Starter Kit


Complete set, consisting of:
1x Bur Kit for Contra Angle
1x Prophy Cups
1x Polishing Paste
1x Cleaning Brush

EXP174004

255.-



Scaler with LED lighting



Dental Handpiece
High Speed (FG)



174001

MOBILE DENTAL CART

Turns every table into a dental treatment table!

With the Mobile Dental Cart from EICKEMEYER®, every operating or treatment table becomes an ergonomic dental treatment table.

For attachment to operating and treatment tables

Ergonomic, curved dental tray with grate
Easily removable tray for cleaning
Made of stainless steel
With 4 lockable smooth running castors
Height adjustable from 75 – 100 cm
Tray size (in cm): W 50 x D 35

605105

380.-



DENTANOMIC DENTAL INSTRUMENTS

The cutting edge of veterinary dentistry

DENTANOMIC instruments are premium surgical tools with superb tempered & hardened modular blades making dental extraction in dogs and cats easier, safer, and faster.

Blades are made from top quality, hardened stainless steel and cut

much better than conventional instruments.

Unique modular design allows easy blade replacement when blades are blunt or damaged.
Ergonomic handle design promotes safe palm grip; only minimal finger force is required to stabilize the cutting edge.

DENTANOMIC Set – Bronze

Complete set consisting of 2 handles (purple and gold) + elevator and luxator blade set (all 9 sizes) + sterilisation and storage rack.

With standard handles

With long handles

Up to glove size 7.5

175050

From glove size 8.0

175051

499.-

DENTANOMIC Set – Silver

Complete set consisting of 3 handles (green, blue and pink) + elevator and luxator blade set (all 9 sizes) + sterilisation and storage rack + honing set

With standard handles

With long handles

Up to glove size 7.5

175060

From glove size 8.0

175061

630.-

DENTANOMIC Set – Gold

Complete set consisting of 5 handles (purple, gold, green, blue and pink) + elevator and luxator blade set (all 9 sizes) + sterilisation and storage rack + honing set + sterilisation container

With standard handles

Up to glove size 7.5

175070

With long handles

From glove size 8.0

175071

930.-

Our satisfaction guarantee:

Dentanomic instruments have a thin, precise edge that allows you to operate on the periodontal ligament. We will help you get adjusted to your new techniques and we guarantee your satisfaction with your new instruments and technique within 1 month.

To activate your guarantee:

Follow web link and enter your details

Attend one of our training sessions, before using our instruments. We will teach you an appropriate elevation and luxation technique and when to use them; to make you a more precise and faster dental surgeon.



Our instruments are not like the ones you have used before. Guarantee only applies if you have attended our free online training sessions. There is no limit to the number of training sessions that you may attend.

We will replace any damaged blades (limit of one replacement of each individual blade) over a 1 month period from the date of your training session. Blades may get damaged as a result of inappropriate surgical techniques; we will then work with you to adjust your technique.

If you are not satisfied that DENTANOMIC instruments have made your dental surgery easier, safer or faster within a 1 month period from the date of your training session, then you can return the instruments for a refund.



175000GO

CT, MRI AND ULTRASOUND POSITIONER

vetpood.ee

Facilitates positioning of patients to allow abdominal ultrasonography.
Perfect positioning helps keep the patient calm and comfortable.
Robust, easy to clean and disinfect.

Size 1

Suitable for cats / small dogs
Dimensions (in cm):
W 25 x H 10 x L 80

303991

95.-

Size 3

Suitable for large-sized dogs
Dimensions (in cm):
W 50 x H 20 x L 130

303993

165.-



303992

Size 2

Suitable for medium-sized dogs
Dimensions (in cm):
W 35 x H 14 x L 100

303992

125.-

ULTRASOUND TABLE ATTACHMENT WITH CUTOUT

The redesigned EICKEMEYER® Ultrasound Table is the perfect solution for cardiac ultrasound examinations.

Redesigned ergonomic cut out for cardiac ultrasound examinations

5 foldable feet for easy storage
Ergonomically designed recess
Provides ample elbow room for the examiner
Compatible with Examination Tables

(Width: 45 cm / Length: 100 cm)

Dimensions (in cm): W 60 x H 19 x L 14

303976


Ultrasound Table Mat with Cutout

For Ultrasound Table (item no. 303976)
Velcro straps for a secure fit

30397602

160.-

420.-



Komplekt

Ultrasound Table
+ Mat with Cutout

Total

450,-

MAGIC 500 PLUS PORTABLE ULTRASOUND UNIT

The MAGIC 500 PLUS sets a new standard of mobility for pregnancy testing in the field. With only 1.1 kg and an integrated rechargeable battery, it ensures maximum comfort and user friendliness.

Features

Long service life: due to the long battery life of the battery supplied, unforeseen extended scanning sessions are not a problem

Efficient workflow: Performing measurements on stored images ensures an efficient examination process.

Via a WiFi connection images and videos can be transmitted wirelessly to external devices (PC, laptop, tablet, smartphone) as well as monitors.

Higher diagnostic reliability with Cine Memory (256 frames). Individually adjustable ultrasound image.

Protection by splash-proof venting and membrane keypad. Mounting rings and straps for easy hanging around the neck.

Areas Of application

Pregnancy examinations in cattle and horses.

Adjustment aids for optimal work.

Standard measurements and vet pregnancy calculation.

Anti-reflective ultrasound image individually adjustable. Measurements below 1 mm possible (fat layer thickness.

measurement)

Back fat and loin thickness calculation

Technical specifications

15 cm LED Monitor

Black-and-white system

Images and video clips can be saved on the device

Incl. a switchable, changeable transducer 6.5 MHz, linear rectal, frequency switching of: 4.5 / 5.5 / 6.5 / 7.5 MHz

Incl. a glove for the left hand (right glove can be reordered)

Incl. Carrying case

Integrated battery with up to 5 hours runtime

Dimensions (in cm): W 16 x H 16 x D 7

Weight: 1.1 kg

303790

3500.-



MAGIC 3000 PLUS PORTABLE ULTRASOUND UNIT

vetpood.ee

Unbeatable value for money!

The MAGIC 3000 PLUS impresses with many new functions and features. Advanced technologies including Power Doppler (PDI) help evaluate blood flow in different clinical conditions.

High-resolution 12.1" LCD Screen, tiltable.

Cine mode with memory function (5 sec.)

Various measurements including:

pregnancy calculation;

iStation™, iClear™, iZoom™, iBeam™ and iTouch™.

Second probe connection for quick probe swap.

Internal SSD storage and two USB ports.

Dimensions (in cm): W 29 x H 35 x D 17.

Lightweight: only 5.6 kg.

304045



Komplekt

MAGIC 3000 PLUS

+ 1 Probe

Total

2900,-

PROBES FOR MAGIC 3000 PLUS / 6000 PLUS

Micro-convex

5.0 – 8.5 MHz

303710

Linear T-shaped

5.0 – 10.0 MHz

303711

Linear Rectal

4.0 – 7.5 MHz

304021

Each

1900,-



303710



303711



304021

MAGIC 6000 PLUS PORTABLE ULTRASOUND UNIT

A new dimension in image quality

The MAGIC 6000 PLUS not only opens a new dimension of image quality in small animal abdominal sonography, the device can also be used in equine gynaecology and orthopaedics. With a powerful cine mode, you can always keep an overview even with restless patients under difficult conditions.

High-resolution 15" display, tiltable.

Cine mode with memory function (5 sec.).

PW and Power Doppler (PDI) with "Auto Trace".

Optional Colour Doppler Upgrade (30374001).

iStation™, iClear™, iZoom™, iBeam™, iTouch™ &

iScape™.

Various application-specific measurements for abdomen and gynaecology including pregnancy calculation.

Second probe connection for quick probe swap.

Large internal SSD storage and two USB ports.

Dimensions (in cm): W 36 x H 36 x D 15.

Weight: 8.1 kg.

303740



Komplekt

MAGIC 6000 PLUS

+ 1 Probe

Total

3600,-

EICKLOXX SMALL OSTEOSYNTHESIS SYSTEM

The EickLoxx Small is a polyaxial locking kit for dogs and cats up to 15 kg.

The system distinguishes itself through the polyaxial placement of the custom-fit screws and combines the advantages of a locking plate system with polyaxial screw placement in $\pm 15^\circ$ longitudinal and transverse pivoting.

Compared to conventional osteosynthesis systems, the use of locking systems (internal fixation) such as the EickLoxx Small facilitates faster healing of fractures and improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.

The biologically advantageous titanium plates are available in three sizes and can be cut to the desired length and bent in three planes. Specially designed tools are included to perform this. Titanium also reduces artefacts in post-operative imaging.



EickLoxx Small is a modular system. All implants and instruments are made in Germany using only the highest quality materials.

Complete set, consisting of:

- EickLoxx Small Instrument Tray
- EickLoxx Small Implant Tray
- EickLoxx Small Screw Rack
- TAURUS Plates and Wire Cutting Pliers
- Plate Bending Pliers with Rollers
- EickLoxx Bending Levers (Pair)
- 3 Twist Drills with AO Quick Coupling
(\varnothing 1.4 mm, \varnothing 1.8 mm & \varnothing 2.0 mm)
- 2 Screwdriver Blades (Torx 6 and 10)
- 2 Drill Guide Funnel Systems (1.7 / 2.3 and 2.7 / 3.5)
- Plate Screw Holding Forceps
- Silicone Screwdriver Handle
- 4 Plate Positioning Pins
- Depth Gauge
- EickLoxx Small Bone Plate, 46 hole, System 1.7 / 2.3,
Dimensions (in mm): L 230 x W 5.0 x H 2.0
- EickLoxx Small Bone Plate, 41 hole, System 1.7 / 2.3,
Dimensions (in mm): L 225 x W 6.5 x H 2.4
- EickLoxx Small Bone Plate, 28 hole, System 2.7,
Dimensions (in mm): L 224 x W 8.0 x H 2.7
- 28 Titanium Locking Screws \varnothing 1.7, silver
(from 8 – 20 mm)
- 28 Titanium Locking Screws \varnothing 2.3, gold
(from 8 – 20 mm)
- 44 Titanium Locking Screws \varnothing 2.7, light blue
(from 10 – 30 mm)
- Container, dimensions (in mm): L 312 x W 183 x H 122

185500

4966.-



EICKLOXX LARGE OSTEOSYNTHESIS SYSTEM

vetpood.ee

The universal polyaxial osteosynthesis system for small animals

The newly developed EickLoxx Large is a polyaxial locking system for dogs with a weight of approx. 15 to 45 kg.

Just like the EickLoxx Small, the system is characterised by a

polyaxial

placement of the precisely shaped screws and therefore combines the advantages of locking systems and the possibility of placing screws at an angle of up to $\pm 15^\circ$. Like the EickLoxx Small, the EickLoxx Large offers the advantage of rapid fracture healing with improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.



The biologically advantageous titanium S-shaped plates are available in eight different sizes. Thanks to special tools, the plates can be bent on all three planes. The long 12- and 14-hole plates as well as the long 34 to 40 mm screws ($\varnothing 2.7 / 3.5 / 4.0$) are not included in the basic set and can be added if required. Both plates can be integrated into the implant tray. There is space in the implant tray for the long plates and capacity for the module for the long screws in the instrument tray.

Complete set, consisting of:

- EickLoxx Large Instrument Tray
- EickLoxx Large Implant Tray
- EickLoxx Large Screw Rack
- 2 EickLoxx Large bone plate modules
- EickLoxx Bending Levers (Pair)
- 3 Twist Drills with AO Quick Coupling ($\varnothing 2.0$ mm, $\varnothing 2.5$ mm and $\varnothing 2.9$ mm)
- Screwdriver Blade (Torx 10)
- Drill Guide Funnel System 2.7 / 3.5 / 4.0
- Plate Screw Holding Forceps
- Silicone Screwdriver Handle
- 4 Plates Positioning Pins
- Depth Gauge
- 6 EickLoxx Large Bone Plates, 4.0 mm, gold (6 – 10 holes)
- 6 EickLoxx Large Bone Plates, 4.5 mm, light blue (6 – 10 holes)
- 36 Titanium Locking Screws, $\varnothing 2.7$ mm, light blue (from 10 – 32 mm)
- 36 Titanium Locking Screws, $\varnothing 3.5$ mm, magenta (from 10 – 32 mm)
- 36 Titanium Locking Screws $\varnothing 4.0$ mm, blue (from 10 – 32 mm)
- Container, dimensions (in mm):
L 312 x W 183 x H 122

187730

4966.-



ZLIG – NEW TECHNIQUE FOR CRUCIATE LIGAMENT REPLACEMENT (CRCL)

Zlig – the history

The tear of the anterior cruciate ligament is still one of the most common orthopaedic diseases in dogs. The path of the many surgical methods developed for this vary from intracapsular and extracapsular techniques to modern corrective osteotomies that alter the geometry of the affected knee joint. With the development of new materials in medical technology, it is now possible to replace the cranial cruciate ligament in an anatomically correct manner, instead of changing the forces acting on the joint. After a long period of preparatory work by the French Dr. Jacques-Phillipe Laboureau, a suitable synthetic ligament is now available for the intra-articular cruciate ligament replacement in small animals. Together with the instrumentation developed by EICKEMEYER®, this new technique for cruciate ligament replacement can now be performed.

Zlig – the implant

The Zlig consists of ultra-high-molecular polyethylene with the special feature that the woven structure of the implant is interrupted intra-articularly by "free fibres". Free parallel fibres reduce fatigue and also encourage the ingrowth of fibroblasts and collagen. Each implant is delivered in a sterile packed sleeve, making it easier to handle the implant before it is inserted into the joint. A selection of sizes with different resistances and fibre lengths are available to fit different patient sizes.

Zlig – the technology

In this technique, an artificial ligament is used as a total replacement for the anterior cruciate ligament using tunnel-tunnel-technique. The ligament is fixed in the tibia and Os femoris using specially developed cannulated interference screws in drill channels. The screws are guided parallel to the ligament using a guiding wire to avoid deviations. The technology does not cause irreversible damage and the results are reproducible thanks to a quick learning curve. Another great advantage of the technique is the fact that patients can put weight on the hind leg immediately after the operation without any risks.

16 Fibres / 10 mm

5 – 8 kg
2,000 N

191501

24 Fibres / 15 mm

8 – 12 kg
3,000 N

191502

32 Fibres / 17 mm

12 – 25 kg
4,000 N

191503

48 Fibres / 19 mm

25 – 45 kg
6,000 N

191504

48 Fibres / 22 mm

25 – 45 kg
6,000 N

191505


48 Fibres / 25 mm

25 – 45 kg
6,000 N

191506

Each

270.-



QR code for the application video of the Zlig



191506

Zlig – the instrumentation

A small and inexpensive set of instruments is required to perform this new and innovative cruciate ligament surgery method.

The threads of the specially developed titanium interference screws are round so they do not cause any damage to the fibres of the Zlig.

Zlig Instrument and Screw Set

Complete set, consisting of:

- Zlig Instrument Tray with screw module for interference screws
- 5 Twist Drills, cannulated, with round shank (Ø 2.5 / 3.0 / 3.6 / 4.2 & 5.0 mm)
- 1 Twist Drill, not cannulated, with round shank (Ø 4.0 mm)
- Hexagon KIRSCHNER Wire
- Attachment for hexagon KIRSCHNER Wire, HEX 2.5, AO coupling
- Screwdriver Handle made of silicone, HEX 2.9, AO coupling
- 2 Screwdriver Blades, cannulated (HEX 2.0 & 2.5)
- 4 KIRSCHNER Wires, trocar / trocar (Ø 1.0 & 1.8 mm)
- 4 KIRSCHNER Wires, blunt / blunt (Ø 1.0 & 1.8 mm)
- 2 Tubes for wire loops, cannulated (Ø 2.5 & 3.5 mm)
- 2 Wire Loops
- 4 Titanium Interference Screws, cannulated, Ø 3.0, blue (8 mm)
- 12 Titanium Interference Screws, cannulated, Ø 3.5, light blue (8, 10, 13 mm)
- 12 Titanium Interference Screws, cannulated, Ø 4.0, magenta (8, 10, 13 mm)
- 16 Titanium Interference Screws, cannulated, Ø 4.5, gold (10, 15, 20, 25 mm)
- 8 Titanium Interference Screws, cannulated, Ø 5.0, green (15, 20 mm)
- 8 Titanium Interference Screws, cannulated, Ø 6.0, silver (10, 20 mm)

191508

2400.-



EICKVIEW PORTABLE LED VIDEO ENDOSCOPES

Due to their extremely compact dimensions, the EickView LED Video Endoscopes are the perfect solution for broncho-, gastro-, rhino-, tracheo-, uretero- and vaginoscopy in dogs and cats and for the examination of the upper respiratory tract in horses. The devices work independently, as the powerful LED light source and the high resolution camera of the stand-alone systems are integrated in the distal end of the endoscopes. In addition, the folding 3.5" monitor allows both direct video and image playback as well as storage via SD card. Furthermore the EickView LED Video Endoscopes can be connected to a separate monitor.






Folding 3.5" monitor for video and picture playback. USB port and video out.







Recording and archiving on integrated SD card. Depth of field: 5 – 80 mm. File formats: JPG, AVI

Direction of view: 0°

Integrated powerful LED light source. Field of view: 110°

Rechargeable Battery with up to 3 hours of operation.

EickView LED Video Endoscopes							
Item No.	Description	Working length	Outer Ø	Working channel	Deflection		€
306009	EickView 60S	60 cm	3.3 mm	1.2 mm	up 180° down 130°		4.900,-
306011	EickView 60	60 cm	4.2 mm	1.3 mm	up 180° down 130°		4.900,-
306010	EickView 70	70 cm	6.0 mm	2.0 mm	up 180° down 130°		4.900,-
306166	EickView 100E	100 cm	8.0 mm	2.8 mm	up 150° down 130°		4.900,-
306164	EickView 150E	150 cm	8.0 mm	2.8 mm	up 130° down 130°		

Accessories							
Item No.	Description	Diameter	Length				€
306211	Alligator Forceps, EickView 60 / 60S	1.0 mm	120 cm				399,-
306311	Biopsy Forceps, EickView 60 / 60S	1.0 mm	120 cm				399,-
306214	Alligator Forceps, EickView 70	1.8 mm	120 cm				250,-
306314	Biopsy Forceps, EickView 70	1.8 mm	120 cm				250,-
306216	Alligator Forceps, EickView 100E /	2.4 mm	230 cm				250,-
306316	150E Biopsy Forceps, EickView 150E	2.4 mm	230 cm				250,-



306009



306214



306314

EICKVIEW HD LED USB VIDEO ENDOSCOPES

vetpood.ee

You can now combine the new EickView HD Video Endoscope System according to your wishes and requirements.

EickView HD Video Processor

The EickView HD Video Processor is the central hub of your video endoscope system. The powerful LED light source enables optimal illumination in any position. Various settings on the video processor allow you to adapt the image quality to your needs. The new HbE mode enables an improved display of vessels. Still images can easily be saved directly to a USB storage medium. The image data can be transferred to an existing PC or Laptop.

306167

3500.-

EickView PRO HD Upgrade

The EickView PRO HD Upgrade turns the HD Video Processor into a stand-alone and mobile endoscopy unit. Furthermore it opens access to other endoscopic disciplines such as arthroscopy, rhinoscopy, otoscopy, etc. The foldable and rotatable Full HD touchscreen Tablet provides greater functionality because the tablet can not only be used to view images and videos but also for recording, storage and editing. Keyboard is available as an option.

30616701

2500.-


EickView HD Video Endoscopes

Due to further improved video chips, the EickView HD Video Endoscopes deliver even more brilliant images. The main areas of application are bronchoscopy and gastroscopy. Due to the large number of available scope sizes, they are suitable for all applications in small animals and equine.

Technical specifications

Viewing direction: 0°
Distal end contains 1 CMOS camera chip, 2 light guides, working channel

Scope of delivery: EickView video endoscope, pressure tester, 2 cleaning brushes, cleaning set, carrying case



EickView HD Video Endoscopes									
Item No.	Description	Working length	Outer Ø	Working channel	Depth of field	Field of view	Deflection		€
306177	EickView 60 HD Endoscope	60 cm	3.5 mm	1.2 mm	50 mm	120°	up 160° down 130° left / right 0°	—	8.200,-
306178	EickView 100 HD Endoscope	100 cm	6.0 mm	2.0 mm	3 – 50 mm	120°	up 210° down 90° left / right 100°	—	8.200,-
306168	EickView 150 HD Endoscope	150 cm	8.5 mm	2.0 mm	5 – 100 mm	≥ 140°	up 210° down 90° left / right 100°	—	4.900,-
306169	EickView 150L HD Endoscope	150 cm	9.2 mm	2.8 mm	5 – 100 mm	≥ 140°	up 210° down 90° left / right 100°	—	4.900,-
306170	EickView 300 HD Endoscope	300 cm	13.0 mm	3.2 mm	5 – 100 mm	≥ 140°	up 210° down 90° left / right 100°	—	5.200,-

TONO-PEN VET™ TONOMETER

Over the past 20 years, the Tono-Pen VET™ has become the veterinary professions gold standard for measuring intraocular pressure. The Tono-Pen has a lightweight and ergonomic design with advanced electronic measurement technology that enables operators to take fast and accurate IOP measurements with minimal training required.

With over 40 breeds of cats and dogs possessing the predisposition to glaucoma, the REICHERT Tono-Pen VET™ provides simplicity for monitoring this condition.

Sterile Ocu-Film® + Tip Covers are used to minimize the risk of cross-contamination between uses.

Easy to read, digital display.

Measuring range: 5 – 80 mmHg.

Long battery life.

Maintenance-free.

Dimensions (in cm): L 18.4 x W 2.5 x D 2.2.

Lightweight: 64 g.

Includes 150 protective tip covers (Ocu-Film® +)

173560

Ocu-Film® + Tip Covers

Minimises the risk of cross-contamination.

Pack of 150 pieces.

173565

110.-



Application



173560

1850.-

ICARE® TONOVET PLUS TONOMETER

The Icare® TONOVET Plus is easy to use. It features an advanced user interface with a clear, large display. Red / green positioning lights help to find the correct angle and aim at the middle of the cornea. The automatic measuring sequence lets you choose between taking single readings or taking all 6 measurements with one press of the button.

Quick, painless and accurate procedure.

Easy to use and requires no calibration.

Assisting positioning lights.

Large and easy to read color display.

Dimensions (in mm): L 215 x W 24 – 29 x D 35 – 95

Weight: 230 g (incl. batteries)

Includes: Transport Case, 100 Probes, 4x AA batteries


1736007

Stand for TONOVET and TONOVET Plus

Table and wall mountable

1736008

96.-



Application



QR code for the application video of the TONOVET Plus

KOWA SL-19 PORTABLE SLIT LAMP

vetpood.ee

Now more ergonomic and even lighter!

With its rounded shape and its curved handle design, the new KOWA SL-19 Slit Lamp is even more ergonomic. Furthermore, the weight of the hand-held unit has been significantly reduced.

The SL-19 has the following new features:

New LED backlight that can be used simultaneously with the slit light.

New LED blue light illumination for fluorescence observation.

Light intensity can be adjusted with one hand.

Infinitely adjustable slit length (1.5 – 12 mm).

Longer operating time (up to 6 h at max. intensity).

Technical specifications

Magnification: 10x and 16x

Working distance: about 8 – 10 cm

Effective field of view: Ø 10 – 15 mm

Slit width: Ø 0.1, Ø 0.2, Ø 0.8 mm

Spot size: Ø 1, Ø 5, Ø 12 mm

LED light intensity: 200 - 20,000 lux (continuously adjustable)

Dimensions (in mm): W 197 x D 107 x H 238

Weight (without batteries): 620 g

Other color options available.

173691

3900.-



HEINE OMEGA 600 INDIRECT OPHTHALMOSCOPE

Discover more. With less weight.

Lighter. Brighter. Better. HEINE kept the best and perfected the rest. Highly comfortable, the HEINE OMEGA 600 delivers a new class of technological innovation, along with the new and unique visionBOOST for significantly better diagnostic even in dense cataracts.

Most precise diagnostic, up to the far retinal periphery

Significantly better diagnostic due to unique visionBOOST
Sharpest fundus image due to superior glass optics
Brightest fundus image with true color rendering thanks to

our unique LEDHQ – now in even more natural colors

Best 3D imaging due to unique Stereoscopic Adjustment Technology in dilated and undilated pupils

Lightest high-end Indirect Ophthalmoscope worldwide

Exceptionally comfortable.

Personalized fit.

Adaptable for right and left handed users.

Flip-up function for more convenient patient interactions.

Long-lasting investment due to its robust design

Maintenance-free, dustproof optics

Legendary HEINE durability

Optics firmly mounted on an aluminium frame

100 % Made in Germany

5-year warranty

173497

2544.-



CRYOIQ® DERM CRYOSURGICAL DEVICE

Cryosurgery (cryotherapy) is the local application of extreme cold for a controlled destruction or removal of abnormal or diseased tissue. The compact, portable CryoIQ® hand-held device uses Nitrous Oxide cartridges as a cryogen with a freezing temperature of -89 °C and once punctured the Nitrous Oxide is delivered with a 50 bar (725 psi) pressure to the lesion which allows the veterinarian a fast and effective treatment.

N₂O Gas Cartridge

25 g

173445

47,-

Ideal for ophthalmic or dermatological treatments

Practically painless and bloodless procedure

Fine metal cap ensures a better shelf life for the cartridges

Level of cold generated is adjusted by the rate at which the metering lever is depressed

Includes

D1 D1 Standard Tip (Ø 1 – 6 mm, 60 µm, L 22 mm)

25 g N₂O Gas Cartridge

173443



173443

210,-

EICKTRON ELECTROSURGICAL UNIT

The EickTron is a versatile tool in veterinary medicine allowing it to be used for both monopolar and bipolar instruments. The unit's power adjustment via a foot or hand switch and its microprocessor control makes it very easy to use.

Includes

Handpiece with finger switch and connecting cable

Electrode set (10 pieces)

Neutral electrode incl. cable

Footswitch

Technical specifications

Input: 220 – 240 V, 50 – 60 Hz

Power consumption: 300 VA

Frequency: 600 kHz

Dimensions (in mm):

L 288 x W 254 x H 104

323135



323135

Autoclavable Accessories

Bipolar Forceps

Angled

Length: 150 mm

323105

Bipolar Adapter

323139

Bipolar Forceps Cable

323106

Komplekt

EickTron +

Bipolar Forceps +

Bipolar Forceps Cable +

Bipolar Adapter

Total

€ 1100,-

HEINE DIAGNOSTIC SET

vetpood.ee

Absolute precision is the basic requirement to ensure the creation of a high-quality product. At HEINE this principle applies to the entire production process.
Complete set, consisting of:

NT 300 Double Charger (302550)

Automatic charging process and overcharge protection.
Includes two NT 3.5 V Battery Handles including batteries (2x 302535).
With short-circuit protection and a continuous ceramic brightness control.

BETA 200 Direct Ophthalmoscope (301135)

A spherical optics eliminate reflexes and guarantee a full view

is even with small pupils.
Handle not included.

Slit Illumination Otoscope Head (300035)

Homogeneous light and a swivel lens with 1.6x magnification
Scratch-resistant swivel lens with 1.6x magnification
Light 3.5 V halogen light , Fibre Optic illumination for bright and homogeneous light

Wide Slot for ease of use when working with catheters, foreign

body forceps etc.

For mounting on HEINE BETA handles.

Replacement lamp can be ordered through item no. 300038

Otoscope Specula

High quality chrome plated metal construction, which is easy to clean, disinfect and sterilize
Metal Speculum, 4x 57 mm (300357)
Metal Speculum, 6x 65 mm (300365)
Metal Speculum, 7x 90 mm (300390)

EXP302550

999,-



BLOOD PRESSURE MEASUREMENT FOR DOGS AND CATS

Reliable and accurate non-invasive blood pressure monitor for small animals.

EICKEMEYER® Doppler

Compact, hand-held design.
High sensibility for a clear signal.
Adjustable sound volume and headphone connection.
Focused 8.MHz Probe with wide beam for better flow detection in the artery.

Probe adapted for positioning on the animals tail or

paw.

Rechargeable battery powered, operating time: ± 6 hours.

Dimensions (in mm): L 175 x W 80 x H 25 mm .

Lightweight (300 g).

217210



217210

Sphygmomanometer

One-hand operation
Includes two cuffs:
5.0 and 7.5 cm

217309

Doppler Blood Pressure

Cuff, 1.9 cm
Ideal for small cats

217307

Doppler Blood Pressure

Cuff, 3.3 cm
Ideal for cats & small dogs

217308

Doppler Blood Pressure

Cuff, 10 cm
Ideal for large dogs

217311

Komplekt

EICKEMEYER® Doppler +
Sphygmomanometer +
Cuff, 1.9 cm +
Cuff, 3.3 cm +
Cuff, 10 cm

Total

€ 1100,-

ENBIO S B-CLASS AUTOCLAVE

Simple – reliable – fast

The Enbio S is the fastest B-class autoclave on the market. Thanks to its compact size, it fits into every practice and the sterilization chamber offers enough space for a standard surgical kit. The Enbio S is set up in no time and it is simple and intuitive to use – switch it on, select the mode, sterilize – done!

Extremely short program times of only 7 to 15 minutes.
Revolutionary low operating costs thanks to Magic Filter.
Very quiet operating noise of only 32 dBA.

Automatic documentation on USB stick.

External dimensions (in mm): W 252 x H 162 x D 561.

Weight: 15 kg.

500000

1250,-



EICKSONIC ULTRASONIC CLEANERS

Universal ultrasonic cleaners with stainless steel tubs and stainless steel housing – for easy and safe instrument cleaning and excellent cleaning results.

Timer: 0 – 30 min

Heating: 20 – 80 °C

Stainless steel basket protects cleaning material and vibrating tub

Stainless steel lid reduces noise

Operating frequency: approx. 40 kHz

Mains voltage: 50 / 60 Hz

Mains connection: 220 – 240 V

Incl. stainless steel lid and screen basket

EickSonic 3.2

Tub capacity: 3.2 liters

Working capacity: 2.8 liters

Ultrasonic power: 120 watts

Heating capacity: 150 watts

Without drain tap

Dimensions:

Device – outside (in cm): L 26.5 x W 16.5 x H 22.5

Tub – inside (in cm): L 24 x W 13.5 x H 10

561032

160,-

EickSonic 6.5

Tub capacity: 6.5 liters

Working capacity: 5.8 liters

Ultrasonic power: 180 watts

Heating capacity: 300 watts

With drain tap

Dimensions:

Device – outside (in cm): L 32.5 x W 17.5 x H 27

Tub – inside (in cm): L 30 x W 15 x H 15

561065

280,-



561065

INFUSOVET SP SYRINGE DRIVER / PUMP

vetpood.ee

The EICKEMEYER® InfusoVet SP is a highly accurate and reliable syringe pump. The clearly arranged, color coded buttons make it particularly easy to use.

2.5" backlit LCD display

Compatible with standard 5, 10, 20, 30, 50 and 60 ml syringes.

Safety when injecting: precise control of flow rate and injection volume

High patient safety through acoustic alarms

Quick start function

With clamp for IV pole

Technical specifications

Mains and battery operation,

battery life up to 6 hours

Splash proof (IP34)

Dimensions (in cm): L 33 x D 12.6 x H 11

Weight: approx 1.8 kg

402095

620,-



INFUSOVET IP INFUSION PUMP

The EICKEMEYER® InfusoVet IP is a programmable infusion pump that combines safety, performance and reliability. The pump is easy to use and the infusion sets are easy to insert.

2.5" backlit LCD display

User-friendly through simple programming.

High level of patient safety thanks to acoustic and visual alarms (in the event of air bubbles, constipation, empty battery, end of infusion).

Also suitable for blood transfusions.

With clamp for IV pole.

For EICKEMEYER® infusion lines (item no. 402071).

Technical specifications

Flow rate: 0.1 – 1,500 ml/h

Volume limit: 1 – 9,999 ml

Bolus rate: 0.2 – 600 ml/h (manual)

Occlusion level: 3 levels selectable (150 – 900 mmHg)

Mains and battery operation, battery life up to 4 hours

Splash water protection according to IP34

Dimensions (in cm): W 15 x H 25 x D 9

Weight: < 1.45 kg

402085

699,-



REUSABLE WARMING MATS

These reusable Warming Mats are placed under the patient and – thanks to their unique 3D textile structure – ensure optimal heat supply. The mats fit the body's contour perfectly, making temperature control possible in any position and without interruption at the contact points.

Warm air is distributed evenly under the patient
Pressure relieving positioning
Free operating field
Reusable and washable at 60°C
Compatible with most air warming devices
Made in Germany

**Small, 50 x 60
cm 648110**

210,-

**Large, 115 x 60
cm 648120**

260,-



648110

LED DIAGNOSTIC LIGHT

This high quality diagnostic light brings light into the dark for a wide range of applications – whether used with or without the spatula.

Ideal for intubating small animals.

Convenient for examining eyes, ears, nose and throat.
Helpful for dental treatments, especially on rodents.

White LED with a lifespan of more than 100,000 hours.
Incl. 1 angled spatula and 2 AAA batteries.

214200

210,-



EICKEMEYER® LED 4

With an illuminance of approx. 50,000 lux at a working distance of 30 cm, the EICKEMEYER® LED 4 examination light offers optimal illumination for a professional examination.

4 high-performance LEDs
Illuminance: approx. 50,000 lux /
30 cm distance
Lifespan: approx. 50,000 hours

Colour temperature: approx. 4,200 kelvin

Gooseneck construction
with 90 cm long arm
Maximum examination height: 165 cm

611111

299,-

