veterinary technology for life

Eickemeylechology to me

www.vetpood.ee

tartu@estdoma.ee, tel. 7362 716

Kevadkampaania 2024











EICKEMEYER® NARKOVET LIGHT ANAESTHETIC UNIT

The EICKEMEYER® NarkoVet LIGHT is a costeffective mobile anaesthetic machine, using quality parts like the MSS Vaporiser.

It includes breathing circuits and an anaesthetic gas filter.

- High accuracy Rotameter (0.1 5.0 l/min) EICKEMEYER® Isoflurane Vaporiser TEC 3
- Oxygen bypass (O₂ fl ush)
- Patient exit: Ø outside: 22 mm / Ø inside: 15 mm
- Ayre's T-Piece breathing circuit for patients under
- Semi disposable Circle Circuit for patients over 7 kg including patient hose with Y-piece, 2.0 l rebreathing bag and APL pressure relief valve
- EickSorber anesthetic gas filter with holder and exhaust pipe
- Storage tray and hook for additional rebreathing bags
- Stable base with 5 castors (Ø 54 cm) Dimensions (in cm): H 142 x W 67 x D 54
- Weight: 14.5 kg

213071



OxyVet IV Oxygen Concentrator

- Saving costs and effort: No oxygen bottle required, lower power consumption
- Simple operation thanks to the clear arrangement of the setting functions and monitoring information
- High patient safety through visual and acoustic alarms Noise level: ≤ 55 dbA
- Flow rate continuously adjustable from 0.5 - 5 l/min
- Output of up to 93 % oxygen (± 3 %)
- Dimensions (cm): L 34 x W 37 x H 67 Weight: 15.3 kg
- Incl. Bubble humidifier and O₂ hose

213180



Starter Kit for NarkoVet LIGHT

This set provides the necessary accessories to perform anaesthesia on dogs and cats.

Complete Set, consisting of:

- Isoflurane Safety Key Filler
- Soda Lime Anaesthesia, 5 l, with colour indicator
- 2 Rebreathing Bags (1 and 3 l)
- 6 Anaesthesia Masks (size 1 6)
- EickTube Tracheal Tube Set with 23 tubes (2.0 -10.0 mm)
- Laryngoscope Basic

213079

€ 330,-



213071

EICKEMEYER® NARKOVET ANAESTHETIC UNIT

vetpood.ee

The EICKEMEYER® NarkoVet Anaesthetic Unit is now even more flexible: Can be set up as a desk, wall or stand model.

Table mounted Model

- High accuracy Rotameter (0.1 5.0 l/min)
- EICKEMEYER® Isofl urane Vaporiser TEC 3
- Oxygen bypass (O₂ fl ush)
- System pressure gauge
- Infinitely adjustable pressure relief valve
- Soda Lime canister and accessories
- Suitable for small animals up to 80 kg
- Dimensions (in cm): L 32 x W 25 x H 51

213062



OxyVet III Oxygen Concentrator (5 l)

An oxygen concentrator draws in room air, separates the oxygen from other gases in the environment and delivers the oxygen at high concentrations.

- Flowrate: 0.5 to 5 l/min
- Oxygen concentration: 93 % ± 3 %
- Sound level: 40 dbA (50 Hz)
- Electrical requirements: 230 V / 50 Hz
- Power consumption: approx 290 watt @ 2 l/min and approx. 312 watt at 5 l/min
- Dimensions (in cm): L 34 x W 30.4 x H 62
- Weight: 16.3 kg
- 3 Year Warranty

. . .

213175



21309535



Oxygen Concentrator Shelf 213098



Wall Bracket

21309403

€ 39,-

Anaesthetic Unit Top Shelf For monitoring devices 21309902



NarkoVetAnaesthetic Starter Kit

Complete Set, consisting of:

- Isoflurane Safety Key Filler
- EickSorber Anaesthetic Gas Absorber
- Scavenging System Hose, 2 m, transparent
- 3 Soda Lime Anaesthesia, 5 l, with colour indicator
- 2 Rebreathing Bags (1 and 3 l)
- 6 Anaesthesia Masks (size 1 6)
- EickTube Tracheal Tube Set with 23 tubes (2.0 – 10.0 mm)
- Laryngoscope Basic

213061

€ 330,-



LIFEVET 10M MULTIPARAMETER MONITOR

The LifeVet 10M is a fast, accurate and comfortable patient monitor that is characterised by its high ease of use and reliable technology. Its innovative technology is the ideal basis for obtaining detailed data and enabling first-class visualisations. Thanks to the large display, the vital functions can also be easily read from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions. The low power consumption and powerful battery make this monitor an extremely efficient solution.

- Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG and temperature
- High-resolution 10.4" LED touchscreen with up to 7 curves
- Freely selectable alarm limits
- Mains and battery operation up to 4 hours
- Dimensions (in cm): W 32 x H 22 x D 16
- Weight: approx 3.5 kg
- Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips and temperature probe

321915





LIFEVET 10C MULTIPARAMETER MONITORS

The LifeVet 10C monitors are modern, powerful patient monitors that are characterised by their high level of user-friendliness, reliable technology and extensive data storage. Thanks to the large display, the vital functions can also be read easily from a distance.

It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions.

- Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG, temperature and capnography (EtCO₂) in sidestream mode
- High-resolution 10" LED touchscreen with up to 8 curves
- Freely selectable alarm limits and 360° visible alarm display
- Mains and battery operation up to 4 hours
- Dimensions (in cm): W 27 x H 22 x D 17
- Weight: ≤ 4.0 kg
- Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips, temperature probe, CO₂ adapter, CO₂ cable and water trap

LifeVet 10C

321920

€ 1950,-

LifeVet 10C+

321921

€ 2700,-



BLOOD PRESSURE MEASUREMENT FOR DOGS AND CATS

vetpood.ee

Reliable and accurate non-invasive blood pressure monitor for small animals.

EICKEMEYER® Doppler

- Compact, hand-held design
- High sensibility for a clear signal
- Adjustable sound volume and headphone connection
- Focused 8 MHz Probe with wide beam for better flow detection in the artery
- Probe adapted for positioning on the animals tail or paw
- Rechargeable battery powered, operating tme: ± 6 hours
- Dimensions (in mm): L 175 x W 80 x H 25 mm
- Lightweight (300 g)

217210

Sphygmomanometer

- One-hand operation
- Includes two cuffs: 5.0 and 7.5 cm

217309

Doppler Blood Pressure Cuff, 1.9 cm

Ideal for small cats

217307

Doppler Blood Pressure Cuff, 3.3 cm

Ideal for cats & small dogs

217308

Doppler Blood Pressure Cuff, 10 cm

Ideal for large dogs

217311



217210





EICKEMEYER® Doppler

- + Sphygmomanometer
- + Cuff, 1.9 cm
- + Cuff, 3.3 cm
- + Cuff, 10 cm

A217210

€ 1166,-





217308

INFUSOVET SP SYRINGE DRIVER / PUMP

The EICKEMEYER® InfusoVet SP is a highly accurate and reliable syringe pump. The clearly arranged, colour coded buttons make it particularly easy to use.

- 2.5" backlit LCD display
- Compatible with standard 5, 10, 20, 30, 50 and 60 ml syringes
- Safety when injecting: precise control of fl ow rate and injection volume
- High patient safety through acoustic alarms
- Ouick start function
- With clamp for IV pole

Technical specifications

- Mains and battery operation, battery life up to 6 hours
- Splash proof (IP34)
- Dimensions (in cm): L 33 x D 12.6 x H 11
- Weight: approx 1.8 kg







INFUSOVET IP INFUSION PUMP

The EICKEMEYER® InfusoVet IP is a programmable infusion pump that combines safety, performance and reliability. The pump is easy to use and the infusion sets are easy to insert.

- 2.5" backlit LCD display
- User-friendly through simple programming
- High level of patient safety thanks to acoustic and visual alarms (in the event of air bubbles. constipation, empty battery, end of infusion)
- Also suitable for blood transfusions
- With clamp for IV pole
- For EICKEMEYER® infusion lines (item no. 402071)

• Technical specifications

- Flow rate: 0.1 1,500 ml/h
- Volume limit: 1 9,999 ml
- Bolus rate: 0.2 600 ml/h (manual)
- Occlusion level: 3 levels selectable (150 900
- Mains and battery operation, battery life up to 4
- Splash water protection according to IP34
- Dimensions (in cm): W 15 x H 25 x D 9
- Weight: < 1.45 kg





SCORE® JUMPER / AMAZONE BEHANDLUNGSSTÜHLE

vetpood.ee

The ever so popular SCORE® treatment stools now come in fresh colours – real eye-catchers for your practice!

- Comfortable, cushioned seat
- Easily washable synthetic leather
- Smooth running double castors
- Aluminium base diameter: 54 cm

610101



SCORE® JUMPER / AMAZONE Balance

The uniquely adjustable Balance mechanism from SCORE® ensures that the saddle moves subtly along with your movements.

These 'micro' movements of your pelvis ensure that muscle groups and intervertebral discs are not constantly under severe static strain. This prevents pain, helps you maintain your working posture longer and exercises your core muscles. The degree of movement can be set by your own preference and adjusted by rotating the ring.





Illustration	Colour
	Black
	Anthracite
	Capri Blue
	Forest Green
	Burgundy
	Orange
	Pink
	Ochre Yellow





SCORE® MEDICAL BEHANDLUNGSSTUHL

Comfortable, padded seat with Ø 40 cm
Easily washable synthetic leather cover
Height adjustable by gas spring from approx. 55 – 74 cm
Smooth PU double castors
Optimal freedom of movement
Aluminum base with Ø 54 cm



Illustration	Colour
	Black
	Anthracite
	Capri Blue
	Forest Green
	Burgundy
	Orange
	Pink
	Ochre Yellow



X-BASE OPERATING TABLE

The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

- •
- X-Base with 4 individually adjustable feet
- Provides best possible legroom and stability
- Good working posture whether sitting or standing
- Slim lift column made of aluminium, pump hydraulic or mains operatd
- Self-contained, maintenance-free lift column
- Height adjustable from 72 112 cm
- Unidirectional 90° tilt mechanism, one hand control
- Stainless steel top with rounded, anti-drip edges and drain hole
- Tabletop available in two different sizes
- (50 x 130 cm or 60 x 130 cm)
- Optional heated tabletop
- Various colour options available

602012

Illustration	RAL No.	Colour		
		Stainless Steel		
	3000	Flame Red		
	6018	Lime Green		
	5022	Night Blue		
	2001	Red Orange		
	6005	Moss Green		
	4010	Pink		

Each



Table Tie Down Cleats

Stainless steel construction Mounted under the table

602005



Standard Rail System

Enables quick, safe and variable fixing of the patients on the table.

Consisting of:

- 2x Standard Rails, side
- 2x Standard Rails, end
- 4x Tie Down Cleats, quick release
- 10x Tie Down Ropes, L 1 m

605050



Curved Dental Tray

With removable tray with grid Tray size (in cm): W 50 x D 35





LOW LIFT SCISSOR TABLE II

vetpood.ee

The EICKEMEYER® Low Lift Scissor Table II is perfect for lifting and transporting larger patients without unnecessary handling and movement. The basic stationary table is available in eight different colours and the additional options available make this table a real all-rounder for your practice.

- Ideal for examination, prep, dental treatment and procedures
- Minimum height of 28 cm allows large dogs to walk onto the table
- Maximum height of 105 cm allows you to examine smaller patients without having to hunch and lean forward
- All parts made from high quality stainless steel
- Smooth, polished tabletop (60 x 130 cm) with rounded corners, anti-drip edges and a drain hole
- Silent electric operation via foot pedal
- Includes power supply and tie down cleats

Additional Options

In addition to the stationary table, you can choose one or more of the following table options:

Battery Kit

Includes Battery and Charger

€ 375,-

Mobil Kit

Includes Wheels, Battery and Charger

Curved Dental Tray

With removable tray with grid Tray size (in cm): W 50 x D 35

€ 450,-

604303

€ 380.-

Electric Tilt OptionFor tabletops

€ 525,-

Integrated Scale OptionWeighing range 0 – 120 kg

€ 900,-

604200

Stainless Steel

€ 2500,-

Illustration	RAL No.	Colour
		Stainless Steel
	3000	Flame Red
	6018	Lime Green
	5022	Night Blue
	2001	Red Orange
	6005	Moss Green
	4010	Pink
	9010	Pure White

Colour

€ 2500,-





DR. MACH LED 130 PLUS / 130 F EXAMINATION AND THEATRE LIGHTS

The DR. MACH LED 130 has been our best selling LED light over the past years with hundreds of installations across the UK and Europe. Whether in prep, dental or in the operating theatre, the LED 130 supports veterinary professionals with superior technology, invariable reliability and great design.

Colour rendering index: Ra ≥ 95
Electric dimmer: 50 - 100 %
Colour temperature: 4,300 kelvin
Light head diameter: 33 cm


• Number of LEDs: 19

Power consumption: only 28 W

• Optional sterilisable Handle (611266)

DR. MACH LED 130 Plus (SWING)

100,000 lux at 1 m working distance Fixed light field: 12 cm at 1 m





DR. MACH LED 130 F (SWING)

70,000 lux at 1 m working distance Focusable light field: 14 – 25 cm at 1 m

DR. MACH LED 130 F				
Item No.Model	€			
611733Stand Model, mobile	1999,-			
611734Wall Model with 171 cm reach	1900,-			
611735Ceiling Model*, up to 3 m	2200,-			

^{*} For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 115,-

DR. MACH LED 150 / 150 FP THEATRE LIGHTS

Based on the continuing success of the LED 130, the LED 150 offers a larger light head diameter and more light intensity. The Sterilisable Handle can be removed for sterilisation and additional handles can be purchased separately.

Colour rendering index: Ra ≥ 96
Electric dimmer: 50 - 100 %
Colour temperature: 4,300 kelvin
Light head diameter: 38 cm
Number of LEDs: 26

Power consumption: only 35 W

DR. MACH LED 150 (SWING)

110,000 lux at 1 m working distance

Fixed light fi eld: 19 cm at 1 m

DR. MACH LED 150	
Item No. Model	€
612940Stand Model, mobile	2600,-
612941 Wall Model with 171 cm reach	2400,-
612942 Ceiling Model*, for ceiling heights of 2.60 – 3 m	2600,-

DR. MACH LED 150 FP (SWING)

130,000 lux at 1 m working distance

Focusable light fi eld: 17 - 24 cm at 1 m





^{*} For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 115,-

DR. MACH LED 300DF THEATRE LIGHTS

The latest addition to the range of the quality manufacturer DR. MACH impresses with the highest light intensity at an extremely attractive price. The light beams of the three LED clusters can be bundled using the sterilisable handle and, depending on the size of the wound area, also focused.

- 160,000 lux at 1 m working distance
- Focusable light fi eld: 17 27 cm
- Colour rendering index: Ra ≥ 95
- Height adjustment: 118 cm
- Working area: 70 140 cm
- Number of LEDs: 36
- Lifespan of the LEDs: 60,000 hours
- Electronic brightness control on the luminaire body
- Including power supply

Stand Model

On a stable 4-foot tripod

612926



Wall Model

With a total reach of 175 cm

612924

€ 4200,-





612925



612925

DR. MACH LED 6MC (BASIC)THEATRE LIGHTS

The ergonomic design of the Dr. Mach LED 6sc stands for maximum handling, minimal heat generation and optimal functionality.

A highlight of the new light is the so-called cascade system. Different types of lenses ensure vertical focusing of the depth of light. This means that as the depth of the operating field increases, the light no longer needs to be readjusted manually.

- 140,000 lux at 1 m working distance
- Focusable light fi eld: 18 30 cm at 1 m working distance
- Colour rendering index: Ra ≥ 98
- Number of LEDs: 69
- Lifespan of the LEDs: 60.000 h
- Electronic brightness control on the light head

Stand Model

On a stable 4-foot tripod

613010



Wall Model

Including separate transformer box





^{*} For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 115,-

^{*} For ceiling lights, please order the ceiling ring (item no. 612730) separately, € 115, –

MAGIC 3000 PLUS PORTABLE ULTRASOUND UNIT

Unbeatable value for money!

The MAGIC 3000 PLUS impresses with many new functions and features. Advanced technologies including Power Doppler (PDI) help evaluate blood fl ow in different clinical conditions.

- High-resolution 12.1" LCD Screen, tiltable
- Cine mode with memory function (5 sec.)
- Various measurements including pregnancy calculation
- iStation[™], iClear[™], iZoom[™], iBeam[™] and iTouch[™]
- Second probe connection for quick probe swap
- Internal SSD storage and two USB ports
- Dimensions (in cm): W 29 x H 35 x D 17
- Lightweight: only 5.6 kg



Komplekt MAGIC 3000 PLUS + 1 Probe + 12x Ultrasound Gel A30404507 € 3100,-

304045

PROBES FOR MAGIC 3000 PLUS / 6000 PLUS

Micro-convex 5.0 – 8.5 MHz

303710

Linear Rectal 4.0 - 7.5 MHz 304021 Linear T-shaped 5.0 - 10.0 MHz

303711

Each

€ 1999,-







MAGIC 6000 PLUS PORTABLE ULTRASOUND UNIT

A new dimension in image quality

The MAGIC 6000 PLUS not only opens a new dimension of image quality in small animal abdominal sonography, the device can also be used in equine gynaecology and orthopaedics. With a powerful cine mode, you can always keep an overview even with restless patients under difficult conditions.

- High-resolution 15" display, tiltable
- Cine mode with memory function (5 sec.)
- PW and Power Doppler (PDI) with "Auto Trace"
- Optional Colour Doppler Upgrade (30374001)
- iStation™, iClear™, iZoom™, iBeam™, iTouch™ & iScape™
- Various application-specific measurements for abdomen and gynaecology including pregnancy calculation
- Second probe connection for quick probe swap
- Large internal SSD storage and two USB ports
- Dimensions (in cm): W 36 x H 36 x D 15
- Weight: 8.1 kg

h™ & or ncy

Komplekt MAGIC 6000 PLUS + 1 Probe + 12x Ultrasound Gel A30374001 € 3600,-

CT, MRI AND ULTRASOUND POSITIONER

Facilitates positioning of patients to allow abdominal ultrasonography Perfect positioning helps keep the patient calm and comfortable Robust, easy to clean and disinfect



Size 1 Size 3

Suitable for cats / small dogs Suitable for large-sized dogs

Dimensions (in cm): Dimensions (in cm): W 25 x H 10 x L 80 W 50 x H 20 x L 130

303991 303993

€ 99,-

Size 2
Suitable for medium-sized dogs
Dimensions (in cm):
W 35 x H 14 x L 100

303992

€ 125,-



ULTRASOUND TABLE ATTACHMENT WITH CUTOUT

The redesigned EICKEMEYER® Ultrasound Table is the perfect solution for cardiac ultrasound examinations.

- Redesigned ergonomic cut out for cardiac ultrasound examinations
- 5 foldable feet for easy storage
- Ergonomically designed recess
- Provides ample elbow room for the examiner
- Compatible with Examination Tables (Width: 45 cm / Length: 100 cm)
- Dimensions (in cm): W 60 x H 19 x L 14


Ultrasound Table Mat with Cutout

- For Ultrasound Table (item no. 303976)
- Velcro straps for a secure fit

30397602







DIGITAL CAT SCALE

- Contoured weighing surface
- Easy to clean
- Hold function
- Tare weighing function
- LCD display
- Button-on technology5 g graduation (0.011 lb / 0.018 oz)
- 20 kg capacity (44 lb / 704 oz) Automatic switch-off function
- Toggle between kg / lb / oz
- Batteries included (2 x AA /1.5 V)

909056





ENBIO S B-CLASS AUTOCLAVE

Simple - reliable - fast The Enbio S is the fastest B-class autoclave on the market. Thanks to its compact size, it fits into every practice and the sterilisation chamber offers enough space for a standard surgical kit. The Enbio S is set up in no time and it is simple and intuitive to use - switch it on, select the mode, sterilise - done!

- Extremely short program times of only 7 to 15 minutes
- Revolutionary low operating costs thanks to Magic Filter
- Very quiet operating noise of only 32 dBA
- Automatic documentation on USB stick
- Highest quality at a low price
- External dimensions (in mm): W 252 x H 162 x D 561
- Weight: 15 kg





PROFIDENT PLUS DENTAL UNIT

vetpood.ee

The Profident PLUS is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profi dent PLUS automatically supplies air and water to it.

Starter Kit

Complete set, consisting of: 1x Bur Kit for Contra Angle 1x Prophy Cups 1x Polishing Paste 1x Cleaning Brush

EXP174004

€ 240,-

High Speed Turbine (300,000 rpm)

- Push button burr change for friction grip burrs (FG)
- Variable burr water cooling facility
- With LED Illumination

Low Speed Air Motor (20,000 rpm) with Straight Handpiece

- For long straight shank burrs (HP), diamond discs and prophy
- heads
- High torque, forward and reverse rotation
- Optional water cooling facility (item no. 174022)

Built-in Dental Scaler

- Handpiece with LED Illumination
- Includes 5 scaling tips

3 in 1 Syringe

- Precise finger tip control of water, mist or dry air
- Water connection to connect external dental scaler
- (e. q. item no. 176870)

Dental Unit Air Compressor

- Powerful (340 watt), quiet 40 dB (A) (as a fan)
- Low maintenance

Micro Oil Filter

- Reduces the oil content in the compressed air down to 0.01 %
- Helps extend the life of handpieces

174001

€ 3700,-



Scaler with LED lighting



Dental Handpiece High Speed (FG)



174001

DENTANOMIC PERIOSTEAL ELEVATOR SET

DENTANOMIC dental instruments are an innovation in the fi eld of dental surgery and significantly simplify tooth extraction. With the interchangeable blades, the instruments can be quickly and easily adapted to the respective surgical situation. In addition, once the blade wears out, the entire instrument no longer needs to be thrown away. The blades are extra hardened and have a special, very sharp grind.

Set consisting of 4 periosteal elevator blades (2, 4, 6 and 8 mm) and sterilization container

175115

€ 380,-



DENTANOMIC DENTAL INSTRUMENTS

Easier, safer & faster dental surgery

DENTANOMIC instruments are premium surgical tools with superb tempered and hardened modular blades making dental extraction in dogs and cats easier, safer and faster.

- Blades are made from top quality, hardened stainless steel and cut much better than conventional instruments
- Unique modular design allows easy blade replacement when blades are blunt or damaged
- Ergonomic handle design promotes safe palm grip, only minimal finger force is required to stabilize the cutting edge
- Standard handles are perfectly balanced and sized for surgeons with hands up to 7.5 glove size

DENTANO	MIC Dental Instruments	
Item no.D	escription	€
175000	Ergonomic Handle, blue	95,00
175001	Ergonomic Handle, green	95,00
175002	Ergonomic Handle, pink	95,00
175008	Ergonomic Handle, orange	95,00
175009	Ergonomic Handle, purple	95,00
175005	Ergonomic Handle, blue, longer shaft	95,00
175006	Ergonomic Handle, green, longer shaft	95,00
175007	Ergonomic Handle, pink, longer shaft	95,00
175003	Ergonomic Handle, orange, longer shaft	95,00
175004	Ergonomic Handle, purple, longer shaft	95,00
175100	Elevator Tip, 2 mm	35,00
175101	Elevator Tip, 3 mm	35,00
175102	Elevator Tip, 4 mm	35,00
175103	Elevator Tip, 5 mm	35,00
175104	Luxation Tip, 1.5 mm	35,00
175105	Luxation Tip, 2 mm	35,00
175106	Luxation Tip, 3 mm	35,00
175107	Luxation Tip, 4 mm	35,00
175108	Luxation Tip, 5 mm	35,00
175200	Storage and Sterilisation Rack for 9 blades	100.00
175202	Sterilisation Container for 5 handles	160,00
175201	Honing Pack, extra-fi ne	85,00







DENTANOMIC DENTAL INSTRUMENTS



DENTANOMIC Set - Bronze

Complete Set, consisting of 2 handles (purple and gold) + elevator blade set (all sizes) + luxator blade set (all sizes) + sterilisation and storage rack

Up to glove size 7.5

From glove size 8.0

175050

175051

€ 600,-



DENTANOMIC Set - Silver

Complete Set, consisting of 3 handles (green, blue and pink) + elevator blade set (all sizes) + luxator blade set (all sizes) + sterilisation and storage rack + honing set

Up to glove size 7.5

From glove size 8.0

175060

175061





DENTANOMIC Set - Gold

Complete Set, consisting of 5 handles (purple, gold, green, blue and pink) + elevator blade set (all sizes) + luxator blade set (all sizes) + sterilisation and storage rack + honing set + sterilisation container

Up to glove size 7.5

From glove size 8.0

175070

175071

€ 1200,-

€ 1200,-



X-RAY APRONS

Lightweight and comfortable protection Water repellent and stain resistant nylon Velcro side straps 0.5 mm lead protection

Colour: Dark blue

Size M

Size L width: 41 cm Shoulder

Shoulder width: 41 cm Shoulder width: 43 cm Body height: 170 – 180 cm Body height: +180 cm

704935

€ 185,-



704945



vetpood.ee

704945

X-RAY THYROID PROTECTION COLLAR

Helps protect the most radiation sensitive organ of the body

- 0.5 mm lead protection
- Soft collar with a Velcro closure
- One size fits all

705001





X-RAY MITTENS AND HAND SHIELDS

Ideal for holding small animals 0.5 mm lead protection Pair

X-Ray Hand Shield

Small Dimensions (in cm): W 14 x L 20

705501



X-Ray Hand Shield

Large Dimensions (in cm): W 18 x L 30

705502



X-Ray Mittens

One size fits all Finger slits for free finger movement as well as total hand protection 705750





705750

ZLIG- NEW TECHNIOUE FOR CRUCIATE LIGAMENT REPLACEMENT (CRCL)

Zlig - the history

The tear of the anterior cruciate ligament is still one of the most common orthopaedic diseases in dogs. The path of the many surgical methods developed for this vary from intracapsular and extracapsular techniques to modern corrective osteotomies that alter the geometry of the affected knee joint. With the development of new materials in medical technology, it is now possible to replace the cranial cruciate ligament in an anatomically correct manner, instead of changing the forces acting on the joint. After a long period of preparatory work by the French Dr. Jacques-Phillipe Laboureau, a suitable synthetic ligament is now available for the intra-articular cruciate ligament replacement in small animals. Together with the instrumentation developed by EICKEMEYER®,

this new technique for cruciate ligament replacement can now be performed.

Zlig - the implant

The Zliq consists of ultra-high-molecular polyethylene with the special feature that the woven structure of the implant is interrupted intra-articularly by "free fi bres". Free parallel fi bres reduce fatigue and also encourage the ingrowth of fi broblasts and collagen. Each implant is delivered in a sterile packed sleeve, making it easier to handle the implant before it is inserted into the joint. A selection

of sizes with different resistances and fi bre lengths are available to fi t different patient sizes.

Zlig - the technology

In this technique, an artificial ligament is used as a total replacement for the anterior cruciate ligament using tunnel-tunneltechnique. The ligament is fixed in the tibia and Os femoris using specially developed cannulated interference screws in drill channels. The screws are guided parallel to the ligament using a quiding wire to avoid deviations. The technology does not cause irreversible

damage and the results are reproducible thanks to a quick learning curve. Another great advantage of the technique is the fact that patients can put weight on the hind leg immediately after the operation without any risks.

16 Fibres / 10 mm

- 5 8 kg 2,000 N
- 191501

24 Fibres / 15 mm

- 8 12 kg
- 3,000 N
- 191502

32 Fibres / 17 mm

- 12 25 kg
- 4,000 N
- 191503

Each

48 Fibres / 19 mm

- 25 45 kg6,000 N

191504

48 Fibres / 22 mm

- 25 45 ka
- 6,000 N


191505

48 Fibres / 25 mm

- 25 45 kg
- 6,000 N

191506

€ 270,





application video of the Zliq



ZLIG – TECHNIQUE FOR CRUCIATE LIGAMENT REPLACEMENT (CRCL)

vetpood.ee

Zlig II Instruments and Screw Set

Compared to the previous set, the Zlig II instruments and screw set contains significantly more interference screws. All drills are now equipped with an AO quick-release coupling and the wire template with V-slot and a BEAVER scalpel handle enhance the updated set further.

Complete set, consisting of:

- Zlig II Instrument Tray with Screw Module for Interference Screws
- 4 Cannulated Drill Bits with AO Quick Coupling (Ø 2.5 / 3.0 / 3.6 & 4.2 mm) 3 Non-Cannulated Drill Bits with AO Quick Coupling (Ø 2.5 / 3.2 & 4.0 mm) Hexagon KIRSCHNER Wire, SW2.5/120 mm

- Adapter for hexagon KIRSCHNER Wire, HEX 2.5, AO Quick Coupling Screwdriver Handle made of silicone, HEX 2.9, AO Quick Coupling 2 Screwdriver Blades, cannulated, HEX 2.0 & 2.5, AO Quick Coupling 2 Zlig Wire Loops

- Tube for wire loops, cannulated, Ø 2.0 mm
 BEAVER Scalpel Handle, L 100 mm
 Depth Gauge 50 mm Probe
 4 KIRSCHNER Wires, trocar / trocar, Ø 1.0 mm, 190 mm
 4 KIRSCHNER Wires, blunt / blunt, Ø 1.0 mm, 190 mm
 KIRSCHNER Wire Cylinder, 200 mm

- Wire Template with V-slot

- 15 Titanium Interference Screws, cannulated, Ø 3.0 mm, blue (8, 10, 13, 16 & 19 mm)
 15 Titanium Interference Screws, cannulated, Ø 3.5 mm, light blue 10, 13, 16, 19 & 24 mm)
 18 Titanium Interference Screws, cannulated, Ø 4.0 mm, magenta (10, 13, 18, 21, 24 & 28 mm)
 18 Titanium Interference Screws, cannulated, Ø 4.5 mm, gold (10, 15, 20, 25, 30 & 35 mm)
 18 Titanium Interference Screws, cannulated, Ø 5.0 mm, green (10, 15, 20, 25, 30 & 35 mm)

























EICKLOXX MICRO OSTEOSYNTHESIS SYSTEM

The EickLoxx Micro osteosynthesis system was specially developed for the treatment of fractures in very small dogs and cats.

The angle-stable screws have a diameter of 1.2 mm. In addition, various 1.0 mm thick plates are available in different configurations.

This opens up the following indication areas, especially for dogs and cats weighing less than 3 kg as well as puppies: radius/ulna fractures, metatarsal fractures, jaw, pelvic and scapula fractures, in addition to arthrodesis and much more.

The EickLoxx Micro osteosynthesis system joins the existing EickLoxx osteosynthesis system for dogs and cats and supplements this in the increasingly important lowest weight category.

Complete set, consisting of:

- EickLoxx Micro Tray
- Drill Guide Funnel System 1.2
- Plate Screw Holding Forceps
- Twist Drill with AO Quick Coupling (Ø 1.0 mm)
- Screwdriver Blade (Torx 6)
- Screwdriver Handle
- Depth Gauge
- EickLoxx Micro Bone Plate, 7 hole, System 1.0
- EickLoxx Micro Bone Plate, 8 hole, System 1.0
- EickLoxx Micro Bone Plate, 20 hole, System 1.0
- EickLoxx Micro Bone Plate, L-plate, 9 hole, System 1.0
- EickLoxx Micro Bone Plate, T-plate, 10 hole, System 1.0 EickLoxx Micro Bone Plate, Y-plate, 12 hole, System 1.0 EickLoxx Micro Bone Plate, Y-plate, 13 hole, System 1.0 EickLoxx Micro Bone Plate, 4x2 hole, System 1.0

- EickLoxx Micro Bone Plate, 2x2x2 hole, System 1.0
- 35 Titanium Locking Screws Ø 1.2 mm, magenta (from 4
- 10 mm)

197400

€ 2200.











EICKLOXX SMALL OSTEOSYNTHESIS SYSTEM

vetpood.ee

The EickLoxx Small is a polyaxial locking kit for dogs and cats up to $15\ kg$.

The system distinguishes itself through the polyaxial placement of the custom-fit screws and combines the advantages of a locking plate system with polyaxial screw placement in \pm 15° longitudinal and transverse pivoting.

Compared to conventional osteosynthesis systems, the use of locking systems (internal fixation) such as the EickLoxx Small facilitates faster healing of fractures and improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.

The biologically advantageous titanium plates are available in three sizes and can be cut to the desired length and bent in three planes. Specially designed tools are included to perform this. Titanium also reduces artefacts in post-operative imaging.


EickLoxx Small is a modular system. All implants and instruments are made in Germany using only the highest quality materials.

- · Complete set, consisting of:
- EickLoxx Small Instrument Tray
- · EickLoxx Small Implant Tray
- EickLoxx Small Screw Rack
- TAURUS Plates and Wire Cutting Pliers
- Plate Bending Pliers with Rollers
- EickLoxx Bending Levers (Pair)
- 3 Twist Drills with AO Quick Coupling (Ø 1.4 mm, Ø 1.8 mm & Ø 2.0 mm)
- 2 Screwdriver Blades (Torx 6 and 10)
- 2 Drill Guide Funnel Systems (1.7 / 2.3 and 2.7 / 3.5)
- Plate Screw Holding Forceps
- Silicone Screwdriver Handle
- 4 Plate Positioning Pins
- Depth Gauge
- EickLoxx Small Bone Plate, 46 hole, System 1.7 / 2.3,
 Dimensions (in mm): L 230 x W 5.0 x H 2.0
- EickLoxx Small Bone Plate, 41 hole, System 1.7 / 2.3, Dimensions (in mm): L 225 x W 6.5 x H 2.4
- EickLoxx Small Bone Plate, 28 hole, System 2.7, Dimensions (in mm): L 224 x W 8.0 x H 2.7
- 28 Titanium Locking Screws Ø 1.7, silver (from 8 20 mm)
- 28 Titanium Locking Screws Ø 2.3, gold (from 8 20 mm)
- 44 Titanium Locking Screws Ø 2.7, light blue (from 10 30 mm)
- Container, dimensions (in mm): L 312 x W 183 x H 122











EICKLOXX LARGE OSTEOSYNTHESIS SYSTEM

The universal polyaxial osteosynthesis system for small animals

The newly developed EickLoxx Large is a polyaxial locking system for dogs with a weight of approx. 15 to 45 kg.

Just like the EickLoxx Small, the system is characterised by a

polyaxial

placement of the precisely shaped screws and therefore combines the advantages of locking systems and the possibility of placing screws at an angle of up to \pm 15°. Like the EickLoxx Small, the EickLoxx Large offers the advantage of rapid fracture healing with improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.

The biologically advantageous titanium S-shaped plates are available in ten different sizes. Thanks to special tools, the plates can be bent on all three planes. The long 12- and 14-hole plates as well as the long 34 to 40 mm screws (Ø 2.7 / 3.5 / 4.0) are not included in the basic set and can be added if required. Both plates can be integrated into the implant tray. There is space in the implant tray for the long plates and capacity for the module for the long screws in the instrument tray.

Complete set, consisting of:

- EickLoxx Large Instrument Tray
- · EickLoxx Large Implant Tray
- EickLoxx Large Screw Rack
- 2 EickLoxx Large bone plate modules
- EickLoxx Bending Levers (Pair)
- 3 Twist Drills with AO Quick Coupling (Ø 2.0 mm, Ø 2.5 mm and Ø 2.9 mm)
- · Screwdriver Blade (Torx 10)
- Drill Guide Funnel System 2.7 / 3.5 / 4.0
- Plate Screw Holding Forceps
- Silicone Screwdriver Handle
- 4 Plates Positioning Pins
- Depth Gauge
- 6 EickLoxx Large Bone Plates, 4.0 mm, gold (6 – 10 holes)
- 6 EickLoxx Large Bone Plates, 4.5 mm, light blue (6 10 holes)
- 36 Titanium Locking Screws, Ø 2.7 mm, light blue (from 10 – 32 mm)
- 36 Titanium Locking Screws, Ø 3.5 mm, magenta (from 10 – 32 mm)
- 36 Titanium Locking Screws Ø 4.0 mm, blue (from 10 32 mm)
- Container, dimensions (in mm):
 L 312 x W 183 x H 122



















The powerful and intuitively operated motor system for small animal osteosynthesis

The DRAGONFLY is a modular cordless drill system with 4 attachments for screwing, milling, drilling and cutting as required. Thanks to the quick coupling, the attachments can be changed intraoperatively. The handpiece itself impresses with its narrow handle design and an intuitive one-handed mechanism. The AO attachment is cannulated, same as is the keyless chuck for KIRSCHNER drilled wires / STEINMANN nails and the Jacobs drill chuck. Both are equipped with an adjustable clamping range of up to 4.0 mm. These 3 attachments can be operated stepless in left / right rotation and also in oscillation mode at speeds from $0-1,350\ pm$.

The DRAGONFLY is completed by attachment no. 4: the oscillating saw. It is equipped with a power of 0-14,000 osc/min and allows the saw blade to be used in 4 different positions. Handpiece and attachments can be autoclaved. The core, however, is the removable,

non-autoclavable drive unit: This includes the control unit, the battery, the electronics and the motor control electronics and, together with the Li-Ion technology, guarantees a long service life and service life. Thus, the DRAGONFLY offers you a performance that you previously only knew from compressed air or cable-electric

systems. All components are designed and manufactured in Germany.

Technical specifications

- Infinitely variable speed: 0 1,350 rpm
- Oscillation cutting mode: 0 14,000 osc/min
- Battery type: Li-Ion

Scope of delivery: DRAGONFLY handpiece incl. 4 attachments (AO attachment, keyless chuck for KIRSCHNER bone wires / STEINMANN nails, Jacobs drill chuck, oscillating saw), 4 saw blades with STRYKER attachment, drive unit, sterile funnel, charger and carrying case







ORTHOVET PRO BATTERY POWERED DRILL SYSTEM

The ideal tool for small animal osteosynthesis

The OrthoVet PRO is a modular, battery driven drill system designed for small animal osteosynthesis. The modular system consists of a handpiece and four attachments, which can be changed intraoperatively in just a few seconds with a keyless quick coupling.

The handpiece, the quick release AO Chuck and the Jacobs Chuck are cannulated. Thus, cannulated screws or drills can also be tracked over long guide wires in stages, without the guide wire having to be shortened. The oscillating saw has a fivefold adjustable,

variable fixation of the saw blade and allows the surgeon an optimised view of the surgical fi eld. The AO Quick Coupling completes the system and makes the OrthoVet PRO a real all-rounder.

The handpiece and attachments can be sterilised / autoclaved. The Li-Ion Battery is not autoclavable and is inserted into the handpiece

by means of special holder. Continuous operation is possible in clockwise and counterclockwise motion, as well as in oscillation with the saw attachment.

- 4 attachments: Jacobs Drill Chuck, Quick Release AO Chuck, Quick Release Chuck for KIRSCHNER wires, Oscillating Saw
- with Saw Blades
- Fully Cannulated Handpiece
- Autoclavable
- Includes 2 Li-Ion Batteries with Charger and Transport Case

Technical specifications

Infinitely variable speed: 0 – 1,200 rpm

Oscillation mode: 0 – 16,000 ocs/min

• Battery type: Li-Ion

• Battery charging time: 180 min

Weight (includes Battery): 933 g

195000

€ 2900.-



Eickemey



3M™ IOBAN™ ANTIMICROBIAL INCISE DRAPES



A sterile operating field during surgery - less wound infection postoperatively

loban[™] incision drapes

The Ioban™ antimicrobial incision drapes are designed to reduce the risk of post-operative wound infections. They are applied to the patient's skin at the incision site in order to create a sterile operating fi eld and to develop an antimicrobial effect during the surgical procedure. Ioban™ is an iodophor-impregnated, adhesive incision film that forms a barrier and has an antimicrobial spectrum of activity on the patient's skin flora.

Strong adhesion and antimicrobial effect

3M™ Ioban™ 2 Antimicrobial Incision Sheets adhere reliably to the skin, reducing the risk of the sheet peeling off. Lifting the foil off could lead to a six-fold increase in postoperative wound infections. The adhesive impregnated with iodophor in an Ioban™ incision film offers a broad, continuously effective spectrum of antimicrobial effects right up to the edges of the film and reduces the risk of wound contamination.

An efficient bacterial barrier

Forms a barrier and reduces the risk of transferring bacteria into the surgical wound


Ensures constant contact with the patient's skin – even when using rinsing fluids

Offers a continuously broad spectrum of antimicrobial effects right up to the edge of the wound

Securely adheres to the skin to prevent the film from loosening and the skin antiseptic from washing off

Deformable film adapts to body contours and allows manipulation of the limbs

Breathable and latex-free incision film



191600





Size 2

L 35 x W 35

L 60 x W 35

191601

Adhesive area (in cm):

Dimensions (in cm):

10 pieces per pack



CBS SYSTEM - COMPONENTS AND PROPERTIES

Thanks to its various screw diameters and lengths, the cannulated CBS system enables a wide range of indications in the treatment of fractures in small animal orthopedics and trauma surgery. CBS stands for Compression Bone Screw and its functionality as a lag screw enables the compression of two bone fragments.

In contrast to conventional cortex lag screws, which are inserted using a smaller pilot or threaded hole in the distant cortex and a larger distance or gliding hole in the near cortex the cannulated compression screw is screwed in using a KIRSCHNER guide wire. The functional principle of a lag screw with a compression screw is achieved in that the threads on the head and on the shaft end have different pitches. This pitch difference causes the interosseous compression. The temporary fi xation of the bone fragments with

the KIRSCHNER wire enables mostly a minimally invasive procedure on the one hand, and precise screw placement over the KIRSCHNER drilling wire on the other.

The cannulated CBS system has a modular structure and is designed for different patient sizes: It comprises a basic set of instruments and 4 modules (Toy Breeds / Cat, Dog Small, Dog Medium and Dog Large). The individual modules contain a selection of screw lengths as well as the instruments required for the respective implant size, which are required in addition to the basic instrument set.

Titanium Compression Screws

Self-drilling & self-tapping

Cannulated for minimally invasive technique and guided insertion

Minimization of soft tissue irritation through self-cutting grooves on the head thread

Cut back fl anks in the head and shaft for easier explantation Different diameters (3.0, 4.0, 4.5, 5.5 and 6.5 mm) for a wide range of indications

Screw and thread design enable optimal fi xation
Optimization of the fracture or osteotomy compression

Technical Characteristics

Screw material: TiAl6V4

Easier removal of the implants after the fracture has healed Improved fatigue strength of the implants Reduction of the risk of infl ammation and allergies Titanium also reduces artefacts in post-operative imaging Biocompatible

Colour-coded for easy determination of the size diameter

Application

The compression screws can be used as single implants or in combination with additional KIRSCHNER drilling wires to increase the rotational stability with a target instrument such as for example, the PinPositioner (191370) or PinCube (191348) can be used as a quided insertion.

Indications

Fractures, corrective osteotomies, pseudarthroses, degenerative changes in small bones:

Sacroiliac luxation

Isolated processus anconaeus (IPA)

Incomplete ossifi cation of the condylus humeri (IOHC)

T / Y fractures of the humeral condyle

Intracondylar fractures of the distal femur

CBS Basic Instrument Set


Complete set, consisting of:

- Tray for CBS Implants and Instruments, without implants and instruments
- Silicone Screwdriver Handle, cannulated, AO Quick Coupling, L 120 mm
- Plate and Screw Holding Forceps, stainless steel, angled, L 150 mm
- Screw Length Measuring Device, for KIRSCHNER drilling wires Ø 0.9 – 1.6 mm, L 150 mm

185105

€ 950,-





vetpood.ee

Micro / High CBS Set - Toy Breeds and Cat

Complete set, consisting of:

- Module for CBS Toy Breeds and Cat Instruments and Screws, without instruments and screws, with cover
- 2 Twist Drills, cannulated, AO Quick Coupling (Ø 1.8 & 2.2 mm)
- 2 Screwdriver Blades, cannulated, AO Quick Coupling (Torx 6 & 8)
- 2 Head Reamers, cannulated, round shaft (for Ø 3.0 & 4.0 mm CBS)
- 5 KIRSCHNER Drilling Wires, trocar / blunt, Ø 0.9 mm
- 4 Micro Titanium Compression Screws, cannulated, Ø 3.0 mm (from 14 – 20 mm), magenta
- 5 High Titanium Compression Screws, cannulated, Ø 4.0 mm (from 14 - 22 mm), silver

191465



4.5 mm CBS Set - Dog Small

Complete set, consisting of:

- Module for CBS Dog Small Instruments and Screws Ø 4.5 mm, without instruments and screws, with cover

- Twist Drill, cannulated, AO Quick Coupling (Ø 2.8 mm)
 Screwdriver Blade, cannulated, AO Quick Coupling (Torx 10)
 Head Reamer, cannulated, round shaft (for Ø 4.5 mm CBS)
 5 KIRSCHNER Drilling Wires, trocar / blunt, Ø 1.4 mm
 7 Titanium Compression Screws, cannulated, Ø 4.5 mm
 (from 28 40 mm) green (from 28 – 40 mm), green

191470





191465

5.5 mm CBS Set - Dog Medium

Complete set, consisting of:

 Module for CBS Dog Medium Instruments and Screws Ø 5.5 mm, without instruments

and screws, with cover

- Twist Drill, cannulated, AO Quick Coupling (Ø 3.5 mm)
- Screwdriver Blade, cannulated, AO Quick Coupling (Torx 15)
- Head Reamer, cannulated, round shaft (for Ø 5.5 mm CBS)
- 5 KIRSCHNER Drilling Wires, trocar / blunt, Ø 1.4 mm 4 Titanium Compression Screws, cannulated, Ø 5.5 mm (from 32 – 38 mm), light blue

191475



6.5 mm CBS Set - Dog Large

Complete set, consisting of:

- Module for CBS Dog Large Instruments and Screws Ø 6.5 mm, without instruments and screws, with cover

- Twist Drill, cannulated, AO Quick Coupling (Ø 4.0 mm)
 Screwdriver Blade, cannulated, AO Quick Coupling (Torx 15)
 Head Reamer, cannulated, round shaft (for Ø 6.5 mm CBS)
 5 KIRSCHNER Drilling Wires, trocar / blunt, Ø 1.4 mm
 5 Titanium Compression Screw, cannulated, Ø 6.5 mm
 (from 36 50 mm), gold

191480





191475



191470



EICKEMEYER® BONE COLLECTOR

New set for fast and reliable spongiosa removal from small animals

Spongiosa grafts are usually removed after drilling open the cortex using a curette. The EICKEMEYER® Bone Collector is a new, technically simple, fast and safe procedure for bone marrow removal using a special drill sleeve. The set consists of an adapter to be placed on the drill with AO coupling, 3 drill or collection sleeves with collection container, a slider for emptying the spongiosa, an open-end wrench for securely fixing the drill sleeve to the adapter, a storage and sterilization module for the sterilisation room and a pack of KIRSCHNER drill wires.

The advantages are time, as the sample collection after the skin incision takes only a few seconds, and there is no need to use tissue retractors, so that only a small amount of iatrogenic trauma occurs.

Complete set, consisting of:

- Bone Collector Storage and Sterilization Module, without instruments
- Bone Collector Drill Bit Ø 4 mm, AO Quick Coupling
- Bone Collector Drill Bit Ø 5 mm, AO Quick Coupling Bone Collector Drill Bit Ø 6 mm, AO Quick Coupling
- Bone Collector Drill Adapter
- Bone Collector open-end Wrench
- Bone Collector Slider
- 2 Bone Collector KIRSCHNER Drill Wire, Ø 1.6 x L 100 mm, trocar

197310





EICKEMEYER® PINCUBE

Precision tool for support in osteosynthesis

As part of an osteosynthesis procedure, bone and bone fragments are fixed for mutual stabilisation. This is usually done with plates, screws, tension bands and / or rods. For some applications, such as tension band wiring, it is recommended that K-Wires are positioned parallel to each other. This is challenging to accurately do by hand. For this reason EICKEMEYER® has developed the PinCube!

- Enables K-Wires to be positioned exactly parallel
- Unique spiral-shaped hole pattern allows pins to be set both different distances and with different diameters
- Usage of pins, drills and thread cutters in diameters of 0.6 - 2.0 mm
- Extremely compact dimensions: 35 mm
- Very practical tool for small animal surgery





ICARE® TONOVET PLUS TONOMETER

The Icare® TONOVET Plus is easy to use. It features an advanced user interface with a clear, large display. Red / green positioning lights help to find the correct angle and aim at the middle of the cornea. The automatic measuring sequence lets you choose between taking single readings or taking all 6 measurements with one press of the button.

- Quick, painless and accurate procedure
- · Easy to use and requires no calibration
- Assisting positioning lights
- Large and easy to read colour display
- Dimensions (in mm): L 215 x W 24 29 x D 35 95
- Weight: 230 g (incl. batteries)
- Includes: Transport Case, 100 Probes, 4x AA batteries

1736007






QR code for the application video of the TONOVET Plus

Stand for TONOVET and TONOVET Plus

Table and wall mountable

1736008

€ 96,-



Application



vetpood.ee

ICARE® TONOVET TONOMETER

The TONOVET is based on a rebound measuring principle, in which a light probe is used to make momentary, gentle contact with the cornea. The device is easy to use and the measurement is barely noticed by the animal and often does not even cause corneal reflex.

Eye pressure should be measured from:

- Young patients to establish baseline readings
- Patients older than 6 to 7 years
- Patients predisposed to glaucoma (42 canine breeds)
- Ocular examination patients
- Head or eye trauma patients
- The treatment of the patient is well tolerated with the absence of local anaesthesia
- Quick, painless and accurate procedure
- Self-calibrating
- Portable as it is powered by batteries

Technical specifications

- Display range: 0 99 mmHg
- Power: 4x AA batteries included
- Dimensions (in cm): L 3.2 x W 24 x H 8
- Weight: 250 g (including batteries)
- Includes 100 TONOVET probes

1736005



Stand for TONOVET and TONOVET Plus

Table and wall mountable **1736008**

€ 96,-



Application



KOWA SL-19 PORTABLE SLIT LAMP

Now more ergonomic and even lighter!

With its rounded shape and curved handle design, the new KOWA SL-19 Slit Lamp is even more ergonomic. Furthermore, the weight of the hand-held unit has been significantly reduced.

New LED backlight that can be used simultaneously with the slit light $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left($

New LED blue light illumination for fl ourescence observation Light intensity can be adjusted with one hand Infi nitely adjustable slit length (1.5 – 12 mm)

Longer operating time: up to 6 hours at maximum intensity Available in 5 colours: white, black, blue, green and pink

Technical specifi cations

Magnifi cation: 10x and 16x

Working distance: about 80 mm at 16x magnifi cation,

about 100 mm at 10x magnifi cation

Effective fi eld of view: Ø 10 mm at 16x magnifi cation,

Ø 15 mm at 10x magnifi cation Slit width: Ø 0.1, Ø 0.2, Ø 0.8 mm

Spot size: Ø 1, Ø 5, Ø 12 mm (slit length continuously

adjustable from 1.5 - 12 mm)

Light intensity: 200 – 20,000 lux (continuously adjustable)

Power supply: 3x AA batteries (DC 4.8 – 6.4 V) Dimensions (in mm): W 197 x D 107 x H 238 Weight (without batteries): only 620 g

Illustration	Colour	Item No.
	White	173690
	Black	173691
	Blue	173692
	Green	173693
	Pink	173694

Each









HEINE ML4 LED HEADLIGHT WITH MPACK UNPLUGGED &

HEINE HR LOUPES

Perfect fit. Perfect view. Even with long operations.

The HEINE ML4 LED HeadLight is specially designed for healthcare professionals who need a perfect view during long surgical operations or treatments. Various individual adjustment options of the headband and the comfortable leather finish guarantee the highest level of comfort and a secure fit.

HEINE ML4 LED HeadLight with mPack UNPLUGGED

- Lightweight, high-performance battery integrated on the back of the headband
- · Offers 100% freedom of movement
- Incl. Plug-in Transformer UNPLUGGED

311138



HEINE HR Loupes

• With i-View loupe holder Including protective glasses, 2 sterilisable swivel levers, retaining strap, cleaning fluid, cleaning cloth and case

3.5x magnification 420 mm working distance 311123

4x magnification 340 mm working distance

vetpood.ee

311122







HEINE DIAGNOSTIC SET

Absolute precision is the basic requirement to ensure the creation of a high-quality product. At HEINE this principle applies to the entire production process.

Complete set, consisting of:

NT 300 Double Charger (302550)

- Automatic charging process and overcharge protection
 Includes two NT 3.5 V Battery Handles including batteries
- Includes two NT 3.5 V Battery Handles including batteries (2x 302535)
- With short-circuit protection and a continuous ceramic brightness control

BETA 200 Direct Ophthalmoscope (301135)

A spherical optics eliminate reflexes and guarantee a full view is even with small pupils Handle not included

Slit Illumination Otoscope Head (300035)

Homogeneous light and a swivel lens with 1.6x magnification Scratch-resistant swivel lens with 1.6x magnification

Light 3.5 V halogen light, Fibre Optic illumination for bright and homogeneous light

Wide Slot for ease of use when working with catheters, foreign body forceps etc.

For mounting on HEINE BETA handles

Replacement lamp can be ordered through item no. 300038

Otoscope Specula

- High quality chrome plated metal construction, which is easy to clean, disinfect and sterilise
- Metal Speculum, 4x 57 mm (300357)
- Metal Speculum, 4x 37 mm (300337)
 Metal Speculum, 6x 65 mm (300365)
- Metal Speculum, 7x 90 mm (300390)

EXP302550





ALGERBRUSH II

The AlgerBrush II is a battery powered, handheld, low torque motorised burr. It has been designed to remove foreign bodies from the cornea or sclera of patients.

The burr in this rotary instrument is used as a "brush" rather than a drill and the foreign bodies are thus "brushed" from the eye leaving a smooth surface, which in turn heals much faster than with other instruments that could be used for this purpose.

According to the paper "Veterinary Ophthalmology" ([2013] 16, 2, [83 - 88]), it has been successfully used to treat spontaneous corneal epithelial defects (SCCEDs) in dogs in combination with a bandage contact lens.

Includes

- 3.5 mm round, medium grit diamond burr Chuck

170010

€105.

AlgerBrush II Corneal Burr Ø 3.5 mm

Chuck attachment included

170011

63.-

AlgerBrush II Diamond Grinding Wheel (4 mm)

Fine

170014

63.

AlgerBrush II Corneal Burr

Ø 2.5 mm

170013

€ 63,

AlgerBrush II Corneal Burr

- Ø1mm
- Pack of 5 pieces

170012

€ 43,-



170010

RETEVET™ PORTABLE ERG

The RETevet™ portable ERG offers an intuitive interface that allows veterinary ophthalmologists to perform electroretinograms (ERGs) to measure the retinal function of animals.

- Small, portable and battery powered
- Intuitive user interface
- Real-time results
- All fl ashes electronically controlled
- Easy USB connection to any PC
- Comprehensive reports in PDF formats
- Anaesthesia is optional (based on the patient)

Technical specifications

- RGB LED technology
- Dimensions (in cm): W 10.5 x H 15.5
- Weight: 240 g
- Includes: RETevet™ Device, Docking Station, 6 Jet Electrodes, 10 Needle Electrodes, Dust Cover, 3-Plug Electrode Lead, USB Cable, Power Adapter



€ 8300.-



HEINE OMEGA 600 INDIRECT OPHTHALMOSCOPE

vetpood.ee

Discover more. With less weight.

Lighter. Brighter. Better. HEINE kept the best and perfected the rest. Highly comfortable, the HEINE OMEGA 600 delivers a new class of technological innovation, along with the new and unique visionBOOST for significantly better diagnostic even in dense cataracts.

- Most precise diagnostic, up to the far retinal periphery
- Up to 20 % better view in media opacities with visionBOOST
- Lightest High-End Indirect Ophthalmoscope worldwide
- Long-lasting investment due to its robust design
- Easy disinfection thanks to smoothSURFACE

Most precise diagnostic, up to the far retinal periphery

- Significantly better diagnostic due to unique visionBOOST
- Sharpest fundus image due to superior glass optics
- Brightest fundus image with true colour rendering thanks to our unique LEDHQ now in even more natural colours
- Best 3D imaging due to our unique Stereoscopic Adjustment
- Technology in dilated and undilated pupils

Includes

OMEGA 600 Indirect Ophthalmoscope (with battery and +2 D eyepiece), E4-USBC power supply with cable, eyepiece 0 D

173497

€ 2600,-

CB1 Charging Battery 17349702

€ 140,-




173497

VOLK ASPHERIC LENSES

Aspheric surface corrects the aberrations present in more common spherical lenses, which helps to improve the fi eld of view for diagnosis.

Lenses with a higher Dioptre power provides a wider field of view, lower magnification, and the best performance through small pupils. Lenses with a lower Dioptre power have a narrower field of view, higher magnification, and do not perform well through a small pupil.





173538



173539



173536



EICKVIEW PORTABLE LED VIDEO ENDOSCOPES

Due to their extremely compact dimensions, the EickView LED Video Endoscopes are the perfect solution for broncho-, gastro-, rhino-, tracheo, uretero- and vaginoscopy in dogs and cats and for the examination of the upper respiratory tract in horses. The devices work independently, as the powerful LED light source and the high resolution camera of the stand-alone systems are integrated in the distal end of the endoscopes. In addition, the folding 3.5" monitor allows both direct video and image playback as well as storage via SD card. Furthermore the EickView LED Video Endoscopes can be connected to a separate monitor.

Folding 3.5" monitor for video and picture playback Recording and archiving on integrated SD card File formats: JPG, AVI Integrated powerful LED light source Rechargeable Battery with up to 3 hours of operation USB port and video out Depth of field: 5 – 60 mm Direction of view: 0° Field of view: 110°

EickView L	EickView LED Video Endoscopes							
Item No.	Description	Working length	Outer Ø	Working channel	Deflection		€	
306009	EickView 60S	60 cm	3.3 mm	1.2 mm	up 180° down 130°		5100,-	
306011	EickView 60	60 cm	4.2 mm	1.3 mm	up 180° down 130°		5100,-	
306010	EickView 70	70 cm	6.0 mm	2.0 mm	up 180° down 130°		5100,-	
306166	EickView 100E	100 cm	8.0 mm	2.8 mm	up 150° down 130°		5100,-	
306164	EickView 150E	150 cm	8.0 mm	2.8 mm	up 130° down 130°		5100,-	

Accessories	Accessories							
Item No.	Description	Diameter	Length		€			
306211	Alligator Forceps, EickView 60 / 60S	1.0 mm	120 cm		399,-			
306311	Biopsy Forceps, EickView 60 / 60S	1.0 mm	120 cm		399,-			
306214	Alligator Forceps, EickView 70	1.8 mm	120 cm		290,-			
306314	Biopsy Forceps, EickView 70	1.8 mm	120 cm		290,-			
306216	Alligator Forceps, EickView 100E /	2.4 mm	230 cm		290,-			
306316	150E Biopsy Forceps, EickView 150E	2.4 mm	230 cm		290,-			



EICKVIEW 5-IN-1 ENDOSCOPY SYSTEM

vetpood.ee

EickView 5-in-1 Endoscopy System

The EickView 5-in-1 endoscopy system is a true all-rounder for veterinary medicine. The easy-to-use, mobile device offers the option to work with both, fl exible and rigid endoscopes. This means that all types of endoscopy can be covered with just one device – from diagnosis to surgical procedures.

The EickView 5-in-1 combines a large, 15.6" Full HD display, a powerful LED light source, a connection for flexible endoscopes from the EickView HD series with air and water pump as well as digital data storage via SD Card in one system.

306200

€ 5500,-

EickView HD Video Endoscopes

With improved video chips, the EickView HD Video Endoscopes deliver even more brilliant images. The main areas of application are bronchoscopy and gastroscopy. Due to the large number of available scope sizes, they are suitable for all applications in small animals and equine.

Technical specifications

- Viewing direction: 0°
- Distal end contains 1 CMOS Camera Chip, 2 Light Guides, Working Channel, Lens Rinsing Nozzle
- Scope of delivery: EickView Video Endoscope, Pressure Tester, 2 Cleaning Brushes, Cleaning Set, Carrying Case

EickView 5-in-1 Camera Kit

The EickView 5-in-1 camera with zoom adapter and light guide cable completes the comprehensive package. It allows all standard rigid endoscopes to be connected to the main system.

306201

€ 1700,-





306201



EickView	EickView HD Video Endoscopes								
Art. Nr.	Description W	orking length	Outer Ø	Working channel	Depth of field	Field of view	Deflection		€
306177	EickView 60 HD Endoscope	60 cm	3.5 mm	1.2 mm	3 – 50 mm	120°	Angle above: 160° Angle below: 130° Angle right / left: 0°		8500,-
306178	EickView 100 HD Endoscope	100 cm	6.0 mm	2.0 mm	3 – 50 mm	120°	Angle above: 210° Angle below: 90° Angle right / left: 100°		8500,-
306168	EickView 150 HD Endoscope	150 cm	8.5 mm	2.0 mm	5 – 100 mm	≥ 140°	Angle above: 210° Angle below: 90° Angle right / left: 100°		5500,-
306169	EickView 150L HE Endoscope	150 cm	9.2 mm	2.8 mm	5 – 100 mm	≥ 140°	Angle above: 210° Angle below: 90° Angle right / left: 100°		5500,-
306170	EickView 300 HD Endoscope	300 cm	13.0 mm	3.2 mm	5 – 100 mm	≥ 140°	Angle above: 180° Angle below: 180° Angle right / left: 160°		5500,-

The innovative and powerful cordless clipper for professional use! The battery charge status as well as oil and cleaning instructions can be read at any time via the integrated "InfoLED display".

- Vast engine power thanks to the high-quality, brushless
- Ergonomic and perfectly balanced
- Li-ion battery with a runtime of 180 minutes
- Charging station for machine and optional spare battery
- Weight 390 g including battery and blade

Blue

902101

Sold without clipper blade

DLC Clipper Blades for Favorita

DLC (Diamond like Carbon) surface refinement offers many advantages: better cutting performance, less wear, longer service life and less maintenance due to dirt-repellent surface

1/10 mm

902121

1/20 mm

902211







902100

Red















902121

AESCULAP ISIS CLIPPER

The AESCULAP Isis cordless clipper is ideal for preparation for small areas (forelimb, head and neck) when taking bloods, biopsy or for hard-to-reach areas.

- · Quiet and low vibration
- Ergonomic design
- Cutting width: 24 mm
- Cutting length: 0.5 mm
- Li-ion battery: runtime up to 120 min with approx. 90 min charging time
- Charge indicator via charging station
- Weight: 120 g (incl. battery & blade)
- Includes: clipper, blade (carbon blade cannot be sharpened), charging station, attachment comb (adjustable to 4 different cutting lengths, 3 - 6 mm), brush, AESCULAP oil, instructions

902605



AESCULAP Isis Clipper Blade

- DLC (Diamond like Carbon) surface refi nement offers many advantages: better cutting performance, less wear, longer service life and less maintenance due to dirt-repellent surface
- Cutting width: 24 mm
- Cutting length: about 0.5 mm









902605